

List of the Museum publications.

Abelson, A., Galil, B.S., & Loya, Y. (1991). Skeletal modifications in stony corals caused by indwelling crabs: hydrodynamical advantages for crab feeding. *Symbiosis*, 10, 233-248.

Achituv, Y., & Benayahu, Y. (1990). Polyp dimorphism and functional sequential hermaphroditism in the soft coral *Heteroxenia fuscescens* (Octocorallia). *Marine Ecology Progress Series*, 64, 263-269.

Achituv, Y., Benayahu, Y., & Hanania, J. (1992). Planulae brooding and acquisition of zooxanthellae in *Xenia macrospiculata* (Cnidaria: Octocorallia). *Helgolander Meeresuntersuchungen*, 46, 301-310.

Adam, W. (1967). Cephalopoda from the Mediterranean Sea. *Sea Fisheries Research Station Bulletin*, 45, 65-78.

Adam, W. (1973). Cephalopoda from the Red Sea. *Sea Fisheries Research Station Bulletin*, 60, 9-47.

Agosti, D. (1990). Review and reclassification of *Cataglyphis* (Hymenoptera, Formicidae). *Journal of Natural History*, 24, 1457-1505.

Aizenberg, J., Hanson, J., Ilan, M., Leiserowits, L., Koetzle, T.F., Addadi, L., & Weiner, S. (1995). Morphogenesis of calcitic sponge spicules: a role for specialized proteins interacting with growing crystals. *The Federation of American Societies of Experimental Biology Journal*, 9, 262-268.

Aizenberg, J., Ilan, M., Weiner, S., & Addadi, L. (1996). Intracrystalline macromolecules are involved in the morphogenesis of calcitic sponge spicules. *Connective Tissue Research*, 34-5, 17-23.

Anonymous. Checklist and description of octocorals from Phuket, Thailand. Phuket, Thailand. 6p. UNESCO/COMAR 1st Octocoral Research Workshop and Advanced Training Course.

Allen, G.R. (1980). A review of the damselfish (Teleostei: Pomacentridae) in the Red Sea. *Israel Journal of Zoology*, 29, 1-98.

Alon, G., & Galun, M. (1971). The genus *Caloplaca* in Israel. *Israel Journal of Botany*, 20, 273-292.

Anton, K., Halperin, J., & Calderon, M. (1997). An annotated list of the Bruchidae (Coleoptera) of Israel and adjacent areas. *Israel Journal of Entomology*, 31, 59-96.

- Antropov, A.V. (1989). The new digger wasps of the genus *Trypoxylon* (Hymenoptera, Sphegidae) from south-western Palearctic. *Bulletin of the Society of Nature Researchers of Moscow (Russian Journal)*, 94, 63-67.
- Ar, A., & Yom-Tov, Y. (1978). The evolution of parental care in birds. *Evolution*, 32, 655-669.
- Ar, A., & Yom-Tov, Y. (1978). Precocial and altricial modes of development as reflected by egg properties. *Ibis*, 120, 406(abstract)
- Argaman, Q. (1985). Taxonomy of Heterogynaidae (Hymenoptera: Acauleata). *Israel Journal of Entomology*, 19, 7-12.
- Argaman, Q. (1988). Additions to the Cynipoid fauna of Israel (Hymenoptera, Cynipoidea). *Israel Journal of Entomology*, 22, 109-117.
- Argaman, Q. (1990). Redescription of *Maladera matruda* Argaman (Coleoptera: Scarabaeidae: Melolonthinae). *Israel Journal of Entomology*, 24, 21-27.
- Argaman, Q. (1990). A synopsis of *Perilampus* Latreille with descriptions of new genera and species (Hymenoptera: Perilampidae). *Acta Zoologica Hungarica*, 36, 189-263.
- Argaman, Q. (1991). *Parasierola swirskiana* n. sp. (Hymenoptera: Bethyridae), from the lesser date moth, *Batrachedra amydraula* Meyrick (Lepidoptera: Batrachedridae). *Israel Journal of Entomology*, 25-26, 195-198.
- Argaman, Q. (1994). Generic synopsis of Myzinidae (Hymenoptera: Scolioidea). *Annales Historico-Naturales Musei Nationalis Hungarici*, 86, 85-104.
- Arieli, B. (, 1983). M.Sc. Breeding strategies in birds. Tel Aviv University;
- Arodin, P. (1978). Contribution a l'Etude des *Adesmia* (Coleoptera: Tenebrionidae) du Sinai, d'Israel et de Jordanie. *Nouvelle Revue d'Entomologie*, 8, 295-313.
- Aubert, J.F. (1984). Les Ichneumonides d'Israel. *Entomophaga*, 29, 211-235.
- Anonymous. Univariate and shape comparison approaches of the fluctuating asymmetry within populations of the mole rat *Spalax ehrenbergi* superspecies. Montpellier, France: 4th. European Soc. Evol. Biol.
- Auffray, J.C., Tchernov, E., Bonhomme, F., Helt, G., Simson, S., & Nevo, E. (1990). Presence and ecological distribution of *Mus spretoides* and *Mus musculus domesticus* in Israel. Circum-Mediterranean vicariance inside the genus *Mus*. *Zeitschrift für Säugetierkunde*, 55, 1-10.

Auffray, J.C., Tchernov, E., & Nevo, E. (1988). Origine du commensalisme de la souris domestique (*Mus musculus domesticus*) vis-a-vis de l'homme. *Comptes Rendus de l'Academie des Sciences, Series III*, 3, 517-522.

Avidov, Z., & Harpaz, I. (1969). *Plant pests of Israel*. Jerusalem: Israel Universities Press.

Baharav, D. (, 1975). Ph. D. Energy flow and productivity in a Mountain Gazelle (*Gazella gazella gazella* Pallas, 1766) population. Tel Aviv University;

Baharav, D., & Mendelssohn, H. (1976). Distribution and movement of the dorcas gazelle in the southern Negev, Israel. *Israel Journal of Zoology*, 25, 215-216. (abstract)

Banarescu, P.M., Nalbant, T.T., & Goren, M. (1982). The neomacheiline loaches from Israel (Pisces: Cobitidae: Neomacheilinae). *Israel Journal of Zoology*, 31, 1-25.

Bar-Oz, G. (, 1997). M. Sc. The Paleoeconomy and Paleocology of Geometric-Kebaran Hunters-Gatherers. Tel Aviv University; T. Dayan.

Bar-Oz, G., & Dayan, T. (1997). Faunal remains from Neve David, a Geometric-Kebaran hunter gatherer site. *Israel Journal of Zoology*, 43, 95(abstract)

Bar-Oz, G., Dayan, T., & Kaufman, D. (1997). Taphonomic analysis of the faunal remains from Neve David. In H. Buitenhuis, L. Bartosiewicz, & A.M. Choyke (Eds.), *Archaeozoology of the Near East III*. (pp. 72-79). Groningen: Groningen Institute for Archaeology.

Barak, Y. (, 1989). M. Sc. On the biology of the Kuhl's bat *Pipistrellus kuhli* in Israel. Tel Aviv University;

Barak, Y., & Yom-Tov, Y. (1989). The advantages of group hunting by Kuhl's bat *Pipistrellus kuhli* (Microchiroptera). *Journal of Zoology*, 219, 670-675.

Barash, A. (1964). Fresh-water Prosobranchia shells, new for the fauna of Israel. *Israel Journal of Zoology*, 13, 130-131. (abstract)

Barash, A. (1973). Polyplacophora (Mollusca) in the Eastern Mediterranean. *Israel Journal of Zoology*, 22, 203-204. (abstract)

Barash, A. (1977). Additions to the knowledge of Indo-Pacific Mollusca in the Mediterranean. *Conchiglie*, 13, 85-116.

Barash, A. (1985). Structural and biological adaptations of Vemetidae (Gastropoda). *Bollettino Malacologico*, 21, 145-176.

- Barash, A., & Bogi, C. (1987). *Scaliola elata* Semper in Issel, 1869: Una specie del Mar Rosso, raccolta lungo le coste di Israele. *Bollettino Malacologico*, 23, 425-426.
- Barash, A., & Danin, Z. (1965). *Field Guide to the Mediterranean Mollusca of Israel*. Tel Aviv: "Hassadeh".
- Barash, A., & Danin, Z. (1971). Opisthobranchia (Mollusca) from the Mediterranean waters of Israel. *Israel Journal of Zoology*, 20, 151-200.
- Barash, A., & Danin, Z. (1971). Mollusca from the stomach of *Sparus auratus* fished in the lagoon of Bardawil. *Argamon*, 2, 97-104.
- Barash, A., & Danin, Z. (1972). The Indo-Pacific species of Mollusca in the Mediterranean and notes on a collection from the Suez Canal. *Israel Journal of Zoology*, 21, 301-374.
- Barash, A., & Danin, Z. (1977). Polyplacophora (Mollusca) from the Eastern Mediterranean. *Journal de Conchyliologie*, 114, 3-28.
- Barash, A., & Danin, Z. (1980). Notes on Aplysiidae from the Red Sea (Mollusca, Gastropoda, Opisthobranchia). *Levantina*, 28, 325-329.
- Barash, A., & Danin, Z. (1982). Contribution to the knowledge of Mollusca in the Bardawil Lagoon. *Bollettino Malacologico*, 18, 107-128.
- Barash, A., & Danin, Z. (1982). Mediterranean Mollusca of Israel and Sinai: Composition and distribution. *Israel Journal of Zoology*, 31, 86-118.
- Barash, A., & Danin, Z. (1986). Further additions to the knowledge of the Indo-Pacific Mollusca in the Mediterranean Sea. *Spixiana*, 9, 117-141.
- Barash, A., & Danin, Z. (1987). Notes on the antilessepsian migration of Mediterranean species of Mollusca into the Indo-Pacific region. *Gloria Maris*, 26, 81-100.
- Barash, A., & Danin, Z. (1988). Marine Mollusca at Rhodes. *Israel Journal of Zoology*, 35, 1-74.
- Barash, A., & Danin, Z. (1988). Contribution to the knowledge of Opisthobranchia of Cyprus. *Bollettino Malacologico*, 24, 243-260.
- Barash, A., & Danin, Z. (1992). *Mollusca I: Annotated list of Mediterranean Molluscs of Israel and Sinai*. Jerusalem: The Israel Academy of Science and Humanities.
- Barash, A., Danin, Z., & Yaron, I. (1980). *Bankivia fasciata* (Menke, 1830) in the Gulf of Aqaba. *Bollettino Malacologico*, 16, 21-22.

- Barash, A., Danin, Z., & Yaron, I. (1984). The genus *Rhinoclavis* (Gastropoda: Cerithiidae) in the Red Sea. *Annali del Museo Civico di Storia Naturale di Genova*, 85, 95-117.
- Barash, A., & Lewinsohn, C. Anonymous. Report on the 3rd Cyprus expedition, 1970. Hebrew University - Smithsonian Institution joint project. (1971). App. Progress Report,
- Barash, A., & Zenziper, Z. (1980). Egg masses of Mollusca from the Mediterranean waters of Israel and notes on the reproduction of the freshwater species *Theodoxus jordani* and *Melanoides tuberculata*. *Veliger*, 22, 299-316.
- Barash, A., & Zenziper, Z. (1984). On the food of some opisthobranchs found in the Mediterranean waters of Israel. *Levantina*, 51, 585-598.
- Barash, A., & Zenziper, Z. (1991). *The molluscs of the Mediterranean Sea in Israel*. Tel Aviv: Society for Protection of Nature.
- Barash, A., & Zenziper, Z. (1993). I. Notes on Opisthobranchia from the Red Sea. *La Conchiglia*, 25(4), 18-23.
- Barash, A., & Zenziper, Z. (1994). II. Notes on Opisthobranchia from the Red Sea. *La Conchiglia*, 26(1), 7-9.
- Barash, A., & Zenziper, Z. (1994). III. Notes on Opisthobranchia from the Red Sea. *La Conchiglia*, 26(2), 57-61.
- Barash, A., & Zenziper, Z. (1994). IV. Notes on Opisthobranchia from the Red Sea. *La Conchiglia*, 26(3), 49-55.
- Baraud, J. (1984). *Euonthophagus rapillyi*, nouvelle espece d'israel (Coleoptera, Scarabaeoidea). *Nouvelle Revue d'Entomologie*, 1, 105-108.
- Barki, Y., Benayahu, Y., & Wool, D. (1993). Population ecology and genetic characteristics of the soft coral *Dendronephthya hemprichi* in the northern Gulf of Elat (Red Sea). *Israel Journal of Zoology*, 39, 48(abstract)
- Barnea, A. (, 1982). M. Sc. On the biology of the Syrian Woodpecker (*Dendrocopos syriacus*) in Israel. Tel Aviv University;
- Barracough, D.A. (1992). *Afrocamilla stuckenbergi*, a new African genus and species of Camillidae (Diptera), with comments on its behaviour and biology. *Annals of the Natal Museum*, 33, 37-49.
- Barracough, D.A. (1993). The Afrotropical species of *Aulacigaster* Macquart (Diptera: Aulacigastridae: Aulacigastrinae). *Annals of the Natal Museum*, 34, 31-42.
- Barracough, D.A. (1994). First record of Diastatidae (Diptera: Schizophora) from East Africa, with descriptions of two new species. *African Entomology*, 2, 111-116.

- Barraclough, D.A. (1997). New east and west African species of *Afrocamilla* Barraclough (Diptera: Schizophora: Camillidae). *African Entomology*, 5, 181-193.
- Bath, H. (1977). Revision der Blenniinae (Pisces: Blenniidae). *Senckenbergiana Biologica*, 57, 167-234.
- Bath, H. (1979). *Omobranchus punctatus* (Valenciennes, 1836) neu im Suez-Kanal (Pisces: Blenniidae). *Senckenbergiana Biologica*, 60, 317-319.
- Bath, H. (1983). Revision der Gattung *Antennablennius* Flower 1931 mit Beschreibung einer neuen Art und Untersuchung der taxonomischen Stellung von *Antennablennius anuchalis* Springer & Spreitzer 1978. (Pisces: Blenniidae). *Senckenbergiana Biologica*, 64, 47-80.
- Bath, H. (1989). Die Arten der Gattung *Parablennius* Ribeiro 1915 im Roten Meer, Indischen und NW des Pazifischen Ozeans (Pisces: Blenniidae). *Senckenbergiana Biologica*, 69, 301-343.
- Bauchot, M.-L., & Blache, J. (1979). Presence d'*Ariosoma balearicum* (de la Roche, 1909) en Mer Rouge (Pisces, Teleostei, Congridae). *Bulletin du Museum National d'Histoire Naturelle, Paris, Ser.4. 1A*, 1131-1137.
- Bear, A. (, 1992). M. Sc. The louse fly parasites of birds in Israel (Diptera: Hippoboscidae: Ornithomyini): a survey and the biology of *Pseudolynchia canariensis*. Tel Aviv University; Dr. A. Friedberg.
- Bear, A., & Freidberg, A. (1995). Contribution to the knowledge of the Ornithomyini of Israel (Diptera: Hippoboscidae). *Israel Journal of Zoology*, 41, 109-124.
- Beaucournu-Saguez, F. (1987). A new species of *Levitinia* Chubareva and Petrova (Diptera, Simuliidae) from the Golan Heights, Israel. *Annales Parasitologie Humaine et Comparee*, 62, 59-75.
- Beaucournu-Saguez, F., & Braverman, Y. (1987). *Greniera dobyi* (Diptera, Simuliidae) espece nouvelle du Golan (Israel). *Annales de Parasitologie Humaine et Comparee*, 62, 77-91.
- Belinsky, A. (, 1976). M. Sc. A survey of the entomofauna of *Prosopis farcta* (Mimosaceae) in Israel, with special reference to *Caryedon serratus* (Coleoptera, Bruchidae). Tel Aviv University; Prof. J. Kugler.
- Belinsky, A., & Kugler, J. (1978). Observations on the biology and host preference of *Caryedon serratus palaestinus* (Coleoptera: Bruchidae) in Israel. *Israel Journal of Entomology*, 12, 19-33.
- Ben Mordechai, Y. (, 1981). M. Sc. Ecology of ants in the loes plain -Sede Zin- at Sede Boqer. Tel Aviv University; Prof. J. Kugler.

- Ben Mordechai, Y., Cohen, R., Gerling, D., & Moscovitz, E. (1978). The biology of *Xylocopa pubescens* (Spinola) (Hymenoptera: Anthophoridae) in Israel. *Israel Journal of Entomology*, 12, 107-121.
- Ben Mordechai, Y., & Kugler, J. (1976). Ecology of ants in the loess plain (Sede Zin) of Sede Boqer (Central Negev). *Israel Journal of Zoology*, 25, 216
- Anonymous. The adaptation of the food collecting seasons and the occurrence of the nuptial flight of ants to the ecological conditions in the desert loess plain of Sde Boqer (Sde Zin). Intecol.
- Ben Yaakov, R. (, 1980). M. Sc. On the Biology and Behaviour of the Egyptian Mongoose (*Herpestes ichneumon*). Tel Aviv University;
- Ben-David Zaslow, R., & Benayahu, Y. (1996). Longevity, competence and energetic content in planulae of the soft coral *Heteroxenia fuscescens*. *Journal of Experimental Marine Biology and Ecology*, 206, 55-68.
- Ben-David Zaslow, R., & Benayahu, Y. (1998). Competence and longevity in planulae of several species of soft corals. *Marine Ecology Progress Series*, 163, 235-243.
- Ben-David Zaslow, R., Hennig, G., & Benayahu, Y. (1996). Temporal variations in reproductive characteristics of a Red Sea soft coral. *8th International Coral Reef Symposium, Panama City, Panama*, 16(abstract)
- Ben-Dov, Y. (1971). An annotated list of the soft scale insects (Homoptera: Coccidae) of Israel. *Israel Journal of Entomology*, 6, 23-34.
- Ben-Eliahu, M.N. (1980). Nereidae (Annelida: Polychaeta) of the eastern Mediterranean and Sinai Peninsula, with an appendix on a new serpulid. *Israel Journal of Zoology*, 21, 206-207. (abstract)
- Anonymous. Eastern Mediterranean serpulids: Israel and Cyprus. Copenhagen: 2nd Int. Polychaete Conference, Zool. Mus.
- Ben-Eliahu, M.N. (1988). Serpulid tubeworms of Red Sea origin in the eastern Mediterranean. *Israel Journal of Zoology*, 35, 84(abstract)
- Ben-Eliahu, M.N. (1989). Lessepsian migration in Nereididae (Annelidae: Polychaeta): Some case histories. In E. Spanier, Y. Steinberger, & M. Luria (Eds.), *Environmental quality and ecosystem stability*. (pp. 125-134). Jerusalem: ISEEQS.
- Ben-Eliahu, M.N. (1989). Nereididae of the Suez Canal - potential Lessepsian migrants? *Bulletin of Marine Science*, 48, 318-329.

- M.N. Petersen & J.B. Kirkegaard. Red Sea serpulids (Polychaeta) in the eastern Mediterranean. Copenhagen: Systematics, biology and morphology of World Polychaeta. Proc. 2nd. Int. Polychaete Conference, 1986.
- Ben-Eliahu, M.N., & Fiege, D. (1995). Shelf and deep water Serpulidae (Annelida) of the central and eastern Mediterranean. *Israel Journal of Zoology*, 41, 77
- Ben-Eliahu, M.N., & ten Hove, H.A. (1991). Serpulid tubeworms (Annelida: Polychaeta) - a recent expedition along the Mediterranean coast of Israel finds new population buildups of Lessepsian migrant species. *Israel Journal of Zoology*, 37, 179-180. (abstract)
- Ben-Eliahu, M.N., & ten Hove, H.A. (1992). Serpulids (Annelida: Polychaeta) along the Mediterranean coast of Israel - new population build-ups of Lessepsian migrants. *Israel Journal of Zoology*, 38, 35-53.
- Ben-Menachem, O. (, 1980). M. Sc. Lactation studies in the white toothed shrew (*Crocidura russula monacha*, Soridae-Insectivora) with emphasis on the litter size. Tel Aviv University;
- Ben-Tuvia, A. (1971). Revised list of the Mediterranean fishes of Israel. *Israel Journal of Zoology*, 20, 1-39.
- Ben-Yaakov, R., & Yom-Tov, Y. (1983). On the biology of the Egyptian mongoose, *Herpestes ichneumon*, in Israel. *Zeitschrift für Säugetierkunde*, 48, 34-45.
- Benayahu, Y. (, 1970). M. Sc. Quantitative characteristics of community structure of stony corals, soft corals and algae in the northern Gulf of Eilat (Red Sea). Tel Aviv University;
- Benayahu, Y. (1982). A new species of *Metalcyonium* (Octocorallia: Alcyonacea) from the Red Sea. *Zoologische Mededelingen*, 56, 197-201.
- Benayahu, Y. (, 1982). Ph. D. Population dynamics of soft corals (Octocorallia, Alcyonacea) at the coral reefs of the Gulf of Eilat (Red Sea). Tel Aviv University;
- Benayahu, Y. (1983). Red Sea alcyonaceans. In A. Alon (Ed.), *Plants and Animals of the Land of Israel, Vol. 4*. (pp. 224-230). Tel Aviv: Ministry of Defence Publication House/Society for Protection of Nature.
- Anonymous. Faunistic composition and patterns in the distribution of soft corals (Octocorallia: Alcyonacea) along the coral reefs of Sinai Peninsula. Tahiti: 255p. Proc. 5th International Coral Reef Congress.
- Benayahu, Y. (1988). Settlement of softcorals artificial substrates at Eilat. *9th Conference of the Israel Society for Ecology, Tel Aviv*, (abstract)

- Benayahu, Y. (1989). Reproduction and developmental pathways of soft coral xeniids (Octocorallia: Alcyonacea). *5th International Conference on Coelenterate Biology, Southampton, U K*, 9(abstract)
- Benayahu, Y. (1989). Sexual reproduction and brooding of planulae in Xeniidae (Octocorallia). *Israel Journal of Zoology*, 36, 165(abstract)
- Benayahu, Y. (1990). Xeniidae (Cnidaria: Octocorallia) from the Red Sea with description of a new species. *Zoologische Mededelingen*, 64, 113-120.
- Benayahu, Y. (1991). Sexual reproduction among reef octocoral alcyonaceans (Cnidaria). *Israel Journal of Zoology*, 37, 181(abstract)
- Benayahu, Y. (1991). Reproduction and developmental pathways of Red Sea Xeniidae (Octocorallia: Alcyonacea). *Hydrobiologia*, 216/217, 125-130.
- Benayahu, Y. (1993). Corals of the South-West Indian Ocean I: Alcyonacea from Sodwana Bay, South Africa. *Oceanographic Research Institute Investigational Report*, 67, 1-15.
- Anonymous. Soft corals and stony corals at Sodwana Bay, South Africa: communities at the boundaries of reefs distribution. York, U.K. Marine Biodiversity: Causes and Consequences.
- Benayahu, Y. (1995). Species composition of soft corals (Octocorallia, Alcyonacea) at the coral reefs of Sesoko Island, Ryukyu, Archipelago, Japan. *Galaxea*, 12, 103-124.
- Anonymous. Developmental episodes in reef soft corals: Ecological and cellular determinants. Panama City: 1213p. Proceedings of the 8th International Coral Reef Symposium.
- Benayahu, Y. (1996). Developmental episodes in reef soft corals: Ecological and cellular determinants. *8th International Coral Reef Symposium, Panama City, Panama*, 16(abstract)
- Benayahu, Y. (1996). Diversity of the alcyonaceans (Octocorallia) of Guam. *8th Pacific Science International Congress, Suva, Fiji*, 233(abstract)
- Benayahu, Y. (1997). Reproductive cycle and developmental processes during embryogenesis of *Clavularia hamra* (Cnidaria: Octocorallia). *Acta Zoologica*, 70, 29-36.
- Benayahu, Y. (1997). A review of three alcyonacean families (Octocorallia) from Guam. *Micronesica*, 30, 207-244.

- Benayahu, Y. (in press). Lobe variation in the soft coral *Sinularia nanolobata* Verseveldt, 1977 (Cnidaria, Alcyonacea). *Bulletin of Marine Science*,
- Benayahu, Y., & Achituv, Y. (1991). Sexual reproduction and early ontogeny of *Heteroxenia fuscescens* (Cnidaria: Octocorallia). *Proceedings of the XIIth Conference of the Interuniversity Institute, The H Steinitz Marine Biology Laboratory, Eilat*, 75-76. (abstract)
- Benayahu, Y., Berner, T., & Achituv, Y. (1989). Development of planulae within a mesogleal coat in the soft coral *Heteroxenia fuscescens*. *Marine Biology*, 100, 203-210.
- Benayahu, Y., & Dahan, M. (1995). Outstanding reproductive features of an azooxanthellate Red Sea octocoral. *American Zoologist*, 35, 137(abstract)
- Benayahu, Y., & Klainman, M. (1996). Patterns of reproduction in some *Sinularia* soft corals. *76th Annual Meeting of the Western Society of Naturalists, Port Townsend, Washington*, (abstract)
- Benayahu, Y., & Loya, Y. (1976). Stony corals, soft corals and algae: The main competitors for space in the northern Gulf of Elat (Red Sea). *Israel Journal of Zoology*, 25, 204(abstract)
- Benayahu, Y., & Loya, Y. (1977). Space partitioning by stony corals, soft corals and benthic algae on the coral reefs of the northern Gulf of Eilat (Red Sea). *Helgolander Wissenschaftliche Meeresuntersuchungen*, 30, 362-382.
- Anonymous. Seasonal occurrence of benthic-algae communities and grazing regulation by sea urchins at the coral reef of Eilat, Red Sea. 383p. Proceedings of the 3rd International Coral Reef Symposium, Miami, Florida, USA.
- Benayahu, Y., & Loya, Y. (1981). Competition for space among coral reef sessile organisms at Eilat, Red Sea. *Bulletin of Marine Science*, 31, 514-522.
- Benayahu, Y., & Loya, Y. (1983). Surface brooding in the Red Sea soft coral *Parerythropodium fulvum fulvum* (Forsk., 1775). *Biological Bulletin*, 165, 353-369.
- Benayahu, Y., & Loya, Y. (1984). Substratum preferences and planulae settling of two Red Sea alcyonaceans: *Xenia macrospiculata* Gohar and *Parerythropodium fulvum fulvum* (Forsk.). *Journal of Experimental Marine Biology and Ecology*, 83, 249-266.
- Benayahu, Y., & Loya, Y. (1984). Life history studies on the Red Sea soft coral *Xenia macrospiculata* Gohar, 1940. II. Planulae shedding and post larval development. *Biological Bulletin*, 166, 44-53.

Benayahu, Y., & Loya, Y. (1984). Life history studies on the Red Sea soft coral *Xenia macrospiculata* Gohar, 1940. I. Annual dynamics of gonadal development. *Biological Bulletin*, 166, 32-43.

Benayahu, Y., & Loya, Y. (1985). Settlement and recruitment of a soft coral: Why is *Xenia macrospiculata* a successful colonizer? *Bulletin of Marine Science*, 36, 177-188.

Benayahu, Y., & Loya, Y. (1986). Sexual reproduction of a soft coral: Synchronous and brief annual spawning of *Sarcophyton glaucum* (Quoy & Gaimard, 1833). *Biological Bulletin*, 170, 32-42.

Benayahu, Y., & Loya, Y. (1987). Long-term recruitment of soft-corals (Octocorallia: Alcyonacea) on artificial substrata at Eilat (Red Sea). *Marine Ecology Progress Series*, 38, 161-167.

Benayahu, Y., & Schleyer, M.H. (1995). Corals of the South-West Indian Ocean II: *Eleutherobia aurea* spec. nov. (Cnidaria, Alcyonacea) from deep reefs on the Kwazulu-Natal Coast, South Africa. *Oceanographic Research Institute Investigational Report*, 68, 1-12.

Benayahu, Y., & Schleyer, M.H. (1996). Corals of the South-West Indian Ocean III: Alcyonacea (Octocorallia) of Bazaruto Island, Mozambique: A redescription of *Cladiella australis* (Macfadyen, 1936) and description of *Cladiella kashmani* spec. nov. *Oceanographic Research Institute Investigational Report*, 69, 1-22.

Benayahu, Y., Weil, D., & Dahan, M. (1996). Reproductive strategies of soft corals of the family Nephtheidae (Cnidaria: Octocorallia). *Galaxea*, 13, 135-136. (abstract)

M. Hoshi & O. Yamashita. Radiation of broadcasting and brooding patterns in coral reef alcyonaceans. Amsterdam: Elsevier, Science Publishers. 323p. Advances in Invertebrate Reproduction.

Benjamini, D. (1983). Distribution list of the butterflies of Israel west of the Jordan River (Lepidoptera). *Israel Journal of Entomology*, 17, 23-36.

Benson, R. (1955). The Sawflies (Hymen., Symphyta) of Israel. *Bulletin of the Research Council of Israel*, 4, 351-356.

Berti, N., & Rapilly, M. (1979). Contribution a la faune d'iran 4.-Cryptocephalinae (Coleoptera, Chrysomelidae). *Nouvelle Revue d'Entomologie*, 9, 239-269.

Bink-Moenen, R.M., & Gerling, D. (1990). Aleyrodidae of Israel. *Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri" Portici*, 47, 3-49.

Binyamini, N. (1972). *Trichophaea abundans* (Karst.) Boud.=*Anthracobia humillima* Malencon. *Saertryk af Botanik Tidsskrift*, 67, 154-158.

- Binyamini, N. (1972). Some coprophilous fungi of Israel. I. Ascomycetes. *Israel Journal of Botany*, 21, 112-116.
- Binyamini, N. (1973). Species of *Inocybe* and *Cortinarius* in Israel. *Israel Journal of Botany*, 22, 144-150.
- Binyamini, N. (1973). Coprophilous Fungi of Israel. III. *Israel Journal of Botany*, 22, 159-165.
- Binyamini, N. (1973). Coprophilous Fungi of Israel. II. *Israel Journal of Botany*, 22, 151-158.
- Binyamini, N. (1973). Gasteromycetes of the Sinai Desert. *Israel Journal of Botany*, 22, 33-37.
- Binyamini, N. (1973). White-spored *Agarics* new to Israel. *Israel Journal of Botany*, 22, 38-46.
- Binyamini, N. (1974). Fleshy fungi of north and central Israel. I. *Israel Journal of Botany*, 23, 237-251.
- Binyamini, N. (1975). Cortinariaceae in Israel. *Israel Journal of Botany*, 24, 1-9.
- Binyamini, N. (1975). *The Fleshy Fungi of Israel (Agaricales)*. Tel Aviv: Hakibbutz Hameuchad Publishing House Ltd.
- Binyamini, N. (1976). Rare and interesting records of Israeli agaric flora. *Nova Hedwigia*, 28, 759-770.
- Binyamini, N. (1976). Fleshy fungi of north and central Israel III. *Nova Hedwigia*, 27, 861-876.
- Binyamini, N. (1976). Fleshy fungi of north and central Israel. II. *Israel Journal of Botany*, 25, 62-78.
- Binyamini, N. (1980). Addenda to the hypogeous mycoflora of Israel. *Nova Hedwigia*, 32, 9-20.
- Binyamini, N. (1981). Succession of Israeli Agaric Flora. *Nova Hedwigia*, 32, 185-198.
- Binyamini, N. (1981). Lignicolous Aphylophorales Fungi from Israel I. *Nova Hedwigia*, 35, 357-369.

- Binyamini, N. (1982). Lignicolous Aphylophorales Fungi from Israel IV (Corticaceae II). *Nova Hedwigia*, 36, 291-308.
- Binyamini, N. (1982). Lignicolous Aphylophorales Fungi from Israel-III (Corticaceae I). *Nova Hedwigia*, 36, 569-586.
- Binyamini, N. (1983). Tremellales of Israel. *Mycotaxon*, 16, 380-386.
- Binyamini, N. (1984). Addenda to the Aphylophorales and Heterobasidiomycetes from Israel V. *Nova Hedwigia*, 40, 71-77.
- Binyamini, N. (1984). Hydneous Fungi of Israel. *Nova Hedwigia*, 39, 205-209.
- Binyamini, N. (1984). New records of Geastraceae from Israel. *Mycologia Helvetica*, 1, 169-175.
- Binyamini, N. (1984). Rare and Interesting Records of Israeli Agaric Flora II. *Nova Hedwigia*, 40, 59-65.
- Binyamini, N. (1984). *Larger Fungi of Israel. Ascomycotina, Basidiomycotina (Aphylophorales, Auriculariales Tremellales and Gasteromycetes)*. Tel Aviv: Ramot Publishing Co.
- Binyamini, N. (1984). Four Tricholomataceous Fungi new to Israel. *Nova Hedwigia*, 40, 67-70.
- Binyamini, N. (1986). Myxomycetes from Israel-I. *Nova Hedwigia*, 42, 379-386.
- Binyamini, N. (1986). Pezizales and lignicolous Ascomycotina fungi from Israel I. *Transactions of the Mycological Society of Japan*, 27, 441-450.
- Binyamini, N. (1986). New records of Tulostoma (Gasteromycetes) from Israel. *Nova Hedwigia*, 43, 453-457.
- Binyamini, N. (1987). *Mycology (evolution, biology, geography and taxonomy of Fungi)*. Tel Aviv: Hakibbutz Hameuchad Publishing House.
- Binyamini, N. (1987). Myxomycetes from Israel-II. *Nova Hedwigia*, 44, 351-364.
- Binyamini, N. (1987). Addenda to the Aphylophorales and Tulasnellales fungi from Israel VI. *Nova Hedwigia*, 44, 365-372.
- Binyamini, N. (1989). Rare and interesting records of the higher fungal flora of Israel. IV. *Opera Botanica*, 100, 23-27.

Binyamini, N. (1991). Myxomycetes from Israel III. *Transactions of the Mycological Society of Japan*, 32, 485-493.

Binyamini, N. (1991). Lignicolous Ascomycotina fungi from Israel II. *Transactions of the Mycological Society of Japan*, 32, 363-370.

Binyamini, N. (1992). *Israeli Myxomycetes*. Tel aviv: Hakibbutz Hameuchad Publishing House Ltd.

Binyamini, N. (1993). Addenda to the Lignicolous aphylophorales from Israel VII. *Mycologia*, 85, 856-860.

Binyamini, N. (1993). Lignicolous Ascomycotina fungi from Israel III. *Transactions of the Mycological Society of Japan*, 34, 162-167.

Binyamini, N. (1994). New records of higher fungi from Israel. *Mycoscience*, 35, 425-428.

Binyamini, N. (1997). Myxomycetes from Israel IV. *Mycoscience*, 38, 87-89.

Binyamini, N., & Avizohar-Hershenzon, Z. (1973). Species of *Hygrophorus* in Israel. *Israel Journal of Botany*, 22, 258-262.

Binyamini, N., & Avizohar-Hershenzon, Z. (1973). Boletaceae of Israel. II. *Gyroporus*, *Xerocomus* and *Boletus*. *Transactions of the British Mycological Society*, 60, 99-105.

Binyamini, N., & Halperin, J. (1983). Lignicolous Aphylophorales Fungi from Israel. II. *Nova Hedwigia*, 38, 477-486.

Binyamini, N., & Nadel-Shiffman, M. (1972). Latentinfection in avocado fruit due to *Colletotrichum gloeosporioides*. *Phytopathology*, 62, 592-594.

Blumental, C.L., & Deuve, T. (1986). Casabus (Chetomelas) Praestigator pinguis Lapouge n. comb. Designation d'un neotype (Col., Carabidae). *Nouvelle Revue d'Entomologie*, 3, 438

Bobin, G. (1968). *Loxosomella museiensis* n. sp. Entoprocte Loxosomatidae de Mer Rouge. (The second Israel South Red Sea Expedition, 1965, report no. 5). *Israel Journal of Zoology*, 17, 175-189.

Bodenheimer, F.S. (1951). *Citrus entomology in the Middle East*. The Hague: W. Junk.

Keywords : Book; Insecta; Invertebrates; Arthropoda; Mandibulata; InsGeneral

Bodenheimer, F.S. (1959). *A biologist in Israel*. Jerusalem: Biological studies.

- Bodenheimer, F.S., & Swirski, E. (1957). *The Aphidoidea of the Middle East*. Jerusalem: The Weizmann Science Press of Israel.
- Borowiec, L. (1986). A new species and new subspecies of tortoise-beetles from Middle-East (Coleoptera, Chrysomelidae, Cassidinae). *Polskie Pisma Entomologiczne*, 56, 537-576.
- Borowiec, L., Chikatunov, V., & Halperin, J. (1997). The Cassidinae (Coleoptera: Chrysomelidae) of Israel. *Israel Journal of Entomology*, 31, 147-152.
- Boschma, H. (1968). The Milleporina and Stylasterina of the Israel South Red Sea Expedition. (Israel South Red Sea Expedition, 1962, Reports, no. 29). *Sea Fisheries Research Station Bulletin*, 49, 8-14.
- Botosaneanu, L. (1974). Quatre nouvelles especes Palestiniennes de *Trichopteres* (Insecta, Trichoptera). *Israel Journal of Entomology*, 9, 159-174.
- Botosaneanu, L. (1992). *Insecta VI: Trichoptera of the levant*. Jerusalem: The Israel Academy of Sciences and Humanities.
- Botosaneanu, L., & Notenboom, J. (1992). The stygobiont Cirolanidae (Isopoda) of Israel and Sinai. *Israel Journal of Zoology*, 37, 213-224.
- Boucek, Z. (1982). Description of a new *Hockeria* (Hymenoptera: Chalcididae), a parasite of a lepidopterus gall-causer on *Tamarix*. *Israel Journal of Entomology*, 16, 49-51.
- Braverman, Y. (, 1973). Ph.D. The bionomics of *Culicoides* (Diptera, Ceratopogonidae) associated with farm animals in Israel. Hebrew University of Jerusalem;
- Brickner, I. (, 1994). Ph. D. Ecology, systematics and phylogenetics of coral Inhabiting barnacles in the Gulf of Eilat. Bar-Ilan University;
- Brock, P.D., & Shlagman, A. (1994). The stick-insects (Phasmatodea) of Israel, including the description of a new species. *Israel Journal of Entomology*, 28, 101-117.
- Bromley, H.J. (1988). A note on the Plecoptera of Israel. *Israel Journal of Entomology*, 22, 1-12.
- Broza, M. (, 1977). Ph. D. Adaptation of some tenebrionid beetles to desert life, with special reference to the water balance and its regulation. Hebrew University of Jerusalem; Prof. M. P. Pener Prof. A. Borut.
- Broza, M., Poliakov, D., & Szeptycki, A. (1996). First record of Protura (Hexapoda) in Israel with notes on their distribution and ecology. *Israel Journal of Entomology*, 30, 1-5.

Bruss, R. (1987). Two new species of *Uranoscopus* Linnaeus, 1758, from the Red Sea: *U. dollfusi* n. sp. and *U. bauchotae* n. sp. *Bulletin du Museum National d'Histoire Naturelle, Paris, 4A*, 955-967.

Bruss, R. (1987). Tiefenwasser und Tiefseefische aus dem Roten Meer 13. *Uranoscopus marisrubi* n. sp. aus dem zentralen und nördlichen Roten Meer (Pisces: Perciformes: Uranoscopidae). *Senckenbergiana Biologica, 68*, 39-48.

Bruss, R. (1987). *Uranoscopus dahlakensis* n. sp. und Neunachweis von *U. scaber* Linnaeus 1758, im Roten Meer (Pisces: Perciformes: Uranoscopidae). *Senckenbergiana Biologica, 68*, 49-57.

Bubrick, P., & Galun, M. (1984). Cyanobiont diversity in the Lichenaceae and Heppiaceae. *The Lichenologist, 16*, 279-287.

Burckhardt, D., & Halperin, J. (1991). Additions to the psyllid fauna of Israel (Homoptera: Psylloidea). *Israel Journal of Entomology, 25-26*, 41-50.

Burda, H., Nevo, E., & Bruns, V. (1990). Adaptive differentiation of ear structures in subterranean mole-rats of the *Spalax ehrenbergi* superspecies in Israel. *Zoologische Jahrbuch Abteilung für Systematik, Ökologie und Geographie der Tiere, 117*, 369-382.

Anonymous. Molar variation in mole rats *Spalax* in relation to speciation and selection. (Abstract). 9th Intern. Symp. Dental Morphology.

Bytinski-Salz, H. (1953). Zoogeography of the ants in the Near East. *Revue de la Faculta de Sciences de l'Universite d'Istanbul, 18B*, 67-74.

Bytinski-Salz, H. (1954). Insects associated with desert acacias in Israel. *Bulletin of the Research Council of Israel, 4*, 284-292.

Bytinski-Salz, H. (1955). The Cerambycidae of Israel. *Bulletin of the Research Council of Israel, 5B*, 207-226.

Bytinski-Salz, H. (1955). *Prionothea coronata* Ol. *freyi* ssp. nov. *Entomologische Arbeiten aus dem Museum Frey, 6*, 313-316.

Bytinski-Salz, H. (1961). *Micrococcus bodenheimeri* n. sp. *Bulletin of the Research Council of Israel, 10B*, 90-96.

Bytinski-Salz, H. (1961). The tropical Fig borer in Israel. *XI Intern Congr f Entomologie, 2*, 229-235.

Bytinski-Salz, H. (1961). The Ethiopian element in the insect fauna of Israel. *XI Intern Congr f Entomologie, 2*, 457-463.

Bytinski-Salz, H. (1963). Geographical variation and sex ratio in *Leucospis gigas* (Hym. Chalcidoidea). *Acta Entomologica Musei Nationalis Pragae, 35*, 527-530.

- Bytinski-Salz, H. (1965). Vein variations in *Plagiolepis* (Hym. Form.) and their possible phylogenetic significance. *Proceeding of the XIIIth International Congress of Entomology*, 71-73.
- Bytinski-Salz, H. (1966). An annotated list of insects and mites introduced into Israel. *Israel Journal of Entomology*, 1, 15-48.
- Bytinski-Salz, H. (1966). Observations on migrating moths. *Israel Journal of Entomology*, 1, 193
- Bytinski-Salz, H. (1966). *Lucanus cervus* L. (ssp. *syriacus* Plan.) in Israel. *Israel Journal of Entomology*, 1, 189
- Bytinski-Salz, H. (1966). Four hawk moths new to Israel. *Israel Journal of Entomology*, 1, 189-191.
- Bytinski-Salz, H. (1969). The present status of systematic Entomology in Israel. *Israel Journal of Entomology*, 4, 157-201.
- Bytinski-Salz, H., & Ebmer, A.W. (1974). The Halictidae of Israel (Hymenoptera, Apoidea) II. Genus *Lasioglossum*. *Israel Journal of Entomology*, 9, 175-217.
- Bytinski-Salz, H., & Gusenleitner, J. (1971). The Vespoidea of Israel (Hymenoptera). *Israel Journal of Entomology*, 6, 239-299.
- Bytinski-Salz, H., & Sternlicht, M. (1967). Insects associated with oaks (*Quercus*) in Israel. *Israel Journal of Entomology*, 2, 107-143.
- Carmeli, S., Ilan, M., & Kashman, Y. (1989). 2-amino imidazole alkaloids from the marine sponge *Leucetta chagosensis*. *Tetrahedron*, 45, 2193-2200.
- Carmeli, S., Kashman, Y., Loya, Y., & Benayahu, Y. (1980). New prostaglandin (PGF) derivatives from the soft coral *Lobophytum depressum*. *Tetrahedron Letters*, 21, 875-878.
- Chandler, P. (1994). The fungus gnats of Israel (Diptera: Sciaroidea, excluding Sciaridae). *Israel Journal of Entomology*, 28, 1-100.
- Chassagnard, M.T., & Kraaijeveld, A.R. (1991). The occurrence of *Zaprionus sensus stricto* in the palearctic region (Diptera: Drosophilidae). *Annales de la Societe entomologique de France*, 27, 495-496.
- Chen, H. (, 1968). M. Sc. Chironomids as food for fish in Lake Kinneret. Tel Aviv University; Prof. J. Kugler.
- Cherbonnier, G. (1963). Les holothuries de la Mer Rouge de l'Universite Hebraique de Jerusalem. (Contributions to the knowledge of the Red Sea, no. 27). *Sea Fisheries Research Station Bulletin*, 34, 5-10.

Cherbonnier, G. (1967). Deuxieme contributions a l'etude des holothuries de la Mer Rouge collectes par des israeliens. (Israel South Red Sea Expedition, 1962, Reports, no. 26). *Sea Fisheries Research Station Bulletin*, 43, 55-68.

Cherbonnier, G. (1986). Holothuries de Mediterranee et du nord de la Mer Rouge. *Bulletin du Museum National d'Histoire Naturelle, Paris*, 8A, 43-46.

Chetboun, R., & Tchernov, E. (1983). Temporal and spatial morphological variation in *Meriones tristrami* (Rodentia, Gerbillidae) from Israel. *Israel Journal of Zoology*, 32, 63-90.

Chikatunov, V., Lillig, M., Pavlicek, T., Blaustein, L., & Nevo, E. (1997). Biodiversity of insect at a microsite, 'Evolution Canyon', Nahal Oren, Mt. Carmel, Israel. Coleoptera: Tenebrionidae. *Journal of Arid Environments*, 37, 367-377.

Chikatunov, V., & Pavlicek, T. (1997). Catalogue of the beetles (Coleoptera) in Israel and adjacent areas: 1. Scarabaeoidea. *Klapalekiana*, 33, 37-65.

Chvala, M. (1997). Eleven new synonymies in European species of *Hilara* (Diptera: Empididae). *Acta Universitatis Carolinae Biologica*, 41, 293-322.

Clark, A.L. (1966). Echinoderms from the Red Sea, Part 2 (crinoids, ophiuroids, echinoids and more asteroids). (Israel South Red Sea Expedition, 1962, Reports, no. 21). *Sea Fisheries Research Station Bulletin*, 41, 26-58.

Clark, E. (1966). Pipefishes of the genus *Siokunichthys* Herald in the Red Sea, with description of a new species. (Israel South Red Sea Expedition, 1962, Reports, no. 18). *Sea Fisheries Research Station Bulletin*, 41, 3-6.

Clark, E. (1968). Eleotrid gobies collected during the Israel South Red Sea expedition (1962) with a key to Red Sea species. (Israel South Red Sea Expedition, 1962, Reports, no. 28). *Sea Fisheries Research Station Bulletin*, 49, 3-7.

Clark, E. (1979). Red Sea fishes of the family Tripterygiidae with descriptions of eight new species. *Israel Journal of Zoology*, 28, 65-113.

Clark, E., Ben-Tuvia, A., & Steinitz, H. (1968). Observations on a coastal fish community, Dahlak Archipelago, Red Sea. (Israel South Red Sea Expedition, 1962, Reports, no. 30). *Sea Fisheries Research Station Bulletin*, 49, 15-31.

Clark, P.F., & Galil, B.S. (1988). Redescriptions of *Tetralia cavimana* Heller, 1861 and *Trapezia cymodoce* (Herbst, 1799) first stage zoeas with implications for classification within the superfamily Xanthoidea (Crustacea: Brachyura). *Proceedings of the Biological Society of Washington*, 101, 853-860.

Clark, P.F., & Galil, B.S. (1993). A revision of the xanthid genus *Pilodius* Dana, 1851 (Crustacea: Brachyura: Xanthoidea). *Journal of Natural History*, 27, 1119-1206.

Collingwood, C.A., & Kugler, J. (1994). *Solenopsis dentata* (Hymenoptera, Formicidae): a new species from Israel. *Israel Journal of Entomology*, 28, 119-122.

- Colonnelli, E. (1978). Un nuovo *Coeliastes* Weise della Palestina. *Bollettino Associazione Romana di Entomologia*, 33, 92-95.
- Contreras-Lichtenberg, R. (1986). Revision der in Westpalaarktis verbreiteten Arten des Genus *Dicrotendipes* Kieffer, 1913. *Annalen des Naturhistorischen Museums in Wien*, 89, 663-726.
- Costa, M. (1965). *Andregamasus* n. gen., a new genus of mesostigmatic mites associated with terrestrial hermit crabs. (Israel South Red Sea Expedition, 1962, Reports, no.6). *Sea Fisheries Research Station Bulletin*, 38, 6-14.
- d'Hondt, J.L. (1). Bryozofrom the coast of Israel. *Bollettino di Zoologia*, 3, 191-203.
- Dafni, Y., & Fishelson, L. (1986). Effects of pollution on the community structure of animals associated with dead corals in Elat (Gulf of Aqaba, Red Sea). In Z. Dubinsky & Y. Steinberger (Eds.), *Environmental quality and ecosystem stability*. (pp. 849-858). Ramat Gan: Bar Ilan University Press.
- Dahan, M., & Benayahu, Y. (1991). Fragmental fission: A highly specialized mode of vegetative propagation of *Dendronephthya hemprichi* (Octocorallia: Alcyonacea) from the Gulf of Eilat (Red Sea). *Proceedings of the XIIIth Conference of the Interuniversity Institute, The H Steinitz Marine Biology Laboratory, Eilat*, 77-78. (abstract)
- Dahan, M., & Benayahu, Y. (1995). Allocation of reproductive output in the soft coral *Dendronephthya hemprichi*: Sexual and clonal propagation. *International Conference on Coelenterate Biology, Noordwijkerhout, The Netherlands*, 35(abstract)
- Dahan, M., & Benayahu, Y. (1997). Reproduction of *Dendronephthya hemprichi* (Cnidaria, Octocorallia): All year-round spawning in an azooxanthellate soft coral. *Marine Biology*, 129, 573-579.
- Dahan, M., & Benayahu, Y. (1997). Clonal propagation of the azooxanthellate octocoral *Dendronephthya hemprichi*. *Coral Reefs*, 16, 5-12.
- Davis, S. (1974). Animal remains from the Kebaran site of Ein Gev 1, Jordan Valley, Israel. *Paleorient*, 2, 453-462.
- Davis, S. (1976). Mammal bones from the Early Bronze Age city of 'Arad, northern Negev, Israel: Some implications concerning human exploitation. *Journal of Archaeological Science*, 3, 153-164.
- Davis, S. (1977). The ungulate remains from Kebara cave. In O. Bar Yosef & B. Arensburg (Eds.), *Eretz Israel*. (pp. 150-163). Jerusalem: Israel Exploration Society.

- Davis, S. (1977). Size variation of the fox, *Vulpes vulpes* in the palaeartic region today, and in Israel during the late Quaternary. *Journal of Zoology*, 182, 343-351.
- Davis, S. (1981). The effects of temperature change and domestication on the body size of Late Pleistocene to Holocene mammals of Israel. *Paleobiology*, 7, 101-114.
- Davis, S. (1981). The age profiles of gazelles predated by ancient man in Israel: possible evidence for a shift from seasonality to sedentism in the Natufian. *Paleorient*, 9, 57-64.
- Davis, S. (1984). Khirokitia and its mammal remains a Neolithic Noah's ark. In A. Le Braun (Ed.), *Fouilles recentes a Khirokitia (Chypre) 1977-1981*. (pp. I. 147-162 II. 164-179). Paris: Recherche sur les civilisations, Paris A.D.P.F.
- Davis, S. (1985). A preliminary report on the fauna from Hatoula: a Netufian-Khiamian (PPNA) site near Latroun, Israel. In M. Lechevallier & A. Roman (Eds.), *Le site Natoufien-Khiamien de Hatoula pres de Latroun, Israel*. (pp. 71-98). Paris: Cahiers du Centre de Recherche Francais de Jerusalem 1, Paris, Association Paleorient.
- Davis, S., & Valla, F.R. (1978). Evidence for the domestication of the dog 12000 years ago in the Natufian of Israel. *Nature*, 276, 608-610.
- Davis, S.J.M. (1980). A note on the dental and skeletal ontogeny of *Gazella*. *Israel Journal of Zoology*, 29, 129-134.
- Davis, S.J.M. (1980). Late Pleistocene-Holocene gazelles of northern Israel. *Israel Journal of Zoology*, 29, 135-140.
- Dawson, C.E. (1976). Review of the Indo-Pacific pipefish genus *Choeroichthys* (Pisces: Syngnathidae), with descriptions of two new species. *Proceedings of the Biological Society of Washington*, 89, 39-66.
- Dawson, C.E. (1977). Review of the Indo-Pacific pipefish genus *Lissocampus* (Syngnathidae). *Proceedings of the Biological Society of Washington*, 89, 599-620.
- Dawson, C.E. (1977). Synopsis of syngathine pipefishes usually referred to the genus *Ichthyocampus* Kaup, with description of new genera and species. *Bulletin of Marine Science*, 27, 595-650.
- Dawson, C.E. (1978). Review of the Indo-Pacific pipefish genus *Hippichthys* (Syngnathidae). *Proceedings of the Biological Society of Washington*, 91, 132-157.
- Dawson, C.E. (1981). Review of the Indo-Pacific pipefish genus *Doryrhamphus* Kaup (Pisces: Syngnathidae) with descriptions of a new subspecies. *Ichthyological Bulletin of the J L B Smith Institute of Ichthyology*, 44, 1-27.

- Dawson, C.E. (1982). Review of the genus *Micrognathus* Duncker (Pisces: Syngnathidae), with description of *M. natans*, n.sp. *Proceedings of the Biological Society of Washington*, 95, 657-687.
- Day, J.H. (1965). Some Polychaeta from the Israel South Red Sea Expedition, 1962. (Israel South Red Sea Expedition, 1962, Reports, no. 7). *Sea Fisheries Research Station Bulletin*, 38, 15-27.
- Dayan, T. (, 1983). M. Sc. Faunal composition and the palaeoecology of Ujrat El-Mehed, a neolithic site from southern Sinai. Tel Aviv University;
- Dayan, T. (1984). Faunal composition and the paleoecology of Ujrat el-Mehed, a Neolithic site in southern Sinai. *Israel Journal of Zoology*, 33, 126(abstract)
- Dayan, T. (1985). Faunal composition and the paleoecology of Ujrat el-Mehed, a Neolithic site in southern Sinai. *Proceedings of the 11th Archeological Conference in Israel, Jerusalem*, (abstract)
- Dayan, T. (, 1989). Ph. D. The succession and community structure of the carnivores of the Middle East in space and time. Tel Aviv University;
- Anonymous. Morphological relationships among carnivore and rodent guilds: Putting a bite into character displacement. Maryland: Proceedings of the 4th International Congress of Systematic and Evolutionary Biology.
- Dayan, T. (1992). The impact of paleoclimatic change on the carnivore community of Israel. In A. Gasith, A. Adin, Y. Steinberger, & J. Garthy (Eds.), *Environmental quality and ecosystem stability*. (pp. 682-689). Jerusalem: ISEEQS.
- Dayan, T. (1993). The impact of Quaternary paleoclimatic change on the carnivores of Israel. *Water Science and Technology*, 27, 497-504.
- Dayan, T. (1994). Carnivore diversity in the Late Quaternary of Israel. *Quaternary Research*, 41, 343-349.
- Dayan, T. (1994). Early domesticated dogs of the Near East. *Journal of Archaeological Science*, 21, 633-640.
- Dayan, T. (1997). Animal exploitation at Tel Ira. In I. Beit Aryeh (Ed.), *Tel Ira: A Biblical Site in the Northern Negev. Monograph Series of the institute of Archaeology*. -(In Press).). Tel Aviv: Tel Aviv University.
- Dayan, T. (1997). Weasels of the Iron Age of Israel: A biogeographic note. *Israel Journal of Zoology*, 43, 295-298.

Dayan, T. (1997). Ecology, evolution, and zooarcheology: The analysis of mammalian remains from archaeological sites. In S. Gitin & S. Pike (Eds.), *The practical impact of science on Near Eastern and Aegean archaeology*. -(In Press). London: Press.

Anonymous. Tooth size and its ecological significance in coexisting heteromyid rodents. Maryland: Proceedings of the 70th Annual Meeting of the American Society of Mammalogists.

Dayan, T., & Simberloff, D. (1994). Morphological relationships among coexisting heteromyids: An incisive dental character. *American Naturalist*, 143, 462-477.

Dayan, T., & Simberloff, D. (1996). Patterns of size separation in carnivore communities. In J.L. Gittleman (Ed.), *Carnivore Behavior, Ecology and Evolution*. (pp. 243-266). London: Cornell University Press.

Dayan, T., & Simberloff, D. (in press). Size patterns among competitors: Ecological character displacement and character release in mammals, with special reference to island populations. *Mammal Reviews*,

Dayan, T., Simberloff, D., & Tchernov, E. (1993). Morphological change in Quaternary mammals: A role for species interactions. In R.A. Martin & A.D. Barnosky (Eds.), *Morphological change in Quaternary mammals of North America: Integrating case studies and evolutionary theory*. (pp. 71-83). Cambridge: Cambridge University Press.

Dayan, T., Simberloff, D., Tchernov, E., & Yom-Tov, Y. (1989). Inter- and intraspecific character displacement in mustelids. *Ecology*, 70, 1526-1539.

Dayan, T., Simberloff, D., Tchernov, E., & Yom-Tov, Y. (1990). Feline canines: Community-wide character displacement among the small cats of Israel. *American Naturalist*, 136, 39-60.

Dayan, T., Simberloff, D., Tchernov, E., & Yom-Tov, Y. (1991). Calibrating the paleothermometer: Climate, communities, and the evolution of size. *Paleobiology*, 17, 189-199.

Dayan, T., Simberloff, D., Tchernov, E., & Yom-Tov, Y. (1992). Canine carnassials: Character displacement among the wolves, jackals, and foxes of Israel. *Biological Journal of the Linnean Society*, 45, 315-331.

Dayan, T., & Tchernov, E. (1988). On the first occurrence of the common weasel (*Mustela nivalis*) in the fossil record of Israel. *Mammalia*, 52, 165-168.

Dayan, T., Tchernov, E., Bar-Yosef, O., & Yom-Tov, Y. (1986). Animal exploitation at Ujrat el-Mehed, a Neolithic site in southern Sinai. *Paleorient*, 12, 105-116.

Dayan, T., Tchernov, E., Simberloff, D., & Yom-Tov, Y. (1992). Tooth size: Function and coevolution in carnivore guilds. In P. Smith & E. Tchernov (Eds.), *Structure, function and evolution of the teeth*. (pp. 215-222). London: Freund Publishing House.

- Dayan, T., Tchernov, E., & Yom-Tov, Y. (1988). Ecological character displacement in the red fox (*Vulpes vulpes*) in the Saharo-Arabian region. *Israel Journal of Zoology*, 35, 96-97. (abstract)
- Dayan, T., Tchernov, E., Yom-Tov, Y., & Simberloff, D. (1989). On the use of mammalian size for inferring paleoclimatic change. In E. Spanier, Y. Steinberger, & M. Luria (Eds.), *Environmental quality and ecosystem stability*. (pp. 73-80). Jerusalem: ISEEQS.
- Dayan, T., Tchernov, E., Yom-Tov, Y., & Simberloff, D. (1989). Ecological character displacement in Saharo-Arabian *Vulpes*: Outfoxing Bergmann's rule. *Oikos*, 55, 263-272.
- Anonymous. Bergmann - the rule and the exceptions: Paleoclimatic inferences from mammalian size change. Washington D.C. Proceedings of the 6th International Conference of the International Council for Archaeozoology.
- Anonymous. Teeth: Skeletons in the closet of paleontology? Tel-Aviv: Proceedings of the 28th Meeting of the Zoological Society of Israel.
- de Beaumont, J., & Bytinski-Salz, H. (1955). The Sphecidae (Hymen.) of Erez Israel. I. (Subfam. Sphecinae, Nyssoninae; trib. Bembicini, Stizini). *Bulletin of the Research Council of Israel*, 5, 32-60.
- de Beaumont, J., & Bytinski-Salz, H. (1959). The Sphecidae of Erez Israel. II. Nyssoninae, Philanthinae. *Bulletin of the Research Council of Israel*, 8B, 99-152.
- de Beaumont, J., & Bytinski-Salz, H. (1973). The Sphecidae (Hymen.) of Erez Israel III. Subfamilies: Astatinae, Larrinae, Trypoxyloninae, Pemphredoninae, Crabroninae, Oxybelinae. *Israel Journal of Entomology*, 8, 1-26.
- De Meyer, M. (1995). The pipunculid flies of Israel and the Sinai. *Spixiana*, 18, 283-319.
- Degani, G. (, 1980). Ph. D. The Eco-Physiology of *Salamandra salamandra inframaculata* (L.) in Israel. Tel Aviv University;
- Degen, A.A., Pinshow, B., & Ilan, M. (1990). Seasonal water flux and urine and plasma concentrations in free-living fat sans rats feeding solely on saltbush. *Journal of Arid Environments*, 18, 59-66.
- Dely-Draskovitz, A. (1983). Revision der Typen der palaearktischen Arten der Gattung *Tricimba* Lioy, 1864 (Diptera: Chloropidae). *Acta Zoologica Academiae Scientiarum Hungaricae*, 29, 327-355.

- den Hartog, C. (1970). *Sea grasses of the world*. Amsterdam: North Holland Publication Company.
- Dia, A., & Jach, M.A. (1992). Ecological notes on running water *Ochthebius* from southern Lebanon, with description of a new species (Insecta: Coleoptera, Hydraenidae). *Linzer Biologische Beitrage*, 24, 923-930.
- Dmi'el, R., Perry, G., & Mendelsohn, H. (1990). Sexual dimorphism in *Walterinnesia aegyptia*. *The Snake*, 22, 33-35.
- Dor, M. (1970). Nouveaux poissons pour la Faune de la Mer Rouge. (Contributions to the knowledge of the Red Sea, no. 44). *Sea Fisheries Research Station Bulletin*, 54, 7-28.
- Dor, M. (1984). *Checklist of the fishes of the Red Sea. CLOFRES*. Jerusalem. XXII+: The Israel Academy of Sciences and Humanities.
- Dor, M. (1987). *Zoological lexicon, Vertebrata*. Tel Aviv: Dvir.
- Dor, M., & Allen, G.R. (1977). *Neopomacentrus miryae*, a new species of pomacentrid fish from the Red Sea. *Proceedings of the Biological Society of Washington*, 90, 183-188.
- Dor, M., & Fraser-Brunner, A. (1977). Record of *Hemipteronotus melanopus* (Teleostei: Labridae) from the Red Sea. *Israel Journal of Zoology*, 26, 135-136.
- Dotan, A., & Fishelson, L. (1986). Guilds of sponges on shallow water rocky surfaces of the Israeli coast of the Mediterranean Sea. In Z. Dubinsky & Y. Steinberger (Eds.), *Environmental quality and ecosystem stability*. (pp. 185-194). Ramat Gan: Bar Ilan University Press.
- Draber-Monko, A. (1965). Monographie der palaarktischen Arten der Gattung *Alophora* R.-D. (Diptera, Larvaevoridae). *Annales Zoologici*, 23, 69-194.
- Drew, R.A.I., & Hancock, D.L. (1994). Revision of the Tropical fruit flies (Diptera:Tephritidae: Dacine) of south-east Asia. I. *Ichneumonopsis* Hardy and *Monacrostichus* Bezzi. *InvertebraTaxonomy*, 8,829-838.
- Echelman, T., & Fishelson, L. (1990). Zooplankton dynamics in the northern Gulf of Aqaba (Eilat), Red Sea. *Bulletin de l'Institut Oceanographique*, 7, 67-77.
- Echelman, T., & Fishelson, L. (1990). Surface zooplankton dynamic and community structure in the Gulf of Aqaba (Eilat), Red Sea. *Marine Biology*, 107, 179-190.

- Edwards, A., & Randall, J.E. (1983). A new dottyback of the genus *Pseudoplesiops* (Teleostei: Perciformes: Pseudochromidae) from the Red Sea. *Revue Francaise d'Aquariologie*, 9, 111-114.
- Eitan, A. (, 1989). M. Sc. Aspects of social behavior in two species of Halictine bees. Tel Aviv University;
- Eschmeyer, W.N. (1969). A new scorpionfish of the genus *Scorpaenodes* and *S. muciparus* (Alcock) from the Indian Ocean, with comments on the limits of the genus. *Proceedings of the California Academy of Science*, 76, 1-11.
- Eschmeyer, W.N., & Dor, M. (1978). *Cocotropus steinitzi*, a new species of the fish family Aploactinidae (Pisces: Scorpaeniformes) from the Red Sea and Andaman Islands. *Israel Journal of Zoology*, 27, 165-168.
- Espadaler, X. (1985). *Goniomma kugleri*, a new granivorous ant from the Iberian Peninsula (Hymenoptera: Formicidae). *Israel Journal of Entomology*, 19, 61-66.
- Espanol, F. (1978). A new species of *Clada* (Coleoptera: Anobiidae) from Israel. *Israel Journal of Entomology*, 12, 1-4.
- Eynan, M., & Dmi'el, R. (1993). Skin resistance to water loss in agamid lizards. *Oecologia*, 95, 290-294.
- Fabricius, K., Benayahu, Y., & Genin, A. (1995). Herbivory in asymbiotic soft corals. *Science*, 268, 90-92.
- Feldman, R. (, 1997). M.Sc. Community structure of insectivorous bats in the Dead Sea area. Tel Aviv University;
- Ferguson, W.W. (1981). The systematic position of *Canis aureus lupaster* (Carnivora: Canidae) and the occurrence of *Canis lupus* in North Africa, Egypt and Sinai. *Mammalia*, 45, 459-465.
- Ferguson, W.W. (1981). The systematic position of *Gazella dorcas* (Artiodactyla: Bovidae) in Israel and Sinai. *Mammalia*, 45, 453-457.
- Ferguson, W.W. (1983). The topsy turvy world of the purple sea snail. *Israel Land and Nature*, 8, 142-143.
- Ferguson, W.W. (1985). Late Bronze Period yields first osteological evidence of *Dama dama* (Artiodactyla: Cervidae) from Israel and Arabia. *Mammalia*, 49, 209-214.

- Filippucci, M.G., Catzeflis, F., & Capanna, E. (1990). Evolutionary genetics and systematics of the garden dormouse, *Eliomys* Wagner, 1840 (Gliridae, Mammalia): 3. Further kariological data. *Bollettino di Zoologia*, 57, 149-152.
- Filippucci, M.G., Rodino, E., Nevo, E., & Capanna, E. (1988). Evolutionary genetics and systematics of the garden dormouse, *Eliomys* Wagner, 1840. 2-Allozyme diversity and differentiation of chromosomal races. *Bollettino di Zoologia*, 55, 47-54.
- Filippucci, M.G., Simson, S., & Nevo, E. (1989). Evolutionary biology of the genus *Apodemus* Kaup, 1829 in Israel. Allozymic and biometric analyses with description of a new species: *Apodemus hermonensis* (Rodentia, Muridae). *Bollettino di Zoologia*, 56, 361-376.
- Filippucci, M.G., Simson, S., Nevo, E., & Capanna, E. (1988). The chromosomes of the Israeli garden dormouse *Eliomys melanurus* Wagner, 1849 (Rodentia, Gliridae). *Bollettino di Zoologia*, 55, 31-33.
- Fishelson, L. (1960). The biology and behaviour of *Poekilocerus bufonius* Klug. with special reference to the repellent gland (Orthoptera, Acrididae). *EOS*, 36, 41-62.
- Fishelson, L. (1965). Observations and experiments on the Red Sea anemones and their symbiotic fish *Amphiprion bicinctus*. (Contributions to the knowledge of the Red Sea, no. 31). *Sea Fisheries Research Station Bulletin*, 39, 3-16.
- Fishelson, L. (1966). *Solenostomus cyanopterus* Blecker (Teleostei: Solenostomidae) in Elat (Gulf of Akaba). *Israel Journal of Zoology*, 15, 95-103.
- Fishelson, L. (1966). Preliminary observations on *Lepadichthys lineatus* Briggs, a clingfish associated with crinoids. (Contributions to the knowledge of the Red Sea, no. 36). *Sea Fisheries Research Station Bulletin*, 42, 41-48.
- Fishelson, L. (1966). *Spirastrella inconstans* Dendy (Porifera) as an ecological niche in the littoral zone of the Dahlak Archipelago (Eritrea). (Israel South Red Sea Expedition, 1962, Reports, no. 29). *Sea Fisheries Research Station Bulletin*, 41, 17-25.
- Fishelson, L. (1967). Acridoidea from the Dahlak Archipelago (Red Sea, Ethiopia). (Israel South Red Sea Expedition, 1962, Reports, no. 22). *Sea Fisheries Research Station Bulletin*, 43, 3-8.
- Fishelson, L. (1968). Structure of the vertebral column in *Lepadichthys lineatus*, a clingfish associated with crinoids. *Copeia*, 4, 859-861.
- Fishelson, L. (1969). Two new species of the genus *Chorthippus* (Acridinae) from Israel. *Israel Journal of Entomology*, 4, 235-242.
- Fishelson, L. (1971). Ecology and distribution of the benthic fauna in the shallow waters of the Red Sea. *Marine Biology*, 10, 113-133.

- Fishelson, L. (1972). Histology and ultrastructure of the skin of *Lepadichthys lineatus* (Gobiesocidae: Teleostei). *Marine Biology*, 17, 357-364.
- Fishelson, L. (1973). Ecological and biological phenomena influencing coral-species composition on the reef tables at Eilat. *Marine Biology*, 19, 183-196.
- Fishelson, L. (1974). Ecology of northern Red Sea crinoids and their epi- and endozoid fauna. *Marine Biology*, 26, 183-192.
- Fishelson, L. (1975). Observations on the behaviour of the fish *Meiacanthus nigrolineatus* Smith-Vaniz (Blenniidae) in nature (Red Sea) and in captivity. *Australian Journal of Marine and Freshwater Research*, 26, 329-341.
- Fishelson, L. (1977). Ultrastructure of the epithelium from the ovary wall of *Dendrochirus brachypterus* (Pteroidae, Teleostei). *Cell Tissue Research*, 177, 375-381.
- Fishelson, L. (1977). Stability and instability of marine ecosystems, illustrated by examples from the Red Sea. *Helgolander WissenMeeresuntersuch*, 30, 18-29.
- Fishelson, L. (1977). Sociobiology of feeding behavior of coral fish along the coral reef of the Gulf of Elat (=Gulf of 'Aqaba), Red Sea. *Israel Journal of Zoology*, 26, 114-134.
- Fishelson, L. (1980). Marine reserves along the Sinai Peninsula (northern Red Sea). *Helgolander Wissenschaftliche Meeresuntersuchungen*, 33, 624-640.
- Fishelson, L. (1981). *Eilat coral reef fish - biology and taxonomy*. Tel Aviv: Hakibbutz Hameuchad Publishing House Ltd.
- Fishelson, L. (1983). *Aquatic Life*. Tel Aviv: Ministry of Defence.
- Fishelson, L. (1984). A comparative study of ridge-mazes on surface epithelial cell-membranes of fish scales (Pisces, Teleostei). *Zoomorphology*, 104, 231-238.
- Fishelson, L. (1985). *Insecta III: Orthoptera: Acridoidea*. Jerusalem: Israel Academy of Sciences and Humanities.
- Anonymous. Biogeography and ecology of Acridofauna of Israel and neighbouring countries (Acridoidea, Orthoptera). Mainz: 124p. Proceedings of the Symposium on the Fauna and Zoogeography of the Middle East.
- Fishelson, L. (1989). Bisexuality and pedogenesis in gobies (Gobiidae: Teleostei) and other fish, or: Why so many little fish in tropical seas? *Senckenbergiana Maritima*, 20, 147-169.
- Fishelson, L. (1991). Comparative cytology and morphology of seminal vesicles in male gobiid fishes. *Japanese Journal of Ichthyology*, 38, 17-30.

- Fishelson, L. (1992). Comparative gonad morphology and sexuality of the Muraenidae (Pisces, Teleostei). *Copeia*, 1992, 197-209.
- Fishelson, L. (1993). Israeli ichthyology in the Red Sea (1951-1992) - a personal perspective. *Israel Journal of Zoology*, 39, 287-291.
- Fishelson, L. (1993). *Pamphagulus peneri* (Orthoptera: Acrididae: Dericorythinae): A new species of apterous, desert-dwelling grasshopper from Israel. *Israel Journal of Entomology*, 27, 19-23.
- Fishelson, L. (1993). Contribution to the knowledge of Egnatiinae (Orthoptera: Acrididae) from Israel and Iran, with descriptions of a new genus and four new species. *Israel Journal of Entomology*, 27, 1-18.
- Fishelson, L. (1994). Comparative internal morphology of deep-sea eels, with particular emphasis on gonads and gut structures. *Journal of Fish Biology*, 44, 75-101.
- Fishelson, L. (1995). Elat (Gulf of Aqaba) littoral: Life on the red line of biodegradation. *Israel Journal of Zoology*, 41, 43-55.
- Fishelson, L. (1995). Comparative morphology and cytology of the olfactory organs in moray eels with remarks on their foraging behavior. *The Anatomical Record*, 243, 403-412.
- Fishelson, L. (1996). Ontogenesis and functional metamorphosis of the head-kidney in bottomspawner and mouthbrooder cichlid fishes (Cichlidae, Teleostei). *Journal of Morphology*, 229, 1-21.
- Fishelson, L. (1996). Skin morphology and cytology in marine eels adapted to different lifestyles. *The Anatomical Record*, 246, 15-29.
- Fishelson, L. (1997). Experiments and observations on food consumption, growth and starvation in *Dendrochirus brachypterus* and *Pterois volitans* (Pteroinae, Scorpaenidae). *Environmental Biology of Fishes*, 50, 391-403.
- Fishelson, L. (1997). Comparative ontogenesis and cytomorphology of the nasal organs in some species of cichlid fish (Cichlidae, Teleostei). *Journal of Zoology*, 243, 281-294.
- Fishelson, L., Goren, M., & Gon, O. (in press). The black gut phenomenon in cardinal fish (Apogonidae, Teleostei). *Marine Ecology Progress Series*,
- Fishelson, L., Goren, M., van Vuren, J., & Manelis, R. (1996). Some aspects of the reproductive biology of *Barbus* spp., *Capoeta damascina* and their hybrids (Cyprinidae, Teleostei) in Israel. *Hydrobiologia*, 317, 79-88.

Fishelson, L., & Haran, T. (1986). Epifauna of algae on a rocky platform near Mikhmoret (Mediterranean Sea, Israel): Composition and dynamics. *Israel Journal of Zoology*, 34, 105-123.

Fishelson, L., Montgomery, L.W., & Myrberg, A.A. (1985). Gut symbiosis in herbivore surgeonfish (Acanthuridae). *Science*, 229, 49-51.

Fishelson, L., Popper, D., & Avidor, A. (1974). Biosociology and ecology of pomacentrid fishes around the Sinai Peninsula (northern Red Sea). *Journal of Fish Biology*, 6, 110-133.

Fishelson, L., & Rullier, F. (1969). Quelques annelides polychetes de la Mer Rouge. *Israel Journal of Zoology*, 18, 49-117.

Fishelson, L., & Sharon, O. (1997). Spatial and foraging behaviour, diet and morphogenesis of postlarvae and juveniles of *Pempheris vanicolensis* in the Gulld of Aqaba, Red Sea. *Journal of Fish Biology*, 51, 251-265.

Flynn, L.J., Nevo, E., & Heth, G. (1987). Incisor enamel microstructure in subterranean mole rats (*Spalax ehrenbergi* superspecies): Adaptive and phylogenetic significance. *Journal of Mammalogy*, 68, 500-507.

Foote, R.H., & Freidberg, A. (1980). The taxonomy and nomenclature of some Palaeartic Tephritidae (Diptera). *Journal of the Washington Academy of Sciences*, 70, 29-34.

Frankenberg, E., & Werner, Y.L. (1984). Ecological aspects of reproduction of lizards in Israel. *Israel Journal of Zoology*, 33, 112-113. (abstract)

Frankenberg, E., & Werner, Y.L. (1992). Egg, clutch and maternal sizes in lizards: intra- and interspecific relations in Near-Eastern Agamidae and Lacertidae. *The Herpetological Journal*, 2, 7-18.

Freidberg, A. (1971). M. Sc. The Fruit-flies (Tephritidae) of Israel. Tel Aviv University; Prof. J. Kugler.

Freidberg, A. (1974). Descriptions of New Tephritidae (Diptera) from Israel. I. *Journal of the Entomological Society of Southern Africa*, 37, 49-62.

Freidberg, A. (1974). Tephritidae (Diptera) from Mt. Hermon. *Israel Journal of Entomology*, 9, 133-139.

Freidberg, A. (1978). Ph. . Reproductive behavior of flies. Tel Aviv University; Prof. J. Kugler.

Freidberg, A. (1979). The Afrotropical species assigned to *Terellia* R.D. (Diptera: Tephritidae). *Journal of the Washington Academy of Sciences*, 69, 164-174.

Freidberg, A. (1979). On the taxonomy and biology of the genus *Myopites* (Diptera: Tephritidae). *Israel Journal of Entomology*, 13, 13-26.

- Freidberg, A. (1980). A revision of the genus *Goniurellia* Hendel (Diptera: Tephritidae). *Journal of the Entomological Society of Southern Africa*, 43, 257-274.
- Freidberg, A. (1981). Mating behaviour of *Schistopterum moebiusi* Becker (Diptera: Tephritidae). *Israel Journal of Entomology*, 15, 89-95.
- Freidberg, A. (1981). Taxonomy, natural history and immature stages of the bone-skipper, *Centrophlebomyia furcata* (Fabricius) (Diptera: Piophilidae, Thyreophorina). *Entomologica Scandinavica*, 12, 320-326.
- Freidberg, A. (1981). Notes on some species of *Goniurellia* Hendel (Diptera: Tephritidae). *Israel Journal of Entomology*, 15, 107
- Freidberg, A. (1981). Life in the Dead Sea. *Israel Journal of Entomology*, 15, 101-102.
- Freidberg, A. (1982). *Urophora neuenschwanderi* and *Terellia sabroskyi* (Diptera: Tephritidae) two new species reared from *Ptilostemon gnaphaloides* in Crete. *Memoirs of the Entomological Society of Washington*, 10, 56-64.
- Freidberg, A. (1984). Acalypterae of Israel: The family Micropezidae (Diptera). *Israel Journal of Entomology*, 18, 11-20.
- Freidberg, A. (1984). The mating behavior of *Asteia elegantula*, with biological notes on some other Asteiidae (Diptera). *Entomologia Generalis*, 9, 217-224.
- Freidberg, A. (1984). Gall Tephritidae (Diptera). In T.N. Ananthakrishnan (Ed.), *Biology of gall insects*. (pp. 129-167). New Delhi: Oxford and IBH Publishing Co.
- Freidberg, A. (1987). *Orthocanthoides aristae*, a remarkable new genus and species of Tephritidae (Diptera) from Mt. Kenya. *Annals of the Natal Museum*, 28, 551-559.
- Freidberg, A. (1988). Zoogeography of the Diptera of Israel. In Y. Yom-Tov & E. Tchernov (Eds.), *The zoogeography of Israel*. (pp. 277-308). Dordrecht: Dr. W. Junk Publishers.
- Anonymous. On the biology of the caper fly, *Capparimyia savastani* (Martelli) (Tephritidae), a species utilizing an oviposition-detering pheromone. Bratislava. Abstract Volume: 64p. Second International Congress of Dipterology.
- Freidberg, A. (1991). A new species of *Ceratitis* (*Ceratitis*) (Diptera: Tephritidae), with a key to the subgenera *Ceratitis* and *Pterandrus*, and a record of a *Pterandrus* fossil. *Bishop Museum Occasional Papers*, 31, 166-173.
- Freidberg, A. (1994). A second species of *Notommoides* Hancock 1986, with a redescription of the type species (Diptera: Tephritidae: Trypetinae). *Tropical Zoology*, 7, 333-341.
- Freidberg, A. (1994). *Nemula*, a new genus of Neminidae (Diptera) from Madagascar. *Proceedings of the Entomological Society of Washington*, 96, 471-482.

- Freidberg, A. (1994). A new Palaearctic species of *Xenasteia* Hardy (Diptera: Xenasteiidae). *Israel Journal of Entomology*, 28, 133-137.
- Freidberg, A. (1995). A study of Zaleinae, a taxon transitional between Canacidae and Tethinidae (Diptera), with the description of a new genus and species. *Entomologica Scandinavica*, 26, 447-457.
- Freidberg, A. (1997). Mating trophallaxis in *Metasphenisca negeviana* (Freidberg) (Diptera: Tephritidae). *Israel Journal of Entomology*, 31, 199-203.
- Freidberg, A. (1997). The entomofauna of Israel - the number of species, research and conservation. *Ecology and Environment*, 4, 141-148.
- Freidberg, A., & Beschovski, V. (1996). A new species group within *Tethina* Haliday (Diptera: Tethinidae) with descriptions of six new mediterranean species. *Israel Journal of Entomology*, 30, 91-113.
- Freidberg, A., & Gijswijt, M.J.G. (1983). A list and preliminary observations on natural enemies of the leaf miner, *Liriomyza trifolii* (Burgess) (Diptera: Agromyzidae) in Israel. *Israel Journal of Entomology*, 17, 115-116.
- Freidberg, A., & Hancock, D.L. (1989). *Cryptophorellia*: A remarkable new genus of Afrotropical Tephritinae (Diptera: Tephritidae). *Annals of the Natal Museum*, 30, 15-52.
- Freidberg, A., & Kaplan, F. (1992). Revision of the Oedaspidini of the Afrotropical region (Diptera: Tephritidae: Tephritinae). *Annals of the Natal Museum*, 33, 51-94.
- Freidberg, A., & Kaplan, F. (1993). A study of *Afreutreta* Bezzi and related genera (Diptera: Tephritidae: Tephritinae). *African Entomology*, 1, 207-228.
- Freidberg, A., Knutson, L., & Abercrombie, J. (1991). A revision of *Sepedonea*, a neotropical genus of snail-killing flies (Diptera: Sciomyzidae). *Smithsonian Contributions to Zoology*, 506, 1-48.
- Freidberg, A., & Kugler, J. (1977). The type species of *Goniurellia* Hendel, 1927 (Insecta: Diptera: Tephritidae). *Bulletin of Zoological Nomenclature*, 33, 208-211.
- Freidberg, A., & Kugler, J. (1989). *Insecta IV: Diptera: Tephritidae*. Jerusalem: The Israel Academy of Sciences and Humanities.
- Freidberg, A., & Mathis, W.N. (1985). On the feeding habits of *Rhynchopsilopa* (Dip.: Ephydriidae). *Entomophaga*, 30, 13-21.
- Freidberg, A., & Mathis, W.N. (1986). Studies of Terelliinae (Diptera: Tephritidae): A revision of the genus *Neaspilota* Osten Sacken. *Smithsonian Contributions to Zoology*, 439, 1-75.
- Anonymous. On the feeding habits of *Rhynchopsilopa* (Diptera: Ephydriidae). Budapest. Abstract Volume: 75p. First International Congress of Dipterology.

- Freidberg, A., Susman, I., & Kaplan, F. (1989). *Cotton insects of Israel*. Tel Aviv: The Cotton Production and Marketing Board Ltd.
- Freidberg, A., & Yarom, I. (1990). The Lauxaniidae (Diptera) of Israel, with an emphasis on *Minettia*. *Israel Journal of Entomology*, 24, 93-105.
- Fricke, R. (1980). Neue Fundorte und noch nicht beschriebene Geschlechtstunterschiede einiger Arten der Gattung *Callionymus* (Pisces, Perciformes, Callionymidae), mit Bemerkungen zur Systematik innerhalb dieser Gattung und Beschreibung einer neuen Untergattung und einer neuen Art. *Annali del Museo Civico di Storia Naturale Giacomo Doria*, 83, 57-105.
- Fricke, R. (1982). Nominal genera and species of dragonets (Teleostei: Callionymidae, Dragonettidae). *Annali del Museo Civico di Storia Naturale Giacomo Doria*, 84, 53-92.
- Fricke, R. (1983). *Revision of the Indo-Pacific genera and species of the dragonet family Callionymidae (Teleostei)*. Braunschweig: Kramer.
- Fridkovsky, E., Rudi, A., Benayahu, Y., & Kashman, Y. (1996). Sarcoglane, a new cytotoxic diterpene from *Sarcophyton glaucum*. *Tetrahedron Letters*, 37, 6909-6910.
- Froiland, O. (1972). Ph.D. dissertation. The Scorpaenids of the Red Sea (Pisces: Scorpaenidae), a taxonomical and zoogeographical study. University of Bergen.
- Frumkin, R., & Clark, W.S. (1988). Is there a dark morph of the sooty falcon *Falco concolor*? *Ibis*, 130, 569-571.
- Fursch, H. (1994). Neue Coccinelliden-Art aus Israel (Coleoptera). *Annales Historico-Naturales Musei Nationalis Hungarici*, 86, 43-44.
- Furth, D.G. (1976). Ph.D. Systematics, zoogeography, and host plant relationships of the Alticinae (Chrysomelidae) of Israel, with special treatment of *Phyllotreta* and *Longitarsus*. Cornell University;
- Furth, D.G. (1978). A fossil flea beetle (Coleoptera: Chrysomelidae) from Lake Huleh, Israel. *Israel Journal of Entomology*, 12, 41-49.
- Furth, D.G. (1979). Zoogeography and host plant ecology of the Alticinae of Israel, especially *Phyllotreta*: With descriptions of three new species (Coleoptera: Chrysomelidae). *Israel Journal of Zoology*, 28, 1-37.
- Furth, D.G. (1980). Zoogeography and host plants of *Longitarsus* in Israel, with descriptions of six new species (Coleoptera: Chrysomelidae). *Israel Journal of Entomology*, 13, 79-124.

Furth, D.G. (1980). Wing polymorphism, host plant ecology, and biogeography of *Longitarsus* in Israel (Coleoptera: Chrysomelidae). *Israel Journal of Entomology*, 13, 125-148.

Furth, D.G. (1981). *Altica* of Israel (Coleoptera: Chrysomelidae: Alticinae). *Israel Journal of Entomology*, 14, 55-66.

Furth, D.G. (1982). *Blepharida* biology, as demonstrated by the sacred sumac flea beetle (*B. sacra* Weise). *Spixiana*, 7, 43-52.

Furth, D.G. (1984). *Psylliodes* of Israel (Coleoptera: Chrysomelidae: Alticinae). *Israel Journal of Entomology*, 17, 37-58.

Furth, D.G. (1985). Alticinae of Israel: *Chaetocnema* (Coleoptera: Chrysomelidae). *Israel Journal of Entomology*, 19, 67-83.

Furth, D.G. (1990). The metatibial extensor and flexor tendons in Coleoptera. *Systematic Entomology*, 15, 443-448.

Furth, D.G. (1993). The Hula Lake leaf beetles revisited. *Israel Journal of Entomology*, 27, 25-30.

Furth, D.G. (1997). Alticinae of Israel and adjacent areas: Smaller genera (Coleoptera: Chrysomelidae). *Israel Journal of Entomology*, 31, 121-146.

Furth, D.G., & Suzuki, K. (1992). The independent evolution of the metafemoral spring in Coleoptera. *Systematic Entomology*, 17, 341-349.

Gafny, S. (1986). M. Sc. The biology and ecology of the syrian spade foot toad (*Pelobates syriacus syriacus*) in Israel. Tel Aviv University;

Anonymous. *Alpheus* complex of the Mediterranean coast of Israel. Ancona, Italy: European Carcinological Association.

Galil, B.S. (1981). On the Psocoptera from Israel and description of a new species. *Israel Journal of Entomology*, 15, 53-58.

Galil, B.S. (1983). On some Psocoptera from the Azores and description of two new species. *Bocagiana*, 69, 1-9.

Galil, B.S. (1986). *Tetraloides* - a new genus of coral inhabiting crabs. *Crustaceana*, 50, 68-77.

Galil, B.S. (1986). On the identity of *Tetralia cinctipes* Paulson, 1875 (Decapoda, Brachyura). *Crustaceana*, 51, 97-102.

Anonymous. Red Sea decapods along the Mediterranean coast of Israel: ecology and distribution. Jerusalem, Israel: Environmental Quality and Ecosystem Stability.

Galil, B.S. (1986). Trapeziidae (Decapoda, Brachyura, Xanthoidea) of the red sea. *Israel Journal of Zoology*, 34, 159-182.

Galil, B.S. (1986). *Quadrella* (Brachyura: Xanthoidea: Trapeziidae) - review and revision. *Journal of Crustacean Biology*, 6, 275-293.

Galil, B.S. (1987). The adaptive functional structure of mucus-gathering setae in trapezid crabs symbiotic with corals. *Symbiosis*, 4, 75-86.

Anonymous. Coral inhabiting crabs (Decapoda) in the Red Sea and East Africa. Jerusalem: Zoological Society of Israel.

Galil, B.S. (1988). Further notes on the species of *Tetralia* (Decapoda, Trapeziidae). *Crustaceana*, 54, 57-68.

Anonymous. Red Sea decapods along the Mediterranean coast of Israel: evolution of a fauna. San Francisco, U.S.A. American Society of Zoologists.

Anonymous. Bathymetric distribution and habitat preferences of Lessepsian migrant Decapoda along the Mediterranean coast of Israel, or: Do decapods have cold feet? Jerusalem, Israel. Environmental Quality and Ecosystems Stability.

Galil, B.S. (1989). Psocoptera. In A. Alon (Ed.), *Plants and animals of the land of Israel - an illustrated encyclopedia Vol. 3 - Insects*. (pp. 96-97). Ministry of Defence/Society for Protection of Nature.

Anonymous. A preliminary report on the density and composition of small-size Levantine bathyal benthos. Copenhagen, Denmark. 6th Deep-Sea Biology Symposium.

Anonymous. Lessepsian migration - new findings on the foremost anthropogenic change in the Levant Basin fauna. S. Margherita Ligure, Italy.

Anonymous. The nematocysts of *Rhopilema nomadica* (Cnidaria, Scyphozoa) - A new Lessepsian Scyphomedusa in the eastern Mediterranean. Trieste, Italy: C.I.E.S.M.

Galil, B.S. (1992). Eritrean decapods in the Levant. Biogeography in motion. *Bulletin de l'Institut Oceanographique*, 9, 115-123.

Anonymous. Histology of the gonads of *Rhopilema nomadica* (Cnidaria, Scyphozoa) - First observations. Trieste, Italy: C.I.E.S.M.

Anonymous. The deep sea Levantine fauna - new records. Crete: 7th Deep-Sea Biology symposium.

Anonymous. Keyhole to the past - preliminary benthic samples from Eratosthenes Seamount (eastern Mediterranean). Crete: 7th Deep-Sea Biology Symposium.

Anonymous. Spatial and temporal variability in biodiversity in response to sewage sludge discharge off the Mediterranean coast of Israel. Malta: C.I.E.S.M.

Galil, B.S. (1997). Two Lessepsian migrant decapods new to the coast of Israel. *Crustaceana*, 70, 111-114.

Galil, B.S., & Clark, P.F. (1988). On a collection of *Acropora*-inhabiting trapeziids (Crustacea, Brachyura, Xanthoidea) from East Africa. *Tropical Zoology*, 1, 137-151.

Galil, B.S., & Clark, P.F. (1993). A new genus and species of axiid (Crustacea: Decapoda: Thalassinidea) from the Levantine Basin of the Mediterranean. *Crustaceana*, 64, 48-55.

Galil, B.S., & Golani, D. (1990). Two new migrant decapods from the Eastern Mediterranean. *Crustaceana*, 58, 229-236.

Galil, B.S., & Goren, M. (1994). The deep sea Levantine fauna-new records and rare occurrences. *Senckenbergiana Maritima*, 25, 41-52.

Galil, B.S., & Halperin, J. (1983). Psocoptera of Israel II. *Israel Journal of Entomology*, 17, 59-66.

Galil, B.S., & Lewinsohn, C. (1981). Macrobenthic communities of the eastern Mediterranean continental shelf. *Marine Ecology*, 2, 343-352.

Galil, B.S., & Lewinsohn, C. (1983). Researches on the coast of Somalia. *Trapezia richtersi* n. sp., a new trapezid crab (Decapoda, Brachyura). *Monitore Zoologico Italiano N S Supplemento*, 18, 159-166.

Galil, B.S., & Lewinsohn, C. (1984). On the taxonomic status of *Trapezia tigrina* Eydoux and Souleyet, 1842. *Crustaceana*, 46, 166-175.

Galil, B.S., & Lewinsohn, C. (1985). On the taxonomic status of *Trapezia rufopunctata* (Herbst) and *Trapezia flavomaculata* Eydoux and Souleyet. *Crustaceana*, 48, 209-217.

Galil, B.S., & Lewinsohn, C. (1985). On the taxonomic status of *Trapezia areolata* Dana and *Trapezia septata* Dana. *Crustaceana*, 48, 286-293.

Galil, B.S., & Lützen, J. (1995). Biological observations on *Heterosaccus dollfusi* Burchma (Cirripedia: Rhysocéphala), a parasite of *Charybdis longicollis* (Decapoda: Brachyura), a Lessepsian migrant to the Mediterranean. *Journal of Crustacean Biology*, 15, 659-670.

Galil, B.S., Pisanty, S., Spanier, E., & Tom, M. (1988). The Indo-Pacific lobster *Panulirus ornatus* (Fabricius, 1798) (Crustacea: Decapoda): A new Lessepsian migrant to the eastern Mediterranean. *Israel Journal of Zoology*, 35, 241-243.

- Galil, B.S., Spanier, E., & Ferguson, W.W. (1990). The Scyphomedusae of the Mediterranean coast of Israel, including two Lessepsian migrants new to the Mediterranean. *Zoologische Mededelingen*, 64, 95-105.
- Galun, M. (1966). Addition to the flora of the Negev, Israel. *Israel Journal of Botany*, 15, 144-149.
- Galun, M. (1966). Lichens of the Galilee and their chemical constituents. *Israel Journal of Botany*, 15, 58-63.
- Galun, M. (1967). A new species of *Catillaria* from Israel. *The Lichenologist*, 3, 423-424.
- Galun, M. (1967). A new location for *Gonohymenia mesopotamica*. *The Bryologist*, 70, 330-332.
- Galun, M. (1970). *The lichens of Israel*. Jerusalem: The Israel Academy of Science and Humanities.
- Galun, M., Braun, A., Frensdorff, A., & Galun, E. (1976). Hyphal walls of isolated lichen fungi. Autoradiographic localization of precursor incorporation and binding of fluorescein-conjugated lectins. *Archives of Microbiology*, 108, 9-16.
- Galun, M., Bubrick, P., & Garty, J. (1982). Structural and metabolic diversity of two desert-lichen populations. *Journal of the Hattori Botanical Laboratories*, 53, 321-324.
- Galun, M., & Garty, J. (1972). Lichens of north and central Sinai. *Israel Journal of Botany*, 21, 243-254.
- Galun, M., & Lavee, H. (1966). Lichens from Har Meron, Jebel Jermak, Upper Galilee. *The B*, 69, 324-333.
- Galun, M., & Marton, K. (1970). A new species of *Gonohymenia* from the Sinai peninsula and its position in the genus. *The Bryologist*, 73, 378-380.
- Galun, M., & Mukhtar, A. (1996). Checklist of the lichens of Israel. *Israel Journal of Plant Science*, 44, 195-218.
- Galun, M., & Mukhtar, A. (1996). Checklist of the lichens of Israel. *Bocconea*, 6, 149-171.
- Galun, M., & Reichert, I. (1960). A study of lichens of the Negev. *Bulletin of the Research Council of Israel*, 9D, 127-148.
- Galun, M., & Reichert, I. (1965). Lichens of Mount Carmel. *Israel Journal of Botany*, 14, 5-14.

Gans, C., & Mendelssohn, H. (1971). Sidewing and jumping progression of Vipers. In A. de Vries & E. Kochva (Eds.), *Toxins of Animal and Plant Origin*. (pp. 17-38). London: Gordon and Breach.

Gasith, A. (1969). M. Sc. Trichoptera of Israel. Tel Aviv University; Prof. J. Kugler.

Gasith, A., & Kugler, J. (1973). Bionomics of the Trichoptera of Lake Tiberias (Kinneret). *Israel Journal of Entomology*, 8, 55-67.

Geffen, E. (1994). *Vulpes cana*. *Mammalian Species*, 1994(462), 1-4.

Gerling, D. (1966). A new record of a whitefly, *Aleurodes spiraeoides* Quaintainc infesting cotton. With a note on its parasites. *Journal of Economical Entomology*, 59, 482-483.

Gerling, D. (1967). The eggs of the pupal parasites of *Musca domestica* L. *Israel Journal of Entomology*, 2, 11-13.

Gerling, D. (1969). The parasites of *Spodoptera littoralis* Bois. (Lepidoptera, Noctuidae) eggs and larvae in Israel. *Israel Journal of Entomology*, 4, 73-81.

Gerling, D. (1969). Comments on *Eretmocerus serius* Silvestri (Hymenoptera: Aphelinidae) with a description of two new species. *Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri" Portici*, 27, 79-88.

Gerling, D. (1970). Two African species of *Eretmocerus haldeman* (Hymenoptera: Aphelinidae). *Journal of the Entomological Society of Southern Africa*, 33, 325-329.

Gerling, D. (1972). Notes on three species of *Eretmocerus haldeman* occurring in Israel with description of a new species. *Entomologische Berichten*, 32, 155-160.

Gerling, D., Hurd, P.D.J., & Hefetz, A. (1983). Comparative behavioral biology of two Middle East species of carpenter bees (*Xylocopa* Latreille) (Hymenoptera: Apoidea). *Smithsonian Contributions to Zoology*, 369, 1-33.

Gerling, D., Kugler, J., & Lupo, A. (1976). The galls of insects and mites that occur on *Tamarix* in Israel and the Sinai. *Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri" Portici*, 23, 53-79.

Gerling, D., & Rivnay, T. (1984). A new species of *Encarsia* parasitizing *Bemisia tabaci* (Gennadius). *Entomophaga*, 29, 439-444.

Godeaux, J. (1963). Tuniciers pelagiques recoltés sur la cote occidentale d'Israel. *Sea Fisheries Research Station Bulletin*, 34, 3-4.

Golani, D. (1984). *Sargocentron macrosquamis* a new squirrelfish from Amirant Island and the Red Sea (Holocentridae, Pisces). *Cybium*, 8, 38-43.

Goldstein, H., & Yom-Tov, Y. (1988). The breeding biology of the orange-tufted sunbird. *Ardea*, 76, 169-174.

Gon, O. (1986). *Apogon bifasciatus* Ruppell, 1838, a junior synonym of *Apogon taeniatus* Ehrenberg, 1828, and description of *Apogon pseudotaeniatus* n. sp. (Pisces: Apogonidae). *Senckenbergiana Biologica*, 67, 5-17.

Gonen, M. (, 1969). M. Sc. *Lariophagus distinguendus* (Foerster) (Hymenoptera, Pteromalidae) as a parasite of *Sitophilus oryzae* (L.) (Coleoptera, Curculionidae). Tel Aviv University; Prof. J. Kugler.

Goobs, A., Rudi, A., Kashman, Y., Ilan, M., & Loya, Y. (1996). Three new glycolipids from a Red Sea sponge of the genus *Erylus*. *Tetrahedron*, 52, 7921-7928.

Goreau, T.F. (1964). On the predation of coral by the spiny starfish *Acanthaster planci* (L.) in the southern Red Sea. (Israel South Red Sea Expedition, 1962, Reports, no. 2). *Sea Fisheries Research Station Bulletin*, 35, 1-5.

Goren, M. (, 1969). M. Sc. Distribution and taxonomy of the freshwater fishes of Israel. Tel Aviv University;

Goren, M. (1971). Taxonomy and distribution of the fishes of the genera *Acanthobrama* and *Pseudophoxinus* in Israel. *Conference of the Zoological Society of Israel, Tel Aviv*, (abstract)

Goren, M. (1972). The populations of *Pseudophoxinus zeregi* (Heckel) in Israel and Syria and the status of *Pseudophoxinus (Pararhodeus) drusensis* (Pellegrin) (pisces: Cyprinidae). *Zoological Journal of the Linnean Society*, 51, 141-145.

Goren, M. (1972). The life in aquatic environments: Streams and sea shore. *Second National Conference for Environmental Problems, Jerusalem*, (abstract)

Goren, M. (1974). The freshwater fishes of Israel. *Israel Journal of Zoology*, 23, 67-118.

Goren, M. (1976). The effect of salinity increase in the Jordan River on the fish fauna. *The Seventh Scientific Conference of the Israel Ecological Society, Tel Aviv*, (abstract)

Goren, M. (1978). *Acentrogobius spence* (Smith) new for the Red Sea (Pisces: Gobiidae). *Senckenbergiana Biologica*, 58, 143-145.

Goren, M. (1978). Comparative study of *Bathygobius fuscus* (Ruppell) and related species of the Red Sea including *B. fishelsoni* n. sp. (Pisces: Gobiidae). *Senckenbergiana Biologica*, 58, 267-273.

- Goren, M. (1978). A new gobiid genus and seven new species from Sinai coast (Pisces: Gobiidae). *Senckenbergiana Biologica*, 59, 191-203.
- Goren, M. (1979). A new species *Coryogalops sufensis* from the Red Sea (Pisces, Gobiidae). *Cybium*, 3, 91-95.
- Goren, M. (1979). Succession of benthic community on artificial substratum at Elat (Red Sea). *Journal of Experimental Marine Biology and Ecology*, 38, 19-40.
- Goren, M. (1979). The Gobiinae the Red Sea (Pisces: Gobiidae). *Senckenbergiana B*, 60, 13-64.
- Goren, M. (1979). *Callogobius bauchotae* new species from Marshall Island (Gobiidae: Pisces). *Cybium*, 3, 41-44.
- Goren, M. (1979). On the occurrence of *Acentrogobius belissimus* (Pisces: Gobiidae) in the Red Sea. *Israel Journal of Zoology*, 28, 160-162.
- Goren, M. (1979). Red Sea fishes assigned to genus *Callogobius* Bleeker with a description of a new species (Teleostei: Gobiidae). *Israel Journal of Zoology*, 28, 209-217.
- Goren, M. (1980). Development of benthic community on artificial substratum at Ashdod Eastern Mediterranean). *Oceanologica Acta*, 3, 275-283.
- Goren, M. (1981). Three new species and three new records of gobies from New Caledonia. *Cybium*, 5, 93-101.
- Goren, M. (1982). *Quisquilius flavicaudatus* - a new gobioid fish from the coral reefs of the Red Sea. *Zoologische Mededelingen*, 56, 139-142.
- Goren, M. (1982). *Eviota nigriventris* Giltay, new for New Calidonia (Pisces: Gobiidae). *Cybium*, 6, 34
- Goren, M. (1982). The fish communities of the coral reefs of the Red Sea. *The 13th Scientific Conference of the Israel Ecological Society, Weitzman Institute, Israel*, (abstract)
- Goren, M. (1982). Systematic and zoogeographical affinities of gobioid fishes of the Red Sea. *The Fourth Congress of European Ichthyological Union, Hamburg, West Germany*, (abstract)
- Goren, M. (1983). Gobiidae of the Red Sea. In A. Alon (Ed.), *Plants and animals of the land of Israel-an illustrated encyclopedia Vol. 4*. (pp. 162-165). Tel Aviv: Ministry of Defence/ Society for Protection of Nature.

- Goren, M. (1983). *Gobius*. In A. Alon (Ed.), *Plants and animals of the land of Israel - an illustrated encyclopedia Vol. 4*. (pp. 53 Tel Aviv: Ministry of Defence/ Society for Protection of Nature.
- Goren, M. (1983). Inland water fishes. In A. Alon (Ed.), *Plants and animals of the land of Israel-an illustrated encyclopedia Vol. 4*. (pp. 264-269). Tel Aviv: Ministry of Defence/ Society for Protection of Nature.
- Goren, M. (1984). A new species of *Oplopomus* Smith 1959 from Elat, Northern Red Sea (Pisces: Gobiidae). *Senckenbergiana Biologica*, 65, 19-23.
- Goren, M. (1984). Three new species and two new records for the Red Sea of invertebrate associated gobies. *Cybium*, 8, 71-82.
- Goren, M. (1984). *Trimma fishelsoni* a new gobiid fish from the Gulf of Elat, northern Red Sea. *Israel Journal of Zoology*, 33, 63-67.
- Goren, M. (1985). A review of the Gobioid fish genus *Monishia* Smith, 1959 of the Western Indian Ocean and the Red Sea, with a description of a new species (Pisces: Gobiidae). *Contributions in Science Natural History Museum of Los Angeles County*, 360, 1-9.
- Goren, M. (1986). *Kraemeria nudum* (Regan), first record of the family Kraemeriidae in the Red Sea. *Israel Journal of Zoology*, 34, 149-153.
- Goren, M. (1988). Redescription of *Bathygobius albopunctatus* (Valenciennes, 1837) and a note on its distribution. *Cybium*, 12, 37-43.
- Goren, M. (1988). Computerization of small collections and a suggested ethical code for users of computerized data. *The Sixth Congress of European Ichthyological Union, Budapest, Hungary*, (abstract)
- Goren, M. (1988). *Oplopomus reichei* (Pisces: Gobiidae): New record for the Red Sea. *Israel Journal of Zoology*, 35, 237-240.
- Goren, M. (1989). A comparative study of the systematics and ecology of the ichthyofauna of the Red Sea and the south western part of the Indian Ocean. *3rd Indo-Pacific Conference, Wellington, New Zealand*, (abstract)
- Goren, M. (1991). A new *Coryogalops* species from Eastern Cape, South Africa and a note to the status of the genus *Monishia* Smith (Gobiidae: Pisces). *Ichthyological Bulletin of the J L B Smith Institute of Ichthyology Special Publication No. 52*, 1-7.
- Goren, M. (1992). Statistical aspects of the Red Sea ichthyofauna. *The Red Sea Deep Sea International Conference, Eilat, Israel*, (abstract)

Goren, M. (1992). *Obliquogobius turkayi*, a new species of gobiid fish from the deep water of the central Red Sea (Pisces: Gobiidae). *Senckenbergiana Maritima*, 22, 265-270.

Goren, M. (1993). The Red Sea gobies as a model for evolutionary trends among tropical gobies. *Fourth Indo-Pacific Conference, Bangkok, Thailand*, (abstract)

Goren, M. (1993). Statistical aspects of the Red Sea ichthyofauna. *Israel Journal of Zoology*, 39, 293-298.

Goren, M. (1995). Maintaining biodiversity of fishes in inland man influenced water bodies. *First Pan African Fisheries Congress & Exhibition, Nairobi, Kenya*, (abstract)

Goren, M. (1996). Review of the genus *Caffrogobius* Smitt, from South Africa (Gobiidae, Pisces). *Ichthyological Bulletin of the J L B Smith Institute of Ichthyology Special Publication No. 57*, 1-28.

Goren, M. (1996). The importance of structural complexity of fresh water habitats in maintaining biodiversity of fishes. *International Workshop on Freshwater Biodiversity, Balatonfurd, Hungary*, (abstract)

Goren, M. (1997). *The freshwater fishes of Israel*. Tel Aviv: Hakibbutz Hameuchad Publishing House Ltd.

Goren, M., & Baranes, A. (1995). *Priolepis goldshmidtii* (Gobiidae) a new species from the deep water of the northern Gulf of Aqaba, Red Sea. *Cybius*, 19, 343-347.

Goren, M., & Benayahu, Y. (1993). Benthic communities on artificial substrates at Elat (Red Sea). *Israel Journal of Zoology*, 39, 59-60. (abstract)

Goren, M., & Diamant, A. (1983). On the occurrence of *Tenacigobius yongei* (Davis and Choen) in the Gulf of Elat (Red Sea) (Pisces: Gobiidae). *Israel Journal of Zoology*, 32, 135-137.

Goren, M., & Dor, M. (1994). *An updated checklist of the fishes of the Red Sea. CLOFRES II*. Jerusalem: The Israel Academy of Sciences and Humanities.

Goren, M., Fishelson, L., & Trewavas, E. (1973). The Cyprinid fishes of *Acanthobrama* Heckel and related genera. *Bulletin of the British Museum (Natural History) Zoology*, 24, 291-315.

Goren, M., & Galil, B.S. (1989). *Petroscirtes ancylodon*: First Lessepsian migrant blenny in the eastern Mediterranean. *Israel Journal of Zoology*, 36, 125-128.

Goren, M., & Galil, B.S. (1996). The fish community of Shikmona littoral. *Eighth Annual Symposium on The Mediterranean Continental Margin of Israel, Haifa*, (abstract)

- Goren, M., & Galil, B.S. (1997). New records of deep sea fishes from the Levant basin and a note on the deep-sea fishes of the Mediterranean. *Israel Journal of Zoology*, 43, 197-203.
- Goren, M., & Gasith, A. (1994). The Israeli species of *Acanthobrama* as biomarkers for the zoogeography and evolutionary processes of the fresh water fishes of the Levant. *Eighth international Congress of European Ichthyological Union, Oviedo, Spain*, (abstract)
- Goren, M., & Karplus, I. (1980). *Fowleria abocellata*, a new cardinal fish from the Gulf of Elat, Red Sea (Pisces, Apogonidae). *Zoologische Mededelingen*, 55, 231-234.
- Goren, M., & Karplus, I. (1983). *Tomiyamichthys randalli*, a new gobiid species associated with a shrimp from Red Sea (Pisces: Gobiidae). *Senckenbergiana Biologica*, 63, 27-31.
- Anonymous. A preliminary study of the mimetic relationship between the cardinal fish *Fowleria abocellata* and the scorpion fish *Scorpaenodes quamensis*. Rehovot: Balaban International Science Service. 327p. Developments in ecology and environmental quality.
- Goren, M., & Klauswitz, W. (1978). Two Mediterranean gobiid fishes new in the Red Sea. *Senckenbergiana Biologica*, 59, 19-24.
- Goren, M., Miroz, A., & Baranes, A. (1991). *Callogobius amikami* - a new species of goby (Gobiidae) from the Red Sea. *Cybium*, 15, 299-302.
- Goren, M., & Rychwalski, E.M. (1978). Hybrids of *Aphanius dispar* and *Aphanius mento* (Cyprinodontidae: Pisces). *Zoological Journal of the Linnean Society*, 63, 259-264.
- Goren, M., & Spanier, E. (1986). The communities of benthic fish in Foul Bay (Tiran Island, Red Sea). *Oceanologica Acta*, 8, 471-478.
- Goren, M., & Voldarsky, Z. (1980). *Paragobiodon xanthosoma* (Bleeker) new for the Red Sea (Pisces: Gobiidae). *Israel Journal of Zoology*, 29, 150-152.
- Goren, M., & Werner, Y.L. (1987). On measuring head length and on modified caliper rules. *Joint Annual Meeting of the Society for Study of Amphibians and Reptiles, Herpetologist's League and Comite Herpetologico Nacional, Veracruz, Mexico*, 82-83. (abstract)
- Goren, M., & Werner, Y.L. (1993). On measuring head length in fishes, amphibians and reptiles and on modified calliper rules. *Journal of Zoology*, 230, 187-191.

Gorni, E. (, 1989). M.Sc. The difference between autumn and spring migration of the buzzard *Buteo buteo vulpinus*. Tel Aviv University;

Green, D., Carmeli, S., Benayahu, Y., & Kashman, Y. (1988). Antheliolide A & B: Two new C₂₄ Acetoacetylated diterpenoids of the soft coral *Anthelia glauca*. *Tetrahedron Letters*, 29, 1605-1608.

Green, D., Kashman, Y., & Benayahu, Y. (1992). Secondary metabolites of the yellow and gray morphs of the soft coral *Parerythropodium fulvum fulvum*: Comparative aspects. *Journal of Natural Products*, 55, 1186-1196.

Greenberg, D. (, 1990). M. Sc. Social status in female herds of nubian ibex (*Capra ibex nubiana*). Tel Aviv University;

Greenfield, D.W. (1974). A revision of the squirrelfish genus *Myripristis* Cuvier (Pisces: Holocentridae). *Natural History Museum of Los Angeles County, Scientific Bulletin*, 19, 1-54.

Grinberg, T. (, 1971). M. Sc. Studies on predacious mites (Acarina: Phytoseiidae) of wild vegetation in Israel. Tel Aviv University; Prof. E. Swirski.

Guichard, K.M. (1989). The Genus *Bebix* (Hymenoptera: Sphecidae) in Arabia. *Fauna of Saudi Arabia*, 10, 134-151.

Guichard, K.M. (1989). The genera *Stizus* and *Stizoides* (Hymenoptera: Sphecidae) in Arabia. *Fauna of Saudi Arabia*, 10, 152-159.

Guichard, K.M. (1991). Old world species of *Belomicrus* A. Costa 1871. *Entomofauna*, 12, 353-372.

Gusenleitner, J. (1970). Notes on some new Eumenidae from Israel. *Israel Journal of Entomology*, 5, 55-61.

Haitlinger, R. (1994). Two new species of *Leptus* Latreille, 1796 (Acari: Prostigmata: Erythraeidae) associated with Tenebrionidae (Insecta: Coleoptera). *Israel Journal of Entomology*, 28, 139-149.

Halperin, J., Binazzi, A., & Swirski, E. (1988). Aphids of forest and ornamental trees and shrubs of Israel. *Israel Journal of Entomology*, 22, 27-44.

Halperin, J., & Damoiseau, R. (1980). The Bostrychid beetles (Coleoptera) of Israel. *Israel Journal of Entomology*, 14, 47-53.

Halperin, J., & Espanol, F. (1978). The Anobiidae (Coleoptera) of Israel and Near East. *Israel Journal of Entomology*, 12, 5-18.

- Halperin, J., Hodkinson, L.D., Russell, L.M., & Berlinger, M.J. (1982). A contribution to the knowledge of the psyllids of Israel (Homoptera: Psylloidea). *Israel Journal of Entomology*, 16, 27-44.
- Halperin, J., & Holzschuh, C. (1984). Contribution to the knowledge of bark beetles (Coleoptera: Scolytoidea) and associated organisms in Israel. *Israel Journal of Entomology*, 18, 21-37.
- Halperin, J., & Holzschuh, C. (1993). Host-plants of Israeli Cerambycidae (Coleoptera), with new records. *Phytoparasitica*, 21, 123-137.
- Halperin, J., Merkl, O., & Kehat, M. (1995). An annotated list of the Coccinellidae (Coleoptera) of Israel and adjacent areas. *Phytoparasitica*, 23, 127-137.
- Halperin, J., & Sauter, W. (1991). An annotated list with new records of Lepidoptera associated with forest and ornamental trees and shrubs in Israel. *Israel Journal of Entomology*, 25-26, 105-147.
- H, H.-Y., & Freidberg, A. (1994). *Pseudomyoleja*, a new Afrotropical genus of Tephritidae (Diptera). *Journal of African Zoology*, 108, 547-554.
- Han, H.-Y., Wang, X.-J., & Kim, K.C. (1994). Taxonomic review of two new species from China. *Oriental Insects*, 28, 103-123.
- Hancock, D.L. (1985). Trypetinae (Diptera: Tephritidae) from Madagascar. *Journal of the Entomological Society of Southern Africa*, 48, 283-301.
- Hancock, D.L. (1991). Tephrellini (Diptera: Tephritidae) from Madagascar. *Journal of the Entomological Society of Southern Africa*, 54, 173-184.
- Harrison, D.L. (1960). A new species of pipistrelle bat (Chiroptera: *Pipistrellus*) from South Israel. *Durban Museum Novitates*, 5, 261
- Harrison, D.L. (1963). Some observations on the white-toothed shrews (Genus *Crocidura*, Wagler, 1832) of Israel. *Bulletin of the Research Council of Israel*, 11B, 177
- Harrison, D.L. (1963). A new bat for Israel, *Eptesicus innesi* Lataste 1887, with some remarks of the affinities of this species. *Zeitschrift f?r Saugetierkunde*, 28, 107-110.
- Harrison, D.L. (1963). On the occurrence in Israel of the pygmy gerbil *Gerbillus (Hendecapleura) henleyi* de Winton, 1903. *Mammalia*, 27, 352-355.
- Harrison, D.L. (1964). A new subspecies of Natterer's bat, *Myotis nattereri* Kuhl, 1818. (Mammalia: Chiroptera) from Israel. *Zeitschrift f?r Saugetierkunde*, 29, 58-60.

- Harrison, D.L. (1964). *The Mammals of Arabia*. London: E. Benn.
- Harrison, D.L. (1965). Remarks on some trident leaf-nosed bats, (genus *Asellia* Gray 1838), obtained by the Israel South Red Sea Expedition, 1962. (Israel South Red Sea Expedition, 1962, Reports, no. 5). *Sea Fisheries Research Station Bulletin*, 38, 3-5.
- Harrison, D.L. (1968). *The Mammals of Arabia*. London: E. Benn.
- Harrison, D.L., & Batters, P.J.J. (1991). *The mammals of Arabia. Second Edition*. Sevenoaks, Kent: Harrison Zoological Museum Publication.
- Harrison, D.L., & Lewis, R.E. (1961). The large mouse-eared bats of the Middle East, with description of a new subspecies. *Journal of Mammalogy*, 42, 372-380.
- Harrison, D.L., & Makin, D. (1988). Significant new records of vespertilionid bats (Chiroptera: Vespertilionidae) from Israel. *Mammalia*, 52, 593-596.
- Hebauer, F. (1994). The Hydrophiloidea of Israel and the Sinai (Coleoptera, Hydrophiloidea). *Zoology in the middle East*, 10, 73-137.
- Hefetz, A., & Orion, T. (1982). Pheromones of ants of Israel: I. The alarm-defense system of some larger Formicinae. *Israel Journal of Entomology*, 16, 87-97.
- Heiss, E., & Halperin, J. (1982). On the occurrence of *Aradus cinnamomeus* Panzer in Israel and some other East-Mediterranean countries (Heteroptera, Aradidae). *Israel Journal of Entomology*, 16, 45-46.
- Heiss, E., & Matocq, A. (1988). Un Aradidae nouveau pour la France: *Aradus horvathi* Vasarhelyi 1984. *Bulletin de la Societe Entomologique de France*, 92, 201-264.
- Hellwing, S. (1970). Reproduction in the white-toothed shrew *Crocidura russula monacha* Thomas in captivity. *Israel Journal of Zoology*, 19, 177-178.
- Hellwing, S. (1971). Maintenance and reproduction in the white-toothed shrew *Crocidura russula monacha* Thomas in captivity. *Zeitschrift f?r Saugetierkunde*, 36, 103-113.
- Hellwing, S. (1973). Husbandary and breeding of white-toothed shrews in the Research Zoo of Tel Aviv University. *International Zoo Yearbook*, 13, 127-134.
- Hellwing, S. (1973). The post natal development of the white-toothed shrew *Crocidura russula monacha* in captivity. *Zeitschrift f?r Saugetierkunde*, 38, 257-270.
- Hennig, W. (1966). *Anthomyiidae*. Stuttgart: Schweizerbart'sche Verlagsbuchhandlung.

- Herting, B. (1961). *Rhinophorinae*. Stuttgart: Schweizerbart'sche Verlagsbuchhandlung.
- Herting, B. (1966). Beitrage zur Kenntnis der europäischen Raupenfliegen (Dipt. Tachinidae). *Stuttgarter Beitrage zur Naturkunde*, 146, 1-12.
- Herting, B. (1975). Neue palaearktische Tachiniden (Diptera). *Stuttgarter Beitrage zur Naturkunde*, 287, 1-228.
- Herting, B. (1983). *Phasiinae*. Stuttgart: Schweizerbart'sche Verlagsbuchhandlung.
- Herting, B. (1984). Catalogue of Palearctic Tachinidae (Diptera). *Stuttgarter Beitrage zur Naturkunde*, 369, 1-228.
- Herting, B. (1985). Description of a new species of Tachinidae (Diptera) from Israel and remarks on three little known species. *Israel Journal of Entomology*, 19, 85-88.
- Herting, B. (1993). Family Rhinophoridae. In A. Soos & E. Papp (Eds.), *Anthomyiidae - Tachinidae*. (pp. 102-117). Budapest: Hungarian Natural History Museum.
- Herting, B. (1993). Family Tachinidae. In A. Soos & E. Papp (Eds.), *Anthomyiidae - Tachinidae*. (pp. 118-624). Budapest: Hungarian Natural History Museum.
- Hoda, S.M.S., & Goren, M. (1990). *Bathygobius karachiensis* (Gobiidae) a new species from Pakistan. *Cybium*, 14, 143-150.
- Holthuis, L.B. (1967). The stomatopod Crustacea collected by the 1962 and 1965 Israel South Red Sea expeditions. (The second Israel South Red Sea Expedition, 1965, report no. 1). *Israel Journal of Zoology*, 16, 1-45.
- Holzel, H. (1975). Revision der Netzflugler-Unterfamilie Crocinae (Neuroptera: Nemopteridae). *Entomologica Germanica*, 2, 44-97.
- Holzel, H. (1980). Notes on ant-lions (Neuroptera: Myrmeleonidae) of Israel and adjacent countries, with descriptions of new species. *Israel Journal of Entomology*, 14, 29-46.
- Hoofien, J.H. (1957). An addition to the fauna of Sinai, *Eremias brevirostris* Blanf. (Reptilia, Lacertidae). *Annals and Magazine of Natural History*, Ser 12, 1, 719-720.
- Hoofien, J.H. (1958). A record specimen of the European worm snake *Typhlops vermicularis* Merrem. *British Journal of Herpetology*,
- Hoofien, J.H. (1961). A collection of gekkonid lizards from French Somaliland. *Annals and Magazine of Natural History*, Ser 13, 3, 493-495.

- Hoofien, J.H. (1962). An unusual congregation of the gekkonid lizard *Tarentola annularis* (Geoffroy). *Herpetologica*, 18, 54-56.
- Hoofien, J.H. (1964). Geographical variability in the common chameleon in Israel. *Israel Journal of Zoology*, 13,
- Hoofien, J.H. (1965). On some herpetological records from Sinai and Transjordan. *Israel Journal of Zoology*, 14, 122-127.
- Hoofien, J.H. (1967). Contributions to the herpetofauna of Mount Hermon No. I, *Cyrtodactylus amictopholis* n. sp. (Sauria, Gekkonidae). *Israel Journal of Zoology*, 205-210.
- Hoofien, J.H. (1968). Contributions to the herpetofauna of Mount Hermon No. II, on lacertids and colubrids. *Israel Journal of Zoology*, 17, 199-204.
- Hoofien, J.H. (1969). A note on the wall lizard of Petra, Transjordan. *Israel Journal of Zoology*, 18, 39-40.
- Hoofien, J.H. (1971). The voices of snakes and tortoises. *Israel Journal of Zoology*, 20, 148
- Hoofien, J.H. (1973). Contributions to the herpetofauna of Mount Hermon, No. IV, *Elaphe hohenackeri* (Ophidia, Colubridae). *Israel Journal of Zoology*, 22, 67-73.
- Hoofien, J.H. (1980). Reptiles new to Israel in Mt. Hermon. In A. Shmida & M. Livne (Eds.), *Hermon, nature and landscape*. Tel Aviv: Hakibbutz Hameuchad Publishing House Ltd.
- Hoofien, J.H. (1983). Reptiles new to Israel from Mt. Hermon. *Hardun*, 1, 3-10.
- Hoofien, J.H. (1995). On three changes in the check list of the lizards of Israel. *Hardun*, 6, 9-12.
- Hoofien, J.H., Sivan, N., & Werner, Y.L. (1990). Deletion of *Lacerta danfordi* (Reptilia: Lacertidae) from the herpetofaunal list of Petra (Jordan) and Mt. Hermon, with zoogeographical implications. *Israel Journal of Zoology*, 37, 97-105.
- Hoofien, J.H., & Yaron, Z. (1964). A collection of reptiles from the Dahlak Archipelago. (Israel South Red Sea Expedition, 1962, Reports, no. 4). *Sea Fisheries Research Station Bulletin*, 35, 1-6.
- Hornung, H., Barash, A., & Danin, Z. (1984). Note on the ecology of Mollusca collected in Haifa Bay (Israel). *Centro*, 1, 41-48.
- Horwitz, L.K., Cope, C., & Tchernov, E. (1991). Sexing the bones of mountain gazelle (*Gazella gazella*) from prehistoric sites in the southern Levant. *Paleorient*, 16, 1-11.

Horwitz, L.K., & Davidovitz, G. (1992). Dental pathology of wild pigs (*Sus scrofa*) from Israel. *Israel Journal of Zoology*, 38, 111-123.

Hovel, H. (1987). *Check-list of the birds of Israel*. Tel Aviv: Society for the Protection of Nature in Israel.

Humes, A.G. (1965). Three new species of *Anthessius* (Copepoda, Cyclopoida, Myicolidae) associated with *Tridacna* from the Red Sea and Madagascar. (Israel South Red Sea Expedition, 1962, Reports, no. 15). *Sea Fisheries Research Station Bulletin*, 40, 49-74.

Ilan, M. (1995). Reproductive biology, taxonomy, and aspects of chemical ecology of Latrunculiidae (Porifera). *Biological Bulletin*, 188, 306-312.

Ilan, M., & Abelson, A. (1995). The life of a sponge in a sandy lagoon. *Biological Bulletin*, 189, 363-369.

Ilan, M., Aizenberg, J., & Gilor, O. (1996). Dynamics of spicule growth in a calcareous sponge. *Proceedings of the Royal Society*, 263B, 133-139.

Ilan, M., Ben-Eliahu, M.N., & Galil, B.S. (1994). Three deep water sponges from the eastern Mediterranean and their associated fauna. *Ophelia*, 39, 45-54.

Ilan, M., Contini, H., Carmeli, S., & Rinkevich, B. (1996). Sponge cell culture techniques - primary and secondary cultures. *Journal of Marine Biotechnology*, 4, 145-149.

Ilan, M., Dembo, G., & Gasith, A. (1996). Gemmules of sponges from a warm lake. *Freshwater Biology*, 35, 165-172.

Anonymous. Reproduction and settlement of the coral reef sponge *Niphates* sp. (Red Sea). Townsville, Australia. 745p. Proceedings of the 6th International Coral Reef Symposium.

Ilan, M., & Loya, Y. (1990). Sexual reproduction and settlement of a coral reef sponge *Chalinula* sp. from the Red Sea. *Marine Biology*, 105, 24-31.

Ilan, M., & Loya, Y. (1990). Ontogenetic variation in sponge histocompatibility responses. *Biological Bulletin*, 179, 279-286.

Ilan, M., & Vacelet, J. (1993). *Kebira uteoides* (Porifera, Calcarea), a recent "Pharetronid" sponge from coral reefs. *Ophelia*, 38, 107-116.

Ilan, M., & Yom-Tov, Y. (1990). Diel activity pattern of a diurnal desert rodent *Psammomys obesus*. *Journal of Mammalogy*, 71, 66-69.

Insarov, G., & Insarova, I. (1995). The Lichens of calcareous rocks in the central Negev, Israel. *Israel Journal of Plant Science*, 43, 53-62.

- Isaacs, S., Kashman, Y., & Benayahu, Y. (1994). 3-Hydroxy-7-Phenyl-4E-6E-Heptadienoic acid from an ascidian *Didemnum granulatum*. *Journal of Natural Products*, 57, 648-649.
- Ishai, J., Bytinski-Salz, H., & Shulov, A. (1967). Contributions to the bionomics of the Oriental Hornet (*Vespa orientalis* Fab.). *Israel Journal of Entomology*, 2, 45-106.
- Jach, M.A. (1986). A synopsis of the genus *Hydraena* (Coleoptera: Hydraenidae) of the Middle East. *Israel Journal of Entomology*, 20, 13-23.
- Jach, M.A. (1989). Revision of the Palearctic species of the genus *Ochthebius* Leach. II. The subgenus *Cobalius* Rey (Hydraenidae, Coleoptera). *Entomologen*, 41, 41-51.
- Jach, M.A. (1989). Revision of the Palearctic species of the genus *Ochthebius* Leach. I. The so-called subgenus "*Bothochius*" (Hydraenidae, Coleoptera). *Koleopterologische Rundschau*, 59, 95-126.
- Jach, M.A. (1990). Revision of the genus *Ochthebius* Leach. V. The subgenus *Asiobates* (Coleoptera: Hydraenidae). *KoleRundschau*, 60, 37-105.
- Jach, M.A. (1990). Notes on the genus *Grouvellinus* Champion (Elmidae, Coleoptera). *Entomologen*, 42, 39-43.
- Jach, M.A. (1991). Revision of the Palearctic species of the genus *Ochthebius*. VII. The foveolatus group (Coleoptera: Hydraenidae). *Koleopterologische Rundschau*, 61, 61-94.
- Jach, M.A. (1991). Revision of the Palearctic species of the genus *Ochthebius* Leach. VI. The marinus group (Hydraenidae, Coleoptera). *Entomologica Basiliensia*, 14, 101-145.
- Jach, M.A. (1992). Revision of the Palearctic species of the genus *Ochthebius* Leach. X. the punctatus species group (Hydraenidae: Coleoptera). *Bulletin et Annales de la Société Royale Belge d'Entomologie*, 128, 167-195.
- Jach, M.A. (1992). Revision of the Palearctic species of the genus *Ochthebius* Leach, 1815. IX. The andraei and notabilis species groups (Coleoptera, Hydraenidae). *Nachrichtenblatt Bayer Ent*, 41, 7-29.
- Jach, M.A. (1993). Taxonomic revision of the Palearctic species of the genus *Limnebius* Leach, 1815 (Coleoptera: Hydraenidae). *Koleopterologische Rundschau*, 63, 99-187.
- Kaplan, F. (, 1977). M. Sc. The Chloropidae of Israel. Tel Aviv University; Prof. J. Kugler.
- Anonymous. Biology and ecology of the genus *Eurina* (Diptera: Chloropidae) in Israel. Budapest. Abstract Volume: 118p. First International Congress of Dipterology.

- Kaplan, M. (, 1974). M. Sc. The hover-flies (Syrphidae) of Israel. Tel Aviv University; Prof. J. Kugler.
- Kaplan, M., & Thompson, C. (1981). New Syrphidae from Israel (Diptera). *Proceedings of the Entomological Society of Washington*, 83, 198-212.
- Karplus, I. (1981). Goby-shrimp partner specificity. II. The behavioural mechanisms regulating partner specificity. *Journal of Experimental Marine Biology and Ecology*, 51, 21-35.
- Karplus, I., Goren, M., & Algom, D. (1982). A preliminary experimental analysis of predator face recognition by *Chromis caeruleus* (Pisces, Pomacentridae). *Zeitschrift für Tierpsychologie*, 58, 53-65.
- Kashman, Y., Bodner, M., Loya, Y., & Benayahu, Y. (1977). Cembrolids from marine origin (Red Sea), survey and isolation of new Sinulariolide derivatives. *Israel Journal of Chemistry*, 16, 1-3.
- Kashman, Y., Loya, Y., Bodner, M., Groweiss, A., Benayahu, Y., & Naveh, N. (1980). Gas liquid chromatograms of sesquiterpenes as finger prints for coral identification. *Marine Biology*, 55, 255-259.
- Kashman, Y., Saltoun, M., Rudi, A., & Benayahu, Y. (1994). Xeniafaraunol A and B and faraunatin: Three new cytotoxic diterpenes from the soft coral *Xenia faraunensis*. *Tetrahedron Letters*, 35, 8855-8858.
- Kaszab, Z. (1969). Three new East Mediterranean meloids (Coleoptera, Meloidae). *Israel Journal of Entomology*, 4, 279-284.
- Keisear, A. (, 1973). M. Sc. The biology of *Metacrampus carectellus* (Zeller) (Pylalidae, Crambinae) and observations on other insects associated with *Sorghun halapense* (L.) Pers. (Gramineae) in the Hula Valley. Tel Aviv University; Prof. J. Kugler.
- Keller, P., Mukhtar, A., & Galun, M. (1995). Resistance: Are there limits to resistance in lichens? *Symbiosis*, 18, 87-88.
- Kelsey, L.P. (1981). Scenopinidae (Diptera) of Palestine and the Sinai Peninsula. *Entomological Monthly Magazine*, 117, 3-26.
- Kerbis-Peterhans, J.C., & Horwitz, L.K. (1992). A bone assemblage from a striped hyaena (*Hyaena hyaena*) den in the Negev desert, Israel. *Israel Journal of Zoology*, 37, 225-245.
- Kfir, R. (, 1975). Ph. D. Studies on insect hyperparasitism. Hebrew University of Jerusalem; Prof. D. Rosen.

- Kimsey, L.S., & Bohart, R.M. (1990). *The chrysidid wasps of the world*. Oxford: Oxford University Press.
- Klausewitz, W. (1967). Die physiographische Zonierung der Saumriffe von Sarso. "Meteor" *Forschungsergebnisse*, 2D, 44-68.
- Klausewitz, W. (1978). Zoogeography of the littoral fishes of the Indian Ocean, based on the distribution of the Chaentodontidae and Pomacanthidae. *Senckenbergiana Biologica*, 59, 25-39.
- Klausewitz, W., & Bauchot, M.-L. (1967). Remarques sur quelques types d'*Holocentrum* des collections du Museum National d'Histoire Naturelle de Paris (Pisces, Beryciformes, Holocentridae). *Bulletin du Museum National d'Histoire Naturelle, Paris Ser 2*, 39, 121-126.
- Klausewitz, W., & Bauchot, M.-L. (1998). Rehabilitation de *Sphyraena forsteri* Cuvier in Cuv. Val. 1829 et designation d'un neotype (Pisces: Mugliformes, Sphyraenidae). *Bulletin du Museum National d'Histoire Naturelle, Paris Ser 2*, 39, 117-120.
- Klausewitz, W., & Froiland, O. (1970). Fische aus dem Roten Meer XII. *Scorpaenodes steinitzi* n. sp. von Eilat, Golf von Aqaba (Pisces: Scorpaenidae). *Senckenbergiana Biologica*, 51, 317-321.
- Klausewitz, W., & Schneider, M. (1986). Tiefenwasser und Tiefseefische aus dem Roten Meer 12. *Arnoglossus marisrubri* n. sp. aus dem Mesobenthos des zentralen Rotn Meers und *A. kottausi* nom. nov. von Epibenthos des nordwestlichen Indischen Ozeans (Pisces: Pleuronectiformes: Bothidae: Bothinae). *Senckenbergiana Maritima*, 18, 217-227.
- Knutson, L. (1985). *Pherbellia kugleri*, a remarkable new species from Mt. Hermon, with other new records of Sciomyzidae from Israel (Diptera: Acalypratae). *Israel Journal of Entomology*, 19, 111-117.
- Knutson, L., & Freidberg, A. (1983). The Sciomyzidae (Diptera: Acalypratae) of Israel with notes on the distribution of Near East species. *Entomologica Scandinavica*, 14, 371-386.
- Kohn, A.J. (1965). *Conus* (Mollusca, Gastropoda) collected by the Israel South Red Sea Expedition, 1962, with notes on collections from the Gulf of Aqaba and the Sinai Peninsula. (Israel South Red Sea Expedition, 1962, Reports, no. 11). *Sea Fisheries Research Station Bulletin*, 38, 54-59.
- Koren-Goldshlager, G., Klein, P., Rudi, A., Benayahu, Y., & Schleyer, M.H. (1996). Sindurol and Nephthoside: New tetraprenyltoluquinols from the soft coral *Sinularia dura* and *Nephthea* sp. *Journal of Natural Products*, 59, 262-266.

- Korneyev, V.A. (1996). The status of *Urophora dzieduszyckii* Frauenfeld. *Annalen des Naturhistorischen Museums in Wien*, 98B, 525-528.
- Korneyev, V.A., & Merz, B. (1997). A new species of *Rhagoletis* Loew (Diptera: Tephritidae), with notes on Central Asian species. *Journal of the Ukrainian Entomological Society*, 3, 55-64.
- Kronenberg, S. (1984). M. Sc. Comparative exocrinology of solitary bees with different nesting types: *Proxycopa olivieri*, *Xylocopa sulcatipes* and *Chalicodoma sicula*. Tel Aviv University; Prof. A. Hefetz.
- Kugler, J. (1962). From the life history of *Bombus* in Israel. *Teva wa'Arez*, 5, 3-7.
- Kugler, J. (1963). Tachinidae of Israel, I. *Israel Journal of Entomology*, 12, 25-34.
- Kugler, J. (1966). A list of parasites of Lepidoptera from Israel. *Israel Journal of Entomology*, 1, 75-88.
- Kugler, J. (1966). Vorläufige Mitteilung über die Chironomidenfauna des Tiberiassees. *Gewässer und Abwasser*, 41/42, 70-84.
- Kugler, J. (1966). The Chironomids of the Kinneret. *Mekorot Alon Techni*, 2, 30-32.
- Kugler, J. (1966). Species of the genus *Leucostoma* (Tachinidae, Phasiinae) in Israel. *Israel Journal of Zoology*, 15, 173-182.
- Kugler, J. (1968). Tachinidae of Israel, III. Description of six new species. *Israel Journal of Entomology*, 3, 59-68.
- Kugler, J. (1969). The Muscidae of Israel. *Israel Journal of Entomology*, 4, 323-337.
- Kugler, J. (1971). Tachinidae of Israel, IV. Description of ten new species. *Journal of Zoology*, 20, 69-88.
- Kugler, J. (1972). Tachinidae of Israel, V. *Mesnilomyia* and *Palmonia*, two new genera of Tachinidae (Diptera). *Israel Journal of Zoology*, 21, 103-112.
- Kugler, J. (1974). Tachinidae (Diptera) from Mt. Hermon, with the description of six new species. *Israel Journal of Entomology*, 9, 109-131.
- Kugler, J. (1977). Neue Tachinidae (Diptera) aus Israel. *Stuttgarter Beiträge zur Naturkunde*, 65, 1-14.
- Kugler, J. (1978). The Rhinophoridae (Diptera) of Israel. *Israel Journal of Entomology*, 12, 65-106.
- Kugler, J. (1978). A revision of the tachinid Fly genus *Plesina* Meigen (Diptera: Tachinidae). *Entomologica Germanica*, 4, 84-96.

Kugler, J. (1978). Chironomidae and Trichoptera. In C. Serruya (Ed.), *Lake Kinneret*. (pp. 369-376). The Hague: W. Junk.

Kugler, J. (1978). *Leucostoma edentata* n. sp. and *Dionomelia hennigi* n.g. n.sp., two new Leucostomatini (Diptera: Tachinidae, Phasiinae) from Israel. *Entomologica Germanica*, 4, 344-348.

Kugler, J. (1979). New Taxa of Tachinidae (Diptera) with a list of the species from Israel and adjacent territories. *Israel Journal of Entomology*, 13, 27-60.

Kugler, J. (1981). A new species of *Cataglyphis* Forster (Hymenoptera: Formicidae) from Israel and Sinai. *Israel Journal of Entomology*, 15, 83-88.

Kugler, J. (1982). The Termites of Sinai. In I. Lachish & Z. Meshel (Eds.), *South Sinai researches 1967-1982*. (pp. 111-116). Tel Aviv: The Society of the Protection of Nature.

Kugler, J. (1983). The males of *Cardiocondyla* Emery (Hymenoptera: Formicidae), with the description of the winged male of *Cardiocondyla wroughtoni* (Forel). *Israel Journal of Entomology*, 17, 1-21.

Kugler, J. (1986). The Leptanilliane (Hymenoptera: Formicidae) of Israel and a description of a new species from India. *Israel Journal of Entomology*, 20, 45-57.

Kugler, J. (1988). The zoogeography of social insects of Israel and Sinai. In Y. Yom-Tov & E. Tchernov (Eds.), *The Zoogeography of Israel*. (pp. 251-276). Dordrecht: Dr. W. Junk Publishers.

Kugler, J. (1988). Apterous males and queens among the ants of Israel. *Shapirit*, 6, 6-13.

Kugler, J. A. Alon. (1989). Insects. 12. Ministry of Defence and Society for the Protection of Nature. 1 p. 3. Plants and animals of the land of Israel.

Kugler, J., & Freidberg, A. (1975). A list of the Fruit flies (Diptera: Tephritidae) of Israel and nearby areas, their host plants and distribution. *Israel Journal of Entomology*, 10, 51-72.

Kugler, J., & Reiss, F. (1973). Die triangularis - Gruppe der Gattung *Tanytarsus* v.d.w. (Chironomidae, Diptera). *Entomologisk Tidskrift*, 94, 59-82.

Kugler, J., & Soussan, O. (1991). Redescription and biological observations on *Leptothorax flavispinus* Andre (Hymenoptera: Formicidae). *Israel Journal of Entomology*, 25-26, 209-213.

Kuller, Z. (, 1992). M. Sc. Aspects in comparative biology of *Triops cancriformis* and *Lepidurus apus* (Notostraca, Branchiopoda) in rainpools in Israel. Tel Aviv University;

Kuo, J. (1997). A monograph of *Halophila*. [In Press],

- Kusatman, B. (, 1991). Ph. D. The origins of pig domestication with particular reference to the New East. University College London.
- Kushmaro, A., Hennig, G., Hofmann, D.K., & Benayahu, Y. (1996). Metamorphosis of *Heteroxfuscens* planulae (Cnidaria: Octocorallia) is inhibited by crude oil: a novel short-term toxicity bioassay. *Marine Environmental Research*, 43, 295-302.
- Lachner, E.A., & Karnella, S.J. (1980). Fishes of the Indo-Pacific genus *Eviota* with descriptions of eight new species (Teleostei: Gobiidae). *Smithsonian Contributions to Zoology*, 315, 1-127.
- Anonymous. Tail regeneration in agamas. Bad Nauheim: 4th. International Colloquium on Pathology and Medicine of Reptiles and Amphibians.
- Larson, H.K. (1985). A revision of the gobiid genus *Bryaninops* (Pisces) with a description of six new species. *The Beagle, Records of the Northern Territory Museum of Art and Sciences*, 2, 57-93.
- Larson, H.K. (1990). A revision of the commensal gobiid fish genera *Pleurosicya* and *Luposicya* and discussion of related genera. *The Beagle, Records of the Northern Territory Museum of Art and Sciences*, 7, 1-53.
- Lavaleye, M.S.S., & Barash, A. (1981). First record of the Indo-Pacific species *Kleinella (Actaeopyramis) fulva* (A. Adams, 1851) (Gastropoda, Pyramidellidae) from the Mediterranean. *Basteria*, 45, 87-89.
- Leader, N. (, 1994). M.Sc. The possible function of the stone ramparts constructed at the entrance of Blackstart (*Cercomela melanura*) nests. Tel Aviv University;
- Leshem, Y. (, 1976). M. Sc. The biology of the Bonelli's eagle (*Hieraetus fasciatus fasciatus*) in Israel (In Hebrew). Tel Aviv University;
- Levi, C. (1965). Spongiaires recoltés par l'Expedition Israelienne dans le sud de la Mer Rouge en 1962. (Israel South Red Sea Expedition, 1962, Reports, no. 13). *Sea Fisheries Research Station Bulletin*, 40, 3-27.
- Levy, N. (, 1990). M. Sc. Biology, population dynamics and ecology of the Egyptian vulture *Neophron percnopterus*, in Israel. Tel Aviv University; Prof. H. Mendelssohn.
- Lewinsohn, C. (1969). Die Anomuren des Roten Meeres (Crustacea Decapoda: Paguridea, Galatheidea, Hippidea). *Zoologische Verhandlungen*, 104, 1-213.
- Lewinsohn, C. (1974). Neubeschreibung von *Petrolisthes carinipes* (Heller, 1861) (Decapoda, Porcellanidae) und Bemerkungen zur taxonomischen Problematik der Art. *Crustaceana*, 26, 249-258.
- Lewinsohn, C. (1974). The occurrence of *Scyllarus pygmaeus* (Bate) in the eastern Mediterranean (Decapoda, Scyllaridae). *Crustaceana*, 27, 43-46.

- Lewinsohn, C. (1976). *Petrolisthes digitalis* (Heller, 1862) (Decapoda, Porcellanidae) ein Synonym von *Petrolisthes armatus* (Gibbes, 1850). *Crustaceana*, 31, 66-70.
- Lewinsohn, C. (1976). Crustacea Decapoda von der Insel Rhodos, Griechenland. *Zoologische Mededelingen*, 49, 237-254.
- Lewinsohn, C. (1977). Die Ocypodidae des Roten Meeres (Crustacea, Decapoda, Brachyura). *Zoologische Verhandelingen*, 152, 43-84.
- Lewinsohn, C. (1977). Die Dromiidae des Roten Meeres (Crustacea, Decapoda, Brachyura). *Zoologische Verhandelingen*, 151, 1-41.
- Lewinsohn, C. (1978). Bemerkungen zur Taxonomie von *Paguritta harmsi* (Gordon) (Crustacea Decapoda, Anomura) und Beschreibung einer neue Art der gleichen Gattung aus Australien. *Zoologische Mededelingen*, 53, 243-252.
- Lewinsohn, C. (1982). *Phylladorhynchus integrirostris* (Dana) und *Lauriea gardineri* (Laurie) (Decapoda, Anomura) aus dem nordlichen Roten Meer. *Crustaceana*, 42, 295-301.
- Lewinsohn, C. (1982). *Aniculus retipes* n. sp. ein neuer Einsiedlerkrebs aus dem Roten Meer (Decapoda, Anomura). *Crustaceana*, 42, 76-82.
- Lewinsohn, C. (1982). Eine neue Art der Gattung *Spiropagurus* Stimpson (Decapoda, Anomura) aus dem Roten Meer. *Crustaceana*, 42, 212-218.
- Lewinsohn, C., & Fishelson, L. (1967). The second Israel South Red Sea Expedition, 1965 (General Report). (The second Israel South Red Sea Expedition, 1965, report no. 3). *Israel Journal of Zoology*, 16, 59-68.
- Lewinsohn, C., & Galil, B.S. (1982). Notes on species of *Alpheus* (Crustacea, Decapoda) from the Mediterranean coast of Israel. *Quaderni del Laboratorio di Tecnologia della Pesca, Ancona*, 3, 207-210.
- Lewinsohn, C., & Holthuis, L.B. (1964). New records of decapod Crustacea from the Mediterranean coast of Israel and the eastern Mediterranean. *Zoologische Mededelingen*, 40, 45-63.
- Lewinsohn, C., & Manning, R.B. (1980). Stomatopod Crustacea from the eastern Mediterranean. *Smithsonian Contributions to Zoology*, 305, 1-22.
- Lienhard, C., & Halperin, J. (1988). Preliminary list of the Psocoptera from Israel with descriptions of two new species. *Israel Journal of Entomology*, 22, 13-25.
- Lillig, M. (1994). The subgenus *Eodirosis* Kwieton of the genus *Erodius* Fabricius, with two new species and a key to species (Coleoptera: Tenebrionidae: Pimeliinae: Erodiini). *Israel Journal of Entomology*, 28, 151-158.
- Lillig, M. (1997). A new species of the genus *Erodius* from Israel and Egypt (Coleoptera: Tenebrionidae: Pimeliinae). *Israel Journal of Entomology*, 31, 55-58.

- Lindner, E. (1974). On the Stratiomyidae (Diptera) of the Near East. *Israel Journal of Entomology*, 9, 93-108.
- Lindner, E. (1975). On some Stratiomyidae (Diptera) from the Near East. *Israel Journal of Entomology*, 10, 41-49.
- Lindner, E., & Freidberg, A. (1978). New records of Stratiomyidae (Diptera) from the Near East with a key to the species of Israel, Sinai and the Golan. *Israel Journal of Entomology*, 12, 51-64.
- Linnavuori, R. (1960). Hemiptera of Israel. I. *Annales Zoologicae Botanicae Fennicae "Vanamo"*, 22, 1-71.
- Linnavuori, R. (1961). Hemiptera of Isr. II. *Annales Zoologicae Botanicae Fennicae "Vanamo"*, 22, 1-51.
- Linnavuori, R. (1962). Hemiptera of Israel. III. *Annales Zoologicae Botanicae Fennicae "Vanamo"*, 24, 1-108.
- Linnavuori, R. (1973). Studies on the hemipterus fauna of Israel and Sinai. *Israel Journal of Entomology*, 8, 35-54.
- Linsenmaier, W. (1969). The chrysid wasps of Palestine (Chrysididae). A faunistic catalogue with descriptions of new species and forms. *Israel Journal of Entomology*, 4, 343-376.
- Lipkin, Y. (1971). Ecological distribution of *Caulerpa* in the Red Sea. *Symposium on Indian Ocean and Adjacent Seas, Cochin*, 85(abstract)
- Lipkin, Y. (1972). Marine algal and sea-grass flora of the Suez Canal. *Israel Journal of Zoology*, 21, 405-446.
- Lipkin, Y. (1972). Vegetation of the Bitter Lakes in the Suez Canal water system. *Israel Journal of Zoology*, 21, 447-457.
- Lipkin, Y. (1973). *Wolffia arrhiza* (L.) Hork. ex Wimmer on the Golan Plateau. *Israel Journal of Botany*, 22, 175-177.
- Lipkin, Y. (1974). Ecological distribution of *Caulerpa* in the Red Sea. *Journal of the Marine Biological Association of India*, 15, 160-167.
- Lipkin, Y. (1975). A history, catalogue and bibliography of Red Sea seagrasses. *Israel Journal of Botany*, 24, 89-105.
- Lipkin, Y. (1975). *Halophila stipulacea*, a review of a successful immigration. *Aquatic Botany*, 1, 203-215.
- Lipkin, Y. (1975). On the male flower of *Halophila stipulacea*. *Israel Journal of Botany*, 24, 198-200.

- Lipkin, Y. (1975). *Halophila stipulacea* in Cyprus and Rhodes, 1967-1970. (with appendix: *Halophila stipulacea* in Lebanon). *Aquatic Botany*, 1, 309-320.
- Lipkin, Y. (1977). *Centroceras*, the 'missile'-launching marine red alga. *Nature*, 270, 48-49.
- Lipkin, Y. (1977). Seagrass vegetation of Sinai and Israel. In C.P. McRoy & C. Helfferich (Eds.), *Seagrass ecosystems: A scientific perspective*. (pp. 263-293). New York: M. Dekker.
- Lipkin, Y. (1977). Specialized structures for vegetative reproduction among the Florideophyceae. *Journal of Phycology*, 13 (suppl.), 42(abstract)
- Anonymous. Quantitative aspects of Red Sea seagrasses. Jerusalem: 31p. Abstracts of the 2nd International Ecological Congress.
- Anonymous. Red algae from Sinai new to the Red Sea. Bhavnagar: 9p. Abstracts of the International Symposium on Marine Algae of the Indian Ocean Region.
- Lipkin, Y. (1979). Quantitative aspects of seagrass communities, particularly of those dominated by *Halophila stipulacea*, in Sinai (northern Red Sea). *Aquatic Botany*, 7, 119-128.
- Lipkin, Y. (1980). *Halodule brasiliensis* sp. nov., a new seagrass from South America (Potamogetonaceae). *Revista Brasileira de Biologia*, 40, 85-90.
- Lipkin, Y. (1985). Outdoor cultivation of sea vegetables. *Plant and Soil*, 89, 159-183.
- Lipkin, Y. (1987). Marine vegetation of Museri and Entedebir Islands (Dahlak Archipelago, Red Sea). *Israel Journal of Botany*, 36, 87-99.
- Lipkin, Y. (1988). *Thalassodendretum ciliati* in Sinai (northern Red Sea) with special reference to quantitative aspects. *Aquatic Botany*, 31, 125-139.
- Lipkin, Y. (1991). Life in the littoral of the Red Sea (with remarks on the Gulf of Aden). In A.C. Mathieson & P.H. Nienhuis (Eds.), *Ecosystems of the world 24: Intertidal and littoral ecosystems*. (pp. 391-427). Amsterdam: Elsevier.
- Lipkin, Y., & Avidor, A. (1974). *Tetramyxa marina*, a new plasmodiophorean marine parasite. *Nova Hedwigia*, 25, 799-810.
- Lipkin, Y., Beer, S., & Eshel, A. (1993). The ability of *Porphyra linearis* (Rhodophyta) to tolerate prolonged periods of desiccation. *Botanica Marina*, 36, 517-523.

- Lipkin, Y., & Friedmann, I. (1967). Persistent juvenile stage of *Caulerpa racemosa* (Foskal) Agardh in the eastern Mediterranean. *Pubblicazioni della Stazione Zoologica di Napoli*, 35, 243-249.
- Lipkin, Y., & Proctor, V.W. (1975). Notes on the subgenus *Trabutiella* of the aquatic liverwort *Riella* (Riellaceae, Sphaerocarpaceae). *Bryologist*, 78, 25-31.
- Lipkin, Y., & Safriel, U. (1971). Intertidal zonation of the rocky shores at Mikhmoret (Mediterranean, Israel). *Journal of Ecology*, 59, 1-30.
- Londt, J.G.M. (1990). Afrotropical Asilidae (Diptera) 19. New species and records of *Synolcus* Loew, 1958 and *Gibbasilus* Londt, 1986 (Apocleinae). *Annals of the Natal Museum*, 31, 1-17.
- Lopatin, I., & Chikatunov, V. (1997). The Cryptocephalinae (Coleoptera: Chrysomelidae) of Israel, Jordan and the Sinai part of Egypt. *Israel Journal of Entomology*, 31, 97-119.
- Lopatin, I.K. (1993). A new *Labidostomis* species from Israel (Insecta, Coleoptera, Chrysomelidae). *Spixiana*, 18, 283-319.
- Lopatin, I.K. (1995). New and little known leaf-beetles (Coleoptera, Chrysomelidae) from South and East Asia. *Entomological Review*, 74, 97-104.
- Lopatin, I.K., & Koustantinov, A. (1994). New species of Chrysomelidae (Coleoptera) from Palearctic and Oriental Regions. *Lambillionea*, 94, 524-525.
- Lubbock, R. (1975). Fishes of the family Pseudochromidae (Perciformes) in the northwest Indian Ocean and Red Sea. *Journal of Zoology*, 167, 115-157.
- Lubbock, R., & Polunin, N.V.C. (1977). Notes on the Indo-West Pacific genus *Ctenogobiops* (Teleostei: Gobiidae), with descriptions of three new species. *Revue Suisse de Zoologie*, 84, 505-514.
- Lubbock, R., & Randall, J.E. (1978). Fishes of the genus *Liopropoma* (Teleostei: Serranidae) in the Red sea. *Zoological Journal of the Linnean Society*, 64, 187-195.
- Lundberg, B., & Lipkin, Y. (1977). Food of the herbivorous rabbitfish (*Siganus spp.*) in the northern Red Sea. *Journal of Phycology*, 13 (suppl.), 43(abstract)
- Lundberg, B., & Lipkin, Y. (1979). Natural food of the herbivorous rabbitfish (*Siganus spp.*) in northern Red Sea. *Botanica Marina*, 22, 173-181.
- Lundberg, B., & Lipkin, Y. (1992). Seasonal, grazing site and fish size effects on patterns of algal composition by the herbivorous fish, *Siganus rivulatus*, at Mikhmoret (Mediterranean, Israel). In A. Gasith, A. Adin, Y. Steinberger, & J. Garthy (Eds.), *Environmental quality and ecosystem stability*. (pp. 577-583). Jerusalem: ISEEQS.

- Lupo, A. (1970). M. Sc. The bee *Megachile rotundata* as a pollinator of alfalfa *Medicago sativa* L. in Israel. Tel Aviv University; Prof. J. Galil.
- Lupo, A., & Galil, J. (1985). Nesting habits of *Cardiocondyla wrughtoni* Forel (1890) (Hymenoptera: Formicidae). *Israel Journal of Entomology*, 19, 119-125.
- Lyneborg, L. (1976). *Caenozona* Krober, 1912, and *Reinigiellum* Enderlein, 1933, two new synonyms of *Thereva* Latreille, 1976 and *Thereva freidbergi* nom. nov. for *T. arcuata* (Krober, 1912) nec Loew, 1847 (Diptera, Therevidae). *Entomologica Scandinavica*, 7, 238-239.
- Makin, D. (1977). M. Sc. Distribution and biology of insectivorous bats (Microchiroptera) in Israel. Hebrew University Jerusalem;
- Makin, D. (1989). The status of bats in Israel. In V.I. Hanak, I. Horacek, & J... Gaisler (Eds.), *European bat research 1987*. (pp. 403-408). Prague: Charles University Press.
- Makin, D., & Harrison, D.L. (1988). Occurrence of *Pipistrellus ariel* Thomas, 1904, in Israel. *Mammalia*, 52, 419-422.
- Malzacher, P. (1992). Mayflies from Israel (Insecta, Ephemeroptera) II. Caenidae. *Bulletin de la Societe Entomologique Suisse*, 65, 385-394.
- Mandl, K. (1981). Neue Coleopteren-Taxa von Nahen bis zum Fernen Osten (Col. Cicindelidae, Carabidae und Chrysomelidae). *Entomologica Basiliensia*, 6, 167-182.
- Margalit, J., & Tahori, A.S. (1974). An annotated list of Mosquitoes in Israel. *Israel Journal of Entomology*, 9, 77-91.
- Martinez, Y.J.-J. (1996). M. Sc. Ecomorphology of the Harduns of Israel and Sinai. Tel Aviv University; T. Dayan.
- Martinez, Y.J.-J., & Dayan, T. (1996). Sexual size dimorphism in four harduns of Israel and Sinai. In Y. Steinberger (Ed.), *Preservation of our world in the wake of change*. (pp. 523-526). Jerusalem: ISEEQS.
- Martinez, Y.J.-J., & Dayan, T. (1997). Sexual size dimorphism in the agamid lizards of Israel. *Israel Journal of Zoology*, 43, 110-111. (abstract)
- Marton, K., & Galun, M. (1974). A new species of *Heppia* from the Arava Valley, Israel. *The Bryologist*, 77, 239-241.
- Marton, K., & Galun, M. (1981). The cyanophilous lichen population of the 'Arava Valley and the Judean Desert (Israel). *Israel Journal of Botany*, 30, 125-155.
- Massa, B. (1995). The middle eastern genera *Prionosthenus* bolivar, *Ocneropsis* uvarov and *Ocnerosthenus* Nov. Gen. *Naturalista Siciliano*, 19(VI), 105-127.
- Mateu, J. (1986). Sur quelques especes inidites du genre *Metadriomus* Bedel (Coleoptera, Carabidae). *Nouvelle Revue d'Entomologie*, 3, 215-226.

- Mathis, W.N. (1982). Studies of Ephydrinae (Diptera: Ephydridae), VII: Revision of the genus *Setacera* Cresson. *Smithsonian Contributions to Zoology*, 350, 1-57.
- Mathis, W.N. (1985). A revision of the subgenus *Eremotrichoma* Soika of the shore fly genus *Allotrichoma* Becker (Diptera: Ephydridae). *Israel Journal of Entomology*, 19, 127-139.
- Mathis, W.N., & Freidberg, A. (1982). New beach flies of the genus *Xanthocanace* Hendel, with a review of the species from the western Palearctic (Diptera: Canacidae). *Memoirs of the Entomological Society of Washington*, 10, 97-104.
- Mathis, W.N., & Freidberg, A. (1991). Review of Afrotropical beach flies of the tribe Canacini and subfamily Nocticanacinae (Diptera: Canacidae). *Proceedings of the Entomological Society of Washington*, 93, 70-85.
- Mathis, W.N., & Freidberg, A. (1994). A revision of north American *Aulacigaster* Macquart (Diptera: Aulacigastridae). *Proceedings of the Entomological Society of Washington*, 96, 583-598.
- Mathis, W.N., & Munari, L. (1996). World Catalog of the Family Tethinidae (Diptera). *Smithsonian Contributions to Zoology*, 584, 1-27.
- Matile, L. (1974). A new species of *Asindulum* from Israel (Diptera: Mycetophilidae). *Israel Journal of Entomology*, 9, 73-76.
- Mauss, V. (1996). Morphological characters of *Ceramius palaestinensis* (Giordani Soika, 1957) Gusenleitner, 1992 (Hymenoptera, Vespidae, Masarinae) and considerations about its phylogenetic position. *Linzer Biologische Beitrage*, 28, 953-966.
- McAlpine, D.K. (1981). *Morgea freidbergi* new species, a living sister-species of the fossil species *M. mcalpinei*, and a key to world genera of Pallopteridae (Diptera). *Canadian Entomologist*, 113, 81-91.
- McAlpine, D.K. (1993). Review of the upside-down flies (Diptera: Neurochaetidae) of Madagascar and Africa, and evolution of neurochaetid host plant associations. *Records of the Australian Museum*, 45, 221-239.
- McCosker, J.E. (1978). Synonymy and distribution of *Callopleysiops* (Pisces: Plesiopidae). *Copeia*, 1978, 707-710.
- Medvedev, L.N. (1992). The Clytrinae (Coleoptera, Chrysomelidae) of Israel. *Russian Entomological Journal*, 1, 51-55.
- Mendelssohn, H. (1947). A new locality for *Cyprinodon dipar* Ruppel. *Nature*, 160, 123

- Mendelssohn, H. (1962). On the biology of the venomous snakes of Israel. *Dapim Refuim (Folia Medica) (In Hebrew-English summary)*, 21, 577-592.
- Mendelssohn, H. (1963). On the biology of the venomous snakes of Israel, part I. *Israel Journal of Zoology*, 12, 143-170.
- Mendelssohn, H. (1965). On the biology of the venomous snakes of Israel, part II. *Israel Journal of Zoology*, 14, 185-212.
- Mendelssohn, H. (1965). Breeding of the Syrian hyrax *Procavia capensis syriaca* Schreber, 1784. *International Zoo Yearbook*, 5, 116-125.
- Anonymous. Adaptation of animals to life in deserts. Ecological research on development of arid zones (Mediterranean deserts) with winter precipitation. Bet Dagan, Israel. Symposium Israel-France 11-14 March.
- Mendelssohn, H. (1974). The development of the populations of gazelles in Israel and their behavioural adaptations. In Anonymous, *The behaviour of ungulates and its relation to management*. Morges, Switzerland. Int. Union for Conservation Nature and Natural Resources.
- Mendelssohn, H. (1982). Wolves in Israel. In F.H. Harrington & P.C. Paquet (Eds.), *Wolves of the world*. (pp. 173-195). New Jersey. Noyes Publications.
- Mendelssohn, H. (1982). Egyptian tortoise (*Testudo kleinmanni*, Lortet 1853). In Anonymous, *The IUCN Amphibia-Reptilia Red Data Book*. (pp. 133-136).
- Mendelssohn, H. (1983). Status of the wolf in the Middle East. *Acta Zoologica Fennica*, 174, 279-280.
- Mendelssohn, H. (1985). The striped hyena in Israel. *Hyaena Specialist Group Newsletter IUCN*, 2, 14
- Mendelssohn, H., Groves, C.P., & Shalmon, B. (1997). A new subspecies of *Gazella gazella* from the southern Negev. *Israel Journal of Zoology*, 43, 209-215.
- Mendelssohn, H., & Leshem, Y. (1983). The status and conservation of vultures in Israel. In S.R. Wilbur & J.A. Jackson (Eds.), *Vulture biology and management*. (pp. 86-98). Berkeley: University of California Press.
- Mendelssohn, H., & Steinitz, H. (1943). A new frog from Palestine. *Copeia*, 4, 231-233.
- Mendelssohn, H., & Yom-Tov, Y. (1987). *Body and skull measurement of the mammals of Israel*. Tel Aviv: Ministry of defence Publication House.
- Mendelssohn, H., & Yom-Tov, Y. (1987). *Mammals*. Tel Aviv: Ministry of Defence and Society for Protection of Nature.

- Mendelssohn, H., & Yom-Tov, Y. (1987). *Mammals of Israel*. Tel Aviv: Ministry of Defence Publ. House.
- Mendelssohn, H., Yom-Tov, Y., & Groves, C.P. (1995). The mountain gazell, *Gazella gazella*. *Mammalian Species*, 1995(490), 1-7.
- Mendelssohn, H., Yom-Tov, Y., Ilani, G., & Meninger, D. (1987). On the occurrence of Blanford's fox, (*Vulpes cana*) in Israel and Sinai. *Mammalia*, 51, 459-462.
- Mendelssohn, H., Yom-Tov, Y., & Safriel, U. (1975). Hume's tawny owl (*Strix butleri*) in the Judean, Negev and Sinai deserts. *Ibis*, 118, 110-111.
- Merguer, H., & Schuhmacher, H. (1974). Morphologie, Okologie und Zonierung von Korallenriffe bei Aqaba (Golf von Aqaba, Rotes Meer). *Helgolander Wissenschaftliche Meeresuntersuchungen*, 26, 283-358.
- Meroz, E., & Ilan, M. (1995). Life history characteristics of a coral reef sponge. *Marine Biology*, 124, 443-451.
- Meroz, E., & Ilan, M. (1995). Cohabitation of a coral reef sponge and a scyphozoan. *Marine Biology*, 124, 453-459.
- Merz, B. (1990). *Terellia (Cerajocera) rhapontici* n. sp. a new tephritid fly from the Swiss alps (Diptera: Tephritidae). *Bulletin de la Societe Entomologique Suisse*, 63, 189-194.
- Merz, B. (1992). Fünf neue Fruchtfliegenarten aus den Schweizer Alpen und systematische Bemerkungen zu einigen europäischen Gattungen und Arten (Diptera, Tephritidae). *Bulletin de la Societe Entomologique Suisse*, 65, 227-239.
- Merz, B. (1992). The fruit flies of the Canary Islands (Diptera: Tephritidae). *Entomologica Scandinavica*, 23, 215-231.
- Merz, B. (1993). Fruchtfliegen aus der Region des Mte. Gargano (Italien, Puglia), mit Beschreibung einer neuen *Tephritis*-Art (Diptera, Tephritidae). *Mitteilungen der Entomologischen Gesellschaft Basel*, 43, 110-127.
- Merz, B. (1996). Die Arten von *Chetostoma* Rondani in der Schweiz (Diptera, Tephritidae). *Mitteilungen der Entomologischen Gesellschaft Basel*, 46, 122-124.
- Merz, B. (1997). Die Micropezidae (Diptera) der Schweiz. *Bulletin de la Societe Entomologique Suisse*, 70, 93-100.
- Mescheloff, E., & Rosen, D. (1988). Biosystematic studies on the Aphidiidae of Israel (Hymenoptera: Ichneumonoidea). 1. Introduction and key to genera. *Israel Journal of Entomology*, 22, 61-73.

- Mesnil, L. (1956). *Larvaevorinae (Tachininae)*. Stuttgart: Schweizerbart'sche Verlagsbuchhandlung.
- Mesnil, L. (1980). *Dexiinae*. Stuttgart: Schweizerbart'sche Verlagsbuchhandlung.
- Meyer, M. (1996). Revision of the subgenus *Ceratitis (Pardalaspis)* Bezzi, 1918 (Diptera, Tephritidae, Ceratitini). *Systematic Entomology*, 21, 15-26.
- Michelsen, V. (1980). A revision of the beet leaf-miner complex, *Pegomya hyoscyami* s.lat. (Diptera: Anthomyiidae). *Entomologica Scandinavica*, 11, 297-309.
- Michelsen, V. (1989). The Mediterranean species of *Pegoplata* (section *cuticornis*) (Diptera: Anthomyiidae). *Entomologica Scandinavica*, 19, 489-501.
- Michelsen, V. (1994). The southern palearctic genus *Enneastigma* Stein (Diptera: Anthomyiidae); Taxonomy of Mediterranean species, phylogeny and ancestral areas analysis. *Entomologica Scandinavica*, 25, 361-375.
- Michelsen, V., & Baez, M. (1985). The Anthomyiidae (Diptera) of the Canary Islands. *Entomologica Scandinavica*, 16, 277-304.
- Mienis, H., & Ortal, R. Anonymous. The names of the inland aquatic and terrestrial molluscs of Israel (including the categories of the threatened species.) 9pp+15pp. Hebrew and English. 2. Nature Reserve Authority. (1994).
- Mohr, K.H. (1968). Eine ubersehene *Exosoma*-Art aus Kleinasien. *Reichenbachia*, 10, 239-243.
- Morino, H. (1997). The identity of *Talitroides alluaudi* (Cherveux) (Crustacea: Amphipoda: Talitridae) with a note on a new locality. *Proceedings of the Biological Society of Washington*, 106, 332-338.
- Moser, M., Binyamini, N., & Avizohar-Hershenzon, Z. (1977). New and noteworthy Russulales from Israel. *Transactions of the British Mycological Society*, 68, 371-377.
- Motro, M. (1977). M. Sc. Social activities by queenless hornet workers (*Vespa orientalis* L.) hierarchy, ovary development and comb building. Tel Aviv University; Prof. J. Kugler.
- Mound, L.A., & J.M. (1973). Notes on the Thysanoptera from Israel. *Entomologist's Monthly Magazine*, 109, 102-106.
- Munari, L. (1994). Contribution to the knowledge of Afrotropical Tethinidae. VII. New species and records, with a check-list of Afrotropical species (Diptera, Acalyptratae). *Lavori-Societa' Veneziana di Scienze Naturali*, 19, 15-28.

- Murdy, E.O. (1989). A taxonomic revision and cladistic analysis of the oxudercine gobies (Gobiida: Oxudercinae). *Records of the Australian Museum Supplement*, 11, 1-93.
- Murdy, E.O., & Hoese, D.F. (1985). Revision of the gobiid fishes genus *Istigobius*. *Indo-Pacific Fishes*, 4,
- Nam, K.W., & Saito, Y. (1995). Vegetative and reproductive anatomy of some *Laurencia* (Ceramiales, Rhodophyta) species with a description of *L. mavis-rubri* from the Red Sea. *Phycologia*, 34, 157-165.
- Ne'eman, G. (, 1982). Ph. D. The symbiosis between the common fig *Ficus caria* L. and the pollinating wasp *Blastophoga psenes* L. Tel Aviv University; Prof. J. Galil.
- Neuenschwander, P. (1984). Observations on the biology of two species of fruit flies (Diptera: Tephritidae), and their competition with a moth larva. *Israel Journal of Entomology*, 18, 95-97.
- Neuenschwander, P., & Freidberg, A. (1983). The fruit flies of Crete (Diptera: Tephritidae). *Israel Journal of Entomology*, 17, 81-94.
- Nevo, E. (1989). Natural selection of body size differentiation in spiny mice, *Acomys*. *Zeitschrift f?r Säugetierkunde*, 52, 81-99.
- Nevo, E. (1991). Evolutionary theory and processes of active speciation and adaptive radiation in subterranean mole rats, *Spalax ehrenbergi* superspecies in Israel. *Evolutionary Biology*, 25, 1-125.
- Nevo, E., Beiles, A., Heth, G., & Simson, S. (1986). Adaptive differentiation of body size in speciating mole rats. *Oecologia*, 69, 327-333.
- Nevo, E., Tchernov, E., & Beiles, A. (1988). Morphometrics of speciating mole rats: Adaptive differentiation in ecological speciation. *Zeitschrift f?r Zoologische Systematik und Evolutionsforschung*, 26, 286-314.
- Niehuis, M. (1997). Prachtkaferfunde aus Israel mit Beschreibung von *Anthaxia martinhauseri* n. sp. (Coleoptera: Buprestidae). *Mitteilungen Internationale Entomologische Verbneiten*, 21, 131-151.
- Niehuis, M. (1997). *Nalanda halperini* n. sp. ein neuer Prachtkafer aus Israel (Coleoptera: Buprestidae). *Mitteilungen Internationale Entomologische Verbneiten*, 22, 51-57.
- Nir, Y., & Rogers, A.S. (1965). Entedebir Island - Dahlak Archipelago. (Israel South Red Sea Expedition, 1962, Reports, no. 10). *Sea Fisheries Research Station Bulletin*, 38, 53-54.

Nitzan, Y. (1969). M. Sc. The biology of *Clausicella suturata* Roud. (Tachinidae), a parasite of the carob moth *Ectomyelois ceratoniae* (Zell.) (Phycetidae). Tel Aviv University; Prof. J. Kugler.

Norrbom, A.L. (1993). Two species of *Anastrepha* (Diptera: Tephritidae) with atypical wing patterns. *Proceedings of the Entomological Society of Washington*, 95, 52-58.

Ofer, J. (1970). The weaver ant of Israel. *Insectes Sociaux*, 17, 49-81.

Oosterbroek, P. (1997). New species of *Tipula*, subgenus *Lunatipula*, from Israel and Turkey (Diptera: Tipulidae). *Israel Journal of Entomology*, 31, 179-197.

Oren, O.H. (1962). The Israel South Red Sea expedition. *Nature*, 194, 1134-1137.

Oren, O.H. (1964). Hydrography of Dahlak Archipelago (Red Sea). (Israel South Red Sea Expedition, 1962, Reports, no. 1). *Sea Fisheries Research Station Bulletin*, 35, 3-34.

Oren, U., & Benayahu, Y. (1997). Transplantation of juvenile corals: A new approach for enhancing colonization of artificial reefs. *Marine Biology*, 127, 499-505.

Oren, U., & Benayahu, Y. (in press). Didemnid ascidians: rapid colonizers of artificial reefs in Eilat (Red Sea). *Bulletin of Marine Science*,

Ortal, R. (1990). Ph.D. Ecological zoogeography of the inland waters in Israel. Hebrew University, Jerusalem;

Ozerov, A.L. (1987). A new species of the genus *Sepsis* (Diptera, Sepsidae) from the Near East. *Vestnik Zoologii*, 6, 79-80.

Ozerov, A.L. (1991). Review of the subgenus *Platytoxopoda* (Diptera, Sepsidae: Toxopodinae). *Bulletin of Moscow society of naturalists Biol ser*, 96, 48-53.

Ozerov, A.L. (1993). A revision of the genus *Paratoxopoda* Duda (Diptera, Sepsidae). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique*, 63, 123-144.

Paperna, I. (1965). Monogenetic trematodes from the gills of the Red Sea fishes. (Contributions to the knowledge of the Red Sea, no.32). *Sea Fisheries Research Station Bulletin*, 39, 17-26.

Papp, J. (1988). A contribution to the braconid fauna of Israel (Hymenoptera), 2. *Israel Journal of Entomology*, 22, 45-59.

Papp, L., & Rohacek, J. (1987). The Sphaeroceridae (Diptera) of Israel. *Israel Journal of Entomology*, 21, 77-109.

Pasteels, J.J. (1969). New Anthidiinae (Hymenoptera, Apoidea, Megachilidae) from the Mediterranean area and from the Near East. *Israel Journal of Entomology*, 4, 409-434.

- Pavlicek, T., Chikatunov, V., Lopatin, I., & Nevo, E. (1997). New records of leaf beetles from Israel. *Phytoparasitica*, 25, 4
- Paz, U. (1978). Ph. D. Population dynamics of the graceful warbler (*Prinia gracilis*). The significance of clutch-size in song-birds (Passeriformes). Tel Aviv University;
- Paz, U. (1987). *The birds of Israel (Photographs by Y. Eshbol)*. Tel Aviv: Steimatzky.
- Pener, M.P., Broza, M., & Ayal, Y. (1971). A new genus of Decticinae (Orthoptera: Tettigoniidae) from the Middle East. *Journal of Entomology*, 40, 179-183.
- Pericart, J., Linnavuori, R., Feler, T., & Halperin, J. (1993). The Tingidae (Hemiptera) of Israel. *Israel Journal of Entomology*, 27, 49-60.
- Perry, G. (1984). Sexual dimorphism in *Typhlops vermicularis* (Reptilia: Ophidia). *Israel Journal of Zoology*, 33, 11-13.
- Perry, G. (1984). Guide to the turtles of Israel. *Hardun*, 2, 14-21.
- Perry, G. (1984). A new subspecies of *Coluber rhodorachis* (Ophidia: Colubridae) from Israel. *Israel Journal of Zoology*, 33, 123
- Perry, G. (1989). Size and mass in five Israeli lizards (Reptilia: Lacertidae). *Israel Journal of Zoology*, 36, 129-132.
- Perry, G. (1990). Turtles. *Nizanei Mada*, 7, 3
- Perry, G. (1990). Sexual dimorphism in the blind snake, *Thyphlops vermicularis*. *Hardun*, 5, 29-32.
- Perry, G. (1994). Ecophysiology of reproduction in the fringe-toed lizard (*Acanthodactylus scutellatus*). (Hebrew with English summary). *Hardun*, 7,
- Perry, G. (1994). Needles and haystacks: the location of lizard eggs in sand dunes. *Amphibia-Reptilia*, 15, 395-401.
- Perry, G., & Brandeis, M. (1992). Variation in stomach contents of the gecko *Ptyodactylus hasselquistii guttatus* in relation to sex, season and locality. *Amphibia-Reptilia*, 13, 275-287.
- Perry, G., & Dmi'el, R. (1989). Where have all the eggs gone? Ecophysiological aspects of reproduction in the fringe-toed lizard. In Anonymous, *First World Congress of Herpetology Abstract Book*.
- Perry, G., & Dmi'el, R. (1989). Holon sand dunes, a fast disappearing habitat and its physical characteristics. *Israel Journal of Zoology*, 36, 52(abstract)

- Perry, G., & Dmi'el, R. (1993). Reproductive and population biology of the fringe-toed lizard, *Acanthodactylus scutellatus* in Israel. *Journal of Arid Environments*, 27, 257-263.
- Perry, G., Lampl, I., Lerner, A., Rothenstein, D., Shani, E., Sivan, N., & Werner, Y.L. (1990). Foraging mode in lacertid lizards: Variation and correlates. *Amphibia-Reptilia*, 11, 373-384.
- Perry, G., & Werner, Y.L. (1981). Food of *Ptyodactylus hasselquistii guttatus* (Reptilia: Gekkonidae) at two locations in Israel, in summer. *Israel Journal of Zoology*, 30, 98-99. (abstract)
- Petrovitz, R. (1971). Scarabaeidae from the Near East (Lamellicornia, Coleoptera). *Israel Journal of Entomology*, 6, 215-237.
- Petrovitz, R. (1973). Scarabaeidae from the Near East (Lamellicornia, Coleoptera), Second Part. *Israel Journal of Entomology*, 8, 27-34.
- Pietsch, T.W., & Grobecker, D.B. (1987). *Frogfishes of the world*. Stanford: Stanford University Press.
- Popper, D., Barash, A., & Galil, B.S. (1990). *Argonauta argo* - a rare occurrence off the shores of Israel. *Israel Journal of Zoology*, 37, 51-53.
- Popper, D., & Fishelson, L. (1973). Ecology and behavior of *Anthias squamipinnis* (Peters, 1855) (Anthidae, Teleostei) in the coral habitat of Eilat (Red Sea). *Journal of Experimental Zoology*, 184, 409-423.
- Por, F.D. (1968). Copepods of some land-locked basins on the islands of Entedebir and Nocra (Dahlak Archipelago, Red Sea). (Israel South Red Sea Expedition, 1962, Reports, no. 31). *Sea Fisheries Research Station Bulletin*, 49, 32-50.
- Priesner, H. (1966). On some Pompilidae of Israel. *Israel Journal of Entomology*, 1, 89-154.
- Rabinovich, R. (, 1992). M. Sc. The biology and ecology of the capsid bug *Creontiades pallidus* (Rambur.). Tel Aviv University; Prof. J. Kugler.
- Rabinovich, R. (, 1996). Ph.D. Patterns of animal exploitation and subsistence in Israel during the Upper Palaeolithic and Epi-Palaeolithic (40,000-12,500 BP), based upon selected case studies. The Hebrew University of Jerusalem;
- Rabinovich, R., Bar-Yosef, O., & Tchernov, E. (1997). "How many ways to skin a gazelle" - butchery patterns from an Upper Palaeolithic site, Hayonim cave, Israel. *Archaeozoologia*, 8, 11-52.
- Rachmut, A. (, 1996). M. Sc. Seed size selection, harvest rate curves and ecological character displacement in gerbils. Tel Aviv University; T. Dayan.

Anonymous. Seed size selection in gerbils. Haifa: Proceedings of the 26th Annual Meeting of the Israel Society for Ecology and Environmental Quality Sciences.

Rachmut-Ben Moshe, A., & Dayan, T. (1996). Seed size selection and morphological relationships among the gerbillidae of Israel. *Israel Journal of Zoology*, 42, 79(abstract)

Anonymous. Convergence in morphological patterns and community organization between old and new world rodent guilds. Acapulco: Proceedings of the 7th International Theriological Congress.

Randall, J.E. (1983). *Red Sea reef fishes*. London: Immel.

Randall, J.E. (1985). On the validity of the tetraodontid fish *Arothron manilensis* (Porce). *Japanese Journal of Ichthyology*, 32, 347-354.

Randall, J.E., & Ben-Tuvia, A. (1982). A review of the groupers (Pisces: Serranidae: Epinephelinae) of the Red Sea, with description of a new species of *Cephalopholis*. *Bulletin of Marine Science*, 33, 373-426.

Randall, J.E., & Bohlke, J.E. (1981). The status of the cardinalfishes *Apogon evermanni* and *A. anisolepis* (Perciformes: Apogonidae) with description of a related new species from the Red Sea. *Proceedings of the Academy of Natural Science of Philadelphia*, 133, 129-140.

Randall, J.E., & Dooley, J.K. (1974). Revision of the Indo-Pacific branchiostegid fish genus *Hoplolatilus* with descriptions of two new species. *Copeia*, 1974, 457-471.

Randall, J.E., Fraser, T.H., & Lachner, E.A. (1990). On the validity of the Indo-Pacific cardinalfishes *Apogon aureus* (Lacepede), with description of a related new species from the Red Sea. *Proceedings of the Biological Society of Washington*, 103, 39-62.

Randall, J.E., & Goren, M. (1993). A review of the the Gobioid fishes of the Maldives. *Ichthyological Bulletin of the J L B Smith Institute of Ichthyology*, 28, 1-37.

Randall, J.E., & Gueze, P. (1981). The holocentrid fof the genus *Myripristis* of the Red Sea, with clarification of the *murdjan* and *hexagonus* complexes. *Contributions in Science*, 334, 1-16.

Randall, J.E., & Harmelin-Vivien, M.L. (1977). A review of the labrid fishes of the genus *Paracheilinus* with description of two new species from the western Indian Ocean. *Bulletin du Museum National d'Histoire Naturelle, Paris Ser 3e*, 436, 329-342.

Randall, J.E., & Heemstra, P.C. (1991). Revision of the Indo-Pacific groupers (Perciformes: Serranidae: Epinephelinae) with description of five new species. *Indo-Pacific Fishes*, 20, 1-332.

- Randall, J.E., & Hoese, D.F. (1985). Revision of the Indo-Pacific dartfishes, Genus *Ptereleotris* (Perciformes: Gobioidae). *Indo-Pacific Fishes*, 7, 1-36.
- Randall, J.E., Lachner, E.A., & Fraser, T.H. (1985). A revision of the Indo-Pacific apogonid fish genus *Pseudamia*, with description of three new species. *Indo-Pacific Fishes*, 6, 1-23.
- Randall, J.E., Lachner, E.A., & Fraser, T.H. (1986). *Siphamia* Weber, 1909 and *Siphamia permutata* Klausewitz, 1966 (Osteichthyes, Perciformes): proposed conservation by the suppression of *Beanea* Steindachner, 1902 and *Beanea trivittata* Steindachner, 1902. *Z N (S) 2517 Bulletin of Zoological Nomenclature*, 43, 193-195.
- Rayss, T., & Dor, I. (1963). Nouvelle contribution a la connaissance des algues marines de la Mer Rouge (Contributions to the knowledge of the Red Sea, no. 28). *Sea Fisheries Research Station Bulletin*, 34, 11-42.
- Reichert, I. (1937). Steppe and desert in the light of lichen vegetation. *Proceedings of the Linnean Society of London*, 149, 20-23.
- Reichert, I. (1937). Eine lichenographische Skizze Palastinas. *Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien*, 86/87, 288-296.
- Reichert, I. (1938). *Physcia biziana* on cedars of the Lebanon. *Palestine Journal of Botany*, 2, 93-97.
- Reichert, I. (1940). A new species of *Diploschistes* from oriental steppes and its phytogeographical significance. *Palestine Journal of Botany*, 162-182.
- Reichert, I., & Avizohar-Herchenson, Z. (1946). *Dirina ceratoniae* in Palestine. *Palestine Journal of Botany*, 5R, 238-245.
- Reichert, I., & Galun, M. (1958). Some lichens on olive trees in Israel. *Bulletin of the Research Council of Israel*, 6, 237-244.
- Reiss, A. (1986). M. Sc. Ecological and behavioral aspects of the relationship between the individuals of the carpenter bee *Xylocopa sulcatipes* Maa. Tel Aviv University; Prof. D. Gerling.
- Richards, O.W. (1955). On the Bethyloidea (Hymen.) of Israel. *Bulletin of the Research Council of Israel*, 4, 357-359.
- Richards, O.W. (1955). On the Evanoidea (Hymen.) of Israel. *Bulletin of the Research Council of Israel*, 4, 360-362.
- Rilov, G., & Benayahu, Y. (1994). Fish community on vertical artificial reefs in the northern Gulf of Elat. *Israel Journal of Zoology*, 40, 108-109. (abstract)

Rilov, G., Gasith, A., & Benayahu, Y. (1995). Prey-predator interactions among invertebrates on the Mediterranean rocky shores of Israel. *Annual Meeting of the Israel Society for Ecology and Environmental Quality Sciences, Haifa*, (abstract)

Anonymous. Selected aspects of ecology of large predatory gastropods in rocky littoral habitats along the Mediterranean coast. Jerusalem: ISEEQS Pub. 608p. Preservation of World in the Wake of Change.

Rilov, G., Gasith, A., & Benayahu, Y. (1997). The Israeli Mediterranean rocky littoral: natural and anthropogenic disturbances regulating the distribution and population structure of the predatory gastropod *Stramonita h. haemostama*. *25th Annual Benthic Ecology Meeting, Portland, Maine, USA*, 84(abstract)

Rivnay, E. (1962). *Field crop pests in the Near East*. Den Haag: W. Junk.

Rivnay, E. (1968). Biological control of pests in Israel. *Israel Journal of Entomology*, 3, 1-56.

Rivnay, T., & Gerling, D. (1987). Aphelinidae parasitoids (Hymenoptera: Chalcidoidea) of whiteflies (Hemiptera: Aleyrodidae) in Israel, with description of three new species. *Entomophaga*, 32, 463-475.

Rohacek, J. (1993). Two new Afrotropical genera of Anthomyzidae (Diptera), with descriptions of seven new species. *Annals of the Natal Museum*, 34, 157-190.

Rohacek, J., & Freidberg, A. (1993). The Anthomyzidae (Diptera) of Israel, with revision of *Anagnota* Becker. *Israel Journal of Entomology*, 27, 61-112.

Rudi, A., Benayahu, Y., Goldberg, I., & Kashman, Y. (1988). Eilatine, a novel alkaloid from the marine tunicate *Eudistoma* sp. *Tetrahedron Letters*, 29, 6655-6656.

Rudi, A., Benayahu, Y., Goldberg, I., & Kashman, Y. (1988). Alkaloid metabolites of the marine tunicate *Eudistoma* sp. *Tetrahedron Letters*, 29, 3861-3862.

Rudi, A., Goldberg, I., Stein, Z., Benayahu, Y., Schleyer, M.H., & Kashman, Y. (1993). Sodwanones A-C, three new triterpenoids from a marine sponge. *Tetrahedron Letters*, 34, 3943-3944.

Rudi, A., Goldberg, I., Stein, Z., Frolow, F., Benayahu, Y., Schleyer, M.H., & Kashman, Y. (1994). Polycitone A and Polycitone B: New alkaloids from the marine ascidian *Polycitor* sp. *Journal of Organic Chemistry*, 59, 999-1003.

Rudi, A., Goldberg, I., Stein, Z., Kashman, Y., Benayahu, Y., Schleyer, M.H., & Gravalos, L.G. (1995). Sodwanones G,H and I; new cytotoxic triterpenes from a marine sponge. *Journal of Natural Products*, 58, 1702-1712.

- Rudi, A., Green, S., Goldberg, I., Kashman, Y., Benayahu, Y., & Schleyer, M.H. (1994). Phorbazoles A-D, novel chlorinated Phenylpyrrolyl-oxazoles from the marine sponge *Phorbas aff. clathrata*. *Tetrahedron Letters*, 35, 2589-2592.
- Rudi, A., Green, S., Goldberg, I., Kashman, Y., Benayahu, Y., & Schleyer, M.H. (1994). Amino acid derivatives from the marine sponge *Jaspis digonoxea*. *Journal of Natural Products*, 57, 829-832.
- Rudi, A., Kashman, Y., Benayahu, Y., & Schleyer, M.H. (1994). Sodwanones A-F, new triterpenoids from the marine sponge *Axinella weltneri*. *Journal of Natural Products*, 57, 1416-1423.
- Rudi, A., Ketzinel, S., Kashman, Y., Benayahu, Y., & Schleyer, M.H. (1995). Antheliatin, Zahavin A and B, three new cytotoxic xenicane diterpenes from two soft corals. *Journal of Natural Products*, 58, 1581-1586.
- Rudi, A., Talpir, R., Kashman, Y., Benayahu, Y., & Schleyer, M.H. (1993). Four new C₁₆ 1,2-Dioxene-polketides from the sponge *Plakortis . simplex*. *Journal of Natural Products*, 56, 2178-2882.
- Rutman, J., & Fishelson, L. (1969). Food composition and feeding behaviour of shallow-water crinoids at Eilat (Red Sea). *Marine Biology*, 3, 46-57.
- Safriel, U., & Lipkin, Y. (1964). On the intertidal zonation of the rocky shore at Eilat (Red Sea, Israel). *Israel Journal of Zoology*, 13, 187-190.
- Safriel, U., & Lipkin, Y. (1975). Patterns of colonization of the eastern Mediterranean intertidal zone by Red Sea immigrants. *Journal of Ecology*, 63, 61-63.
- Salvini-Plawen, L.V., & Benayahu, Y. (1991). *Epimения arabica* spec. nov., a Solenogaster (Mollusca) feeding on the alcyonacean *Scleronephthya corymbosa* (Cnidaria) from shallow waters of the Red Sea. *Marine Ecology*, 12, 139-152.
- Sama, G. (1993). Due Nuovi Cerambycidae di Israele. *Lambillionea*, 93, 4
- Sama, G. (1996). Cerambycidae Nouveaux ou Peu Connus de la Faune d'Israel. *Biocosme Mesogéen*, 12, 93-100.
- Samocha, M. (, 1972). M. Sc. Ephemeroptera of Israel. Tel Aviv University; Prof. J. Kugler.
- Sartori, M. (1992). Mayflies from Israel (Insecta; Ephemeroptera) I.-Heptageniidae, Ephemerellidae, Leptophlebiidae & Palingeniidae. *Revue Suisse de Zoologie*, 99, 835-858.
- Sattler, K. (1979). A taxonomic revision of the genus *Deltophora* Janse, 1950 (Lepidoptera: Gelechiidae). *Bulletin of the British Museum (Natural History), Entomology*, 38, 263-322.

Schedl, K.E. (1969). The bark and timber beetles of Israel (Scolytidae). *Israel Journal of Entomology*, 4, 285-292.

Schedl, K.E. (1978). The bark and timber beetles of Israel. II.328. Contribution to the morphology and taxonomy of the Scolytidae. *Israel Journal of Entomology*, 12, 35-39.

Schilder, F.A. (1965). Cypraeidae. ((Israel South Red Sea Expedition, 1962, Reports, no. 16). *Sea Fisheries Research Station Bulletin*, 40, 75-78.

Anonymous. Reproductive strategies of South African corals. Leiden: Nationaal Natuurhistorisch Museum. 427p. Proc. 6th International Conference on Coelenterate Biology.

Schoenfeld, M. (, 1984). M.Sc. The biology of two sympatric species of hedgehogs in the Coastal Plain of Israel. Tel Aviv University;

Schoenfeld, M., & Yom-Tov, Y. (1985). The biology of two species of hedgehogs, *Erinaceus europaeus concolor* and *Hemiechinus auritus aegyptius*, in Israel. *Mammalia*, 49, 339-355.

Schuhmacher, H. (1973). Die lichtabhängige Besiedlung von Hafenschutzpfeilern durch sessile Tiere und Algen aus dem Korallenriff bei Eilat (Rotes Meer). *Helgolander Wissenschaftliche Meeresuntersuchungen*, 24, 307-326.

Schwartz, A. (, 1973). M. Sc. Autecology of the parasitic wasp *Telenomus remus*. Tel Aviv University; Prof. D. Gerling.

Schweiger, H. (1970). The genus *Carabus* in Israel. *Israel Journal of Entomology*, 5, 21-55.

Sever, Z. (, 1985). M. Sc. Studies on the biology of the Indian crested porcupine (*Hystrix indica*) in the Coast Plain of Israel. Tel Aviv University;

Shalmon, B. (1981). A preliminary note on the biology of *Cataglyphis sabulosa* Kugler (Hymenoptera: Formicidae) in the southern Arava Valley, Israel. *Israel Journal of Entomology*, 15, 103

Shamoun, J. (, 1994). M. Sc. The structure of downy barbules of bird feathers: their diagnostic and taxonomic significance. Tel Aviv University;

Shamoun, J. Anonymous. The microstructure of feathers of Israeli birds. Society for the Protection of Nature in Israel, Tel Aviv University, The Israel Air Force. (1995). 1 p.

Shimron, O. (, 1991). Ph. D. Processes and cues in host parasitization of *Bemisia tabaci* (Homoptera) by its parasitoids *Eretmocerus* sp. and *Encarsia deserti* (Hymenoptera). Tel Aviv University; Prof. A. Hefetz.

Shirihai, H. (1996). *The birds of Israel*. London: Academic Press.

- Shlagman, A., & Lewinsohn, C. (1981). Population dynamics of the penaeid shrimp *Penaeus semisulcatus* de Haan (Crustacea: Decapoda: Penaeidae) in the Mediterranean fishing grounds of north Sinai. *Israel Journal of Zoology*, 30, 108(abstract)
- Shlagman, A., Lewinsohn, C., & Tom, M. (1986). Aspects of the reproductive activity of *Penaeus semisulcatus* de Haan along the southern coast of the Mediterranean. *Marine Ecology*, 7, 15-22.
- Shomer-Ilan, A., Nissenbaum, A., Galun, M., & Waisel, Y. (1979). Effect of water regime on carbon isotope compositions of lichens. *Plant Physiology*, 63, 201-205.
- Shpigel, M., & Fishelson, L. (1989). Habitat partitioning between species of the genus *Cephalopholis* (Pisces, Serranidae) across the fringing reef of the Gulf of Aqaba (Red Sea). *Marine Ecology Progress Series*, 58, 17-22.
- Sidis, I. (1983). M. Sc. Ecology of the Caspian terrapin (*Mauremys caspica rivulata*) in polluted and unpolluted habitats in Israel. Tel Aviv University;
- Simberloff, D., & Dayan, T. (1991). Guilds and the structure of ecological communities. *Annual Review of Ecology and Systematics*, 22, 115-143.
- Simon, D. (1979). M. Sc. The Ant-Lions (Myrmeleonidae) of Israel. Tel Aviv University; Prof. J. Kugler.
- Simon, D. (1985). Observations on *Nophis teillardi* Navas (Neuroptera: Myrmeleontidae), with description of the larva. *Israel Journal of Entomology*, 19, 171-179.
- Simon, D. (1988). Ph. D. Ant-Lions (Neuroptera: Myrmeleontidae) of the Coastal Plain: Systematical, ecological and zoogeographical aspects with emphasis on the coexistence of a species guild of the unstable dunes. Tel Aviv University; Prof. J. Kugler.
- Simson, S., Lavie, B., & Nevo, E. (1993). Penial differentiation in speciation of subterranean mole rats *Spalax ehrenbergi* in Israel. *Journal of Zoology*, 229, 493-503.
- Singer, R. (1984). M. Sc. The biology of the house-sparrow (*Passer domesticus*) in Israel. Tel Aviv University; Y. Yom Tov.
- Sivan, N., & Werner, Y.L. (1992). Survey of the reptiles of the Golan Plateau and Mt. Hermon, Israel. *Israel Journal of Zoology*, 37, 193-211.
- Skartveit, J., & Kaplan, F. (1996). The Bibionidae (Diptera) of Israel. *Israel Journal of Entomology*, 30, 71-90.
- Smith, D.R. (1982). List of the Symphyta (Hymenoptera) of Israel, with descriptions of four new species. *Israel Journal of Entomology*, 16, 1-25.

- Smith, J.L.B. (1968). A new liparine fish from the Red Sea. *Journal of Natural History*, 2, 105-109.
- Smith, M.M., & Heemstra, P.C. (1986). *Smith's sea fishes*. Johannesburg: Macmillan South Africa.
- Smith-Vaniz, W.F. (1969). A new species of *Meiacanthus* (Pisces: Blenniidae: Nemophidinae) from the Red Sea, with a review of the Indian Ocean species. *Proceedings of the Biological Society of Washington*, 82, 349-354.
- Smith-Vaniz, W.F. (1976). The saber-toothed blennies, tribe Nemophini (Pisces: Blenniidae). *Proceedings of the Academy of Natural Science of Philadelphia, Monograph 19*, 1-196.
- Smith-Vaniz, W.F., & Springer, V.G. (1971). Synopsis of the tribe Salarini, with description of five new genera and three new species (Pisces: Blenniidae). *Smithsonian Contributions to Zoology*, 73, 1-72.
- Soussan, O. (1990). M. Sc. Ants in Aleppo Pine forest in Israel. Tel Aviv University; Prof. J. Kugler.
- Southgate, B.J. (1976). A new subspecies of *Caryedon* (Coleoptera: Bruchidae) from the Middle East. *Israel Journal of Zoology*, 25, 194-198.
- Spanier, E., & Galil, B.S. (1991). Lessepsian migration - a continuous biogeographical process. *Endeavour*, 15, 102-106.
- Spanier, E., & Goren, M. (1988). An Indo Pacific trunkfish *Tetrosomus gibbosus* (Linnaeus): First record of the family Ostracionidae in the Mediterranean. *Journal of Fish Biology*, 32, 797-798.
- Spencer, K.A. (1974). Some Agromyzidae (Diptera) from Israel. *Israel Journal of Entomology*, 9, 141-157.
- Springer, V.G. (1988). The Indo-Pacific blenniid fish genus *Ecseninus*. *Smithsonian Contributions to Zoology*, 465, 1-134.
- Springer, V.G., & Gomon, M.F. (1975). Revision of the blenniid fish genus *Omobranchus* with descriptions of the three new species and notes on the other species of the the tribe Omobranchini. *Smithsonian Contributions to Zoology*, 177, 1-135.
- Stary, J. (1994). A new *Dicranoptycha* from Israel, with notes on taxonomy and classification of the genus (Diptera: Limoniidae). *Israel Journal of Entomology*, 28, 165-169.

- Stephen, A.C. (1965). *Echiura* and *Sipuncula* from the Israel south Red Sea expedition. (Israel South Red Sea Expedition, 1962, Reports, no. 17). *Sea Fisheries Research Station Bulletin*, 40, 79-83.
- Sternlicht, M. (1968). The oak galls of Israel (*Quercus calliprinos* Webb, and *Quercus ithaburensis* Decne.). *Israel Journal of Entomology*, 3, 17-57.
- Sternlicht, M. (1997). *Kermes bytinskii* n. spec. (Coccoidea, Kormesidae) in Israel, and observations on its life history. *Israel Journal of Entomology*, 31, 251-270.
- Stevcic, Z., & Galil, B.S. (1994). Checklist of the mediterranean brachyuran crabs. *Acta Adriatica*, 34, 65-76.
- Steyskal, G.C. (1990). Notes on the Trapherinae (Diptera: Platystomatidae). *Annals de la Societe entomologique de France*, 26, 266-496.
- Stock, J.H. (1964). The Pycnogonida of the Israel South Red Sea Expedition. (Israel South Red Sea Expedition, 1962, Reports, no. 3). *Sea Fisheries Research Station Bulletin*, 35, 1-10.
- Stock, J.H. (1967). Report on the Notodelphyidae (Copepoda, Cyclopoida) of the Israel South Red Sea Expedition. (Israel South Red Sea Expedition, 1962, Reports, no. 27). *Sea Fisheries Research Station Bulletin*, 46, 3-126.
- Stock, J.H. (1967). *Mychophilus fallax* n. sp., a new vermiform copepod parasite of a Red Sea tunicate. (Israel South Red Sea Expedition, 1962, Reports, no.23). *Sea Fisheries Research Station Bulletin*, 43, 9-12.
- Stock, J.H., & Nijssen, H. (1965). *Eriopisa longiramus* n. sp., a new subterranean amphipod from a Red Sea island. (Israel South Red Sea Expedition, 1962, Reports, no. 8). *Sea Fisheries Research Station Bulletin*, 38, 28-39.
- Suzuki, K., & Furth, D.G. (1992). What is a classification? A case study in insect systematics: Potential confusion before order. *Zoological Science*, 9, 1113-1126.
- Svihla, V. (1994). New taxa of Palaearctic Cantharidae (Coleoptera). *Folia Heyrosvskyana*, 2, 116-123.
- Svoboda, A., & Cornelius, P.F.S. (1991). The European and Mediterranean species of *Aglaophenia* (Cnidaria: Hydrozoa). *Zoologische Verhandelingen*, 274, 1-72.
- Talpir, R., Kashman, Y., Benayahu, Y., Pannell, L., & Schleyer, M.H. (1994). Hemiasterlin and Geodiamolide TA: Two new cytotoxic peptides from the marine sponge *Hemiasterella minor* (Kirkpatrick). *Tetrahedron Letters*, 35, 4453-4456.
- Talpir, R., Rudi, A., Ilan, M., & Kashman, Y. (1992). Niphatoxin A and B., two new ichtyo- and cyto-toxic tripyridine alkaloids from a marine sponge. *Tetrahedron Letters*, 33, 3033-3034.

Taylor, R. (1967). Caulerpas of the Israel south Red Sea expedition. (Israel South Red Sea Expedition, 1962, Reports, no. 24). *Sea Fisheries Research Station Bulletin*, 43, 13-17.

Taylor, W.R. (1965). A new *Turbinaria* from the Red Sea district, Israel. *Israel Journal of Botany*, 14, 97-100.

Tchernov, E. (1968). *Succession of rodent faunas during the Upper Pleistocene of Israel*. Hamburg: Paul Parey.

Tchernov, E. (1975). Rodent faunas and environmental changes in the Pleistocene of Israel. In I. Prakash & D.K. Ghosh (Eds.), *Rodents in desert environments*. (pp. 331-362). The Hague: Dr. W. Junk.

Tchernov, E. (1979). Polymorphism, size trends and Pleistocene palresponse of the subgenus *Sylvaemus* (Mammalia, Rodentia) in Israel. *Israel Journal of Zoology*, 28, 131-159.

Tchernov, E. (1986). *The Lower Pleistocene mammals of 'Ubeidiya (Jordan Valley)*. Paris: Association Paleorient.

Tchernov, E. (1986). The rodents and lagomorphs from 'Ubeidiya Formation. In E. Tchernov (Ed.), *The Lower Pleistocene mammals of 'Ubeidiya (Jordan Valley)*. (pp. 235-350). Paris: Association Paleorient.

Tchernov, E., Dayan, T., & Yom-Tov, Y. (1986). The paleogeography of *Gazella gazella* and *Gazella dorcas* during the Holocene of the southern Levant. *Israel Journal of Zoology*, 34, 51-59.

Tchernov, E., & Valla, F.R. (1997). Two new dogs and other Natufian dogs, from the southern Levant. *Journal of Archaeological Science*, 24, 65-95.

Tchernov, E., & Volokita, M. (1986). Insectivores and primates from the early Pleistocene of 'Ubeidiya Formation. In E. Tchernov (Ed.), *The Lower Pleistocene mammals of 'Ubeidiya (Jordan Valley)*. (pp. 45-62). Paris: Association Paleorient.

Tchernov, E., & Yom-Tov, Y. (1988). Zoogeography of Israel. In Y. Yom-Tov & E. Tchernov (Eds.), *The zoogeography of Israel*. (pp. 1-6). Dordrecht: Dr. W. Junk Publishers.

Theodor, O. (1975). *Insecta I: Diptera, Pupipara*. Jerusalem: Israel Academy of Sciences and Humanities.

Theodor, O. (1980). *Insecta II: Diptera, Asilidae*. Jerusalem: Israel Academy of Sciences and Humanities.

- Theodor, O., & Costa, M. (1967). *A Survey of the parasites of wild animals and birds in Israel. I: Ectoparasites*. Jerusalem: The Israel Academy of Science and Humanities.
- Theowald, B., & Oosterbroek, P. (1986). The zoogeography of the Western Palearctic Tipulidae (Diptera). VIII. Tipulidae of Israel and adjacent regions. *Israel Journal of Entomology*, 20, 71-83.
- Thomas, M.C. (1993). A new species of *Cryptolestes* Ganglbauer from the Middle East and a new synonym (Coleoptera: Laemophloeidae [Cucujidae *sensu lato*]). *Israel Journal of Entomology*, 27, 113-118.
- Tom, M., & Galil, B.S. (1991). The faunal associations of Haifa Bay, Mediterranean coast of Israel. *Marine Ecology*, 12, 75-86.
- Tom, M., Shlagman, A., & Lewinsohn, C. (1984). The benthic phase of the life cycle of *Panaeus semisulcatus* de Haan (Crustacea, Decapoda) along the southern coast of the Mediterranean. *Marine Ecology*, 5, 229-231.
- Vacelet, J., Donadey, C., & Froget, C. (1987). The calcium carbonate spherules of *Hemimycale columella* (Demosponges, Poecilosclerida) and their taxonomic value. In J. Vacelet & N. Boury-Esnault (Eds.), *Taxonomy of Porifera from the N. W. Atlantic and the Mediterranean Sea*. (pp. 259-274). Springer-Verlag.
- Vala, J.C., & Leclercq, M. (1983). Redescription et genitalia males de *Flavostriata* (Villeneuve, 1911). (Diptera: Sciomyzidae). *Bulletin de la Societe Linneene de Lyon*, 52, 69-72.
- Valdenberg, A. (1985). M. Sc. The macrofauna of the sandy beach in Ma'agan Mikha'el. Ecology and biology. Tel Aviv University; Prof. J. Kugler.
- van Aartsen, J.J., Barash, A., & Carrozza, F. (1989). Addition to the knowledge of the Mediterranean Mollusca of Israel and Sinai. *Bollettino Malacologico*, 25, 63-76.
- van Ofwegen, L.P., & Benayahu, Y. (1992). Notes on Alcyonacea (Octocorallia) from Tanzania. *Zoologische Mededelingen*, 66, 139-154.
- Verseveldt, J. (1965). Report on the Octocorallia (Stolonifera and Alcyonacea) of the Israel south Red Sea Expedition 1962, with notes on other collections from the Red Sea. (Israel South Red Sea Expedition, 1962, Reports, no. 14). *Sea Fisheries Research Station Bulletin*, 40, 28-48.
- Verseveldt, J., & Benayahu, Y. (1978). Description of one old and five new species of Alcyonacea (Coelenterata: Octocorallia) from the Red Sea. *Zoologische Mededelingen*, 53, 57-74.
- Verseveldt, J., & Benayahu, Y. (1983). On two old and fourteen new species of Alcyonacea (Coelenterata, Octocorallia) from the Red Sea. *Zoologische Verhandelingen*, 208, 1-33.

- Vervoort, W. (1967). The Hydroida and Chondrophora of the Israel South Red Sea Expedition 1962. (Israel South Red Sea Expedition, 1962, Reports, no.25). *Sea Fisheries Research Station Bulletin*, 43, 18-54.
- Vervoort, W. (1993). Report on hydroids (Hydrozoa, Cnidaria) in the collection of the Zoological Museum, University of Tel Aviv, Israel. *Zoologische Mededelingen*, 67, 537-565.
- Viggiani, G. (1972). Ricerche sugli Hymenoptera Chalcidoidea. XXXV. Nuovi Tricogrammatidi d'Israele (*Paraittys latipennis*, n. gen., n. sp. e *Oligosita gerlingi*, n. sp.), con reperti su varie specie. *Bollettino del Laboratorio di Entomologia Agraria "Filippo Silvestri" Portici*, 30,
- Viggiani, G. (1981). Gli imenotteri afelinidi e la lotta biologica. *Estratto anticipato dagli dell'Accademia Nazionale Italiana di Entomologia Rendiconti, Anni XXVIII-XXIX, 1979-1980 -1980-1981*,
- Wagner, R. (1984). On some Psychodidae (Diptera) from Israel. *Israel Journal of Entomology*, 18, 3-10.
- Wagner, R., Freidberg, A., & Ortal, R. (1992). The Dixidae (Diptera: Nematocera) of Israel and Egypt, with a new record from Greece. *Israel Journal of Entomology*, 25-26, 163-176.
- Wainwright, S.A. (1965). Reef communities visited by the Israel South Red Sea Expedition, 1962. (Israel South Red Sea Expedition, 1962, Reports, no. 9). *Sea Fisheries Research Station Bulletin*, 38, 40-53.
- Warncke, K. (1969). A contribution to the knowledge of the genus *Andrena* (Apoidea) in Israel. *Israel Journal of Entomology*, 4, 377-408.
- Warncke, K. (1982). Zur Systematik der Bienen - Die Unterfamilie Nomadinae. *Etnomofauna*, 3, 97-128.
- Warncke, K. (1982). Die holzbienen des vorderen orient (Hym., Apidae). *Linzer Biologische Beitrage*, 14, 23-37.
- Warncke, K. (1983). Zur Kenntnis der Bienengattung *Pasites* Jurine, 1807, in der Westpalaarktis. *Etnomofauna*, 4, 261-348.
- Warncke, K. (1984). A contribution to the knof the genus *Prosopis* (Hymenoptera: Apidae: Colletinae) in Israel. *Israel Journal of Entomology*, 18, 53-61.
- Weil, D., & Benayahu, Y. (1991). Life history of *Litophyton arboreum* (Octocorallia: Alcyonacea) from the Gulf of Eilat (Red Sea). *Proceedings of the XIIth Conference of the Interuniversity Institute, The H Steinitz Marine Biology Laboratory, Eilat*, 90-91. (abstract)
- Weinberg, M. (1985). *Dasyogon kugleri*, a new species of Asilidae (Diptera) from Yugoslavia. *Israel Journal of Entomology*, 19, 193-196.

Anonymous. On the penetration of *Bufo viridis* into the desert of Israel. Veracruz, Mexico: 156p. Joint Annual Meeting SSAR, HL and Comite Herpetologico Nacional.

Werner, Y.L. (1966). *Cyrtodactylus kotschy orientalis* in Israel. *Lacerta*, 24, 94-96.

Werner, Y.L. Anonymous. The reptiles of Sinai Peninsula. Introductory notes for students in the course "Introduction to the Fauna (Fishes Amphibians and Reptiles)". (Hebrew text, English abstract & key to *Eremias* ; maps with scientific names). Department of Zoology, The Hebrew University of Jerusalem. (1973). 1 p.

Werner, Y.L. (1977). Manual mapping of locality records - an efficient method. *Journal of Biogeography*, 4, 51-53.

Werner, Y.L. (1977). Herpetofaunal survey of the Sinai Peninsula (1967-1977). *Herpetological Review*, 8 suppl. 20

Werner, Y.L. (1980). Preliminary results of the herpetofaunal survey of Sinai (1956-57; 1967-79), with emphasis on the southern mountains. *Israel Journal of Zoology*, 29, 209

Anonymous. Herpetofaunal survey of the Sinai Peninsula (1967-77), with emphasis on the Saharan sand community. Fish and Wildlife Service, Wildlife Research Report 13. 153p. Herpetological Communities: a Symposium of the Society for the Study of Amphibians and Reptiles and the Herpetologists' League, August 1977.

Werner, Y.L. (1983). Lizards and snakes from eastern Lower Egypt in the Hebrew University of Jerusalem and Tel Aviv University, with range extensions. *Herpetological Review*, 14, 29-31.

Werner, Y.L. (1987). Gekkonid lizards from five quarters meet in Israel. *Bulletin of the Philadelphia Herpetological Society*, 31, 20-33.

Anonymous. Ecological zoogeography of the Saharo-Arabian, Saharan and Arabian reptiles in the desert sands of Israel. Mainz: 272p. Symposium on the Fauna and Zoogeography of the Middle East.

Werner, Y.L. (1987). Herpetofauna and herpetology in Israel. *British Herpetological Society Bulletin*, 19, 6-8.

Werner, Y.L. (1988). Herpetofaunal survey of Israel (1950-85), with comments on Sinai and Jordan and on zoogeographical heterogeneity. In Y. Yom-Tov & E. Tchernov (Eds.), *The zoogeography of Israel*. (pp. 355-388). Dordrecht: Dr. W. Junk Publishers.

Werner, Y.L. (1990). Ecological biogeography of reptiles in the sand deserts of Israel. *Hardun*, 5, 33-55.

- Werner, Y.L. (1992). Identity and distribution of *Agama stellio picea* Parker (Sauria: Agamidae), endemic to the volcanic desert of Jordan. *Zoology in the middle East*, 6, 41-44.
- Werner, Y.L. (1993). The paradoxical tree gecko of Israel. *Dactylus*, 2, 29-42.
- Werner, Y.L. (1994). Head size variation in *Cerastes* (Ophidia: Viperidae) parallels body size variation in potential prey (Rodentia: Gerbillinae). *The Snake*, 26, 57-60.
- Werner, Y.L. (1994). Rules for reproduction in lizards: Relations among relative clutch mass, foraging mode, and sexual size dimorphism. *Hardun*,
- Werner, Y.L. Anonymous. Guide to our reptiles and amphibians. Nature Reserves Authority. (1995). (In Hebrew, scientific names in figure legends).
- Werner, Y.L., & Avital, E. (1980). The herpetofauna of Mt. Hermon and its altitudinal distribution. *Israel Journal of Zoology*, 29, 192-193.
- Werner, Y.L., & Frankenberg, E. (1989). The variation of relative clutch mass with sexual size dimorphism in lizards, depends on their foraging mode. *First World Congress of Herpetology, Canterbury*, (abstract)
- Anonymous. Conservation-oriented herpetological research in Israel. Huangshan City: R. & A. Publishing. 71p. Proceedings of the First Asian Herpetological Meeting.
- Werner, Y.L., Le Verdier, A., Rosenman, D., & Sivan, N. (1991). Systematics and zoogeography of *Cerastes* (Ophidia: Viperidae) in the Levant: 1, Distinguishing Arabian from African "*Cerastes cerastes*". *The Snake*, 23, 90-100.
- Werner, Y.L., Rothenstein, D., & Sivan, N. (1989). Asymmetry in geckos (Reptilia) with implications for evolution and for biometrical methodology. *Annales de la Societe Royale Zoologique*, 119 suppl. 1, 101
- Werner, Y.L., Rothenstein, D., & Sivan, N. (1991). Directional asymmetry in reptiles (Sauria: Gekkonidae: *Ptyodactylus*) and its possible evolutionary role, with implications for biometrical methodology. *Journal of Zoology*, 225, 647-658.
- Werner, Y.L., & Sivan, N. (1991). Addition of *Coluber sinai* to the herpetofaunal list of Israel with comments on *C. elegantissimus*. *British Herpetological Society Bulletin*, 36, 27-35.
- Werner, Y.L., & Sivan, N. (1992). Systematics and zoogeography of *Cerastes* (Ophidia: Viperidae) in the Levant: 2, Taxonomy, ecology and zoogeography. *The Snake*, 24, 34-49.

- Werner, Y.L., & Sivan, N. (1993). Systematics and zoogeography of *Ptyodactylus* (Reptilia: Sauria: Gekkonidae) in the Levant: 1, Biometry of three species in Israel. *Revista Espanola de Herpetologia*, 7, 47-64.
- Werner, Y.L., & Sivan, N. (1994). Systematics and zoogeography of *Ptyodactylus* (Reptilia: Sauria: Gekkonidae) in the Levant: 2, Taxonomy, ecology and zoogeography. *Revista Espanola de Herpetologia*, 8, 105-122.
- White, I.M., & Korneyev, V.A. (1989). A revision of the western Palearctic species of *Urophora* Robineau-Desvoidy (Diptera: Tephritidae). *Systematic Entomology*, 14, 327-374.
- White, I.M., & Marquardt, K. (1989). A revision of the genus *Ch* Hendel (Diptera: Tephritidae) including a new species associated with spotted knapweed, *Centaurea maculosa* Lam. (Asteraceae). *Bulletin of Entomological Research*, 79, 453-487.
- Whitehead, P.J.P. (1966). Notes on the Herring-like fishes of the Israel South Red Sea Expedition, 1962 (and some earlier collections). (Israel South Red Sea Expedition, 1962, Reports, no. 19). *Sea Fisheries Research Station Bulletin*, 41, 7-16.
- Williams, J.T. (1988). Revision and phylogenetic relationships of the blennioid fish genus *Cirripectes*. *Indo-Pacific Fishes*, 17, 1-78.
- Winterbottom, R., & Emery, A.R. (1986). Review of the gobioid fishes of the Chagos Archipelago, Central India Ocean. *Contributions of the Royal Ontario Museum of Life Sciences*, 142, 1-82.
- Witenberg, G., & Lengy, J. (1967). Redescription of *Ornithobilharzia canaliculata* (Rud.) Odhner, with notes on classification of the genus *Ornithobilharzia* and the subfamily Schistomatinae (Trematoda). (The Second Israel South Red Sea Expedition, 1965, report no. 4). *Israel Journal of Zoology*, 16, 193-204.
- Wolf, H. (1990). Zur kenntnis der Wegwepfen-Gattung *Gonaporus* Ashmed 1902 und verwandter Gattungen (Hym., Pompilidae). *Linzer Biologische Beitrage*, 22, 619-716.
- Wollberg, Z. (, 1964). M. Sc. Biology and behavior of *Agrothereutes suturata* Haber. (Hymenoptera, Ichneumonidae), an ectoparasite of *Orgia dubia* Tausch. (Lepidoptera, Lymantriidae). Tel Aviv University; Prof. J. Kugler.
- Wool, D. (, 1966). M. Sc. Chironomidae from the Hula Nature Reserve. Tel Aviv University; Prof. J. Kugler.
- Wool, D. (1977). Genetic and environmental components of morphological variation in gall forming aphids (Homoptera: Aphididae, Fordinae) in relation to climate. *Journal of Animal Ecology*, 46, 875-889.
- Wool, D. (1980). On ecological inference from kurtosis and skewness of morphological characters. *Researches on Population Ecology*, 22, 263-272.

Wool, D., & Koach, J. (1976). Morphological variation of the gall forming aphid, *Geoica utricularia* (Homoptera) in relation to environmental variation. In S. Karlin & E. Nevo (Eds.), *Population genetics and ecology*. (pp. 239-272). New York: Academic Press.

Wool, D., & Manheim, O. (1983). The effects of environmental subdivision on morphological variation in the "cauliflower" galls of the aphid *Slavum wertheimae* (Homoptera: Aphididae, Fordinae). *Israel Journal of Entomology*, 17, 95-104.

Wool, D., & Manheim, O. (1992). Multivariate study of temporal variation in morphology of a gall-forming aphid. In J. Sorensen & R. Footitt (Eds.), *Ordination in the study of morphology, evolution and systematics of insects*. (pp. 179-192). Amsterdam: Elsevier.

Woznica, A. (1993). A new genus of heleomyzid fly of the tribe Oecotheni from Afrotropical Region. (Diptera: Heleomyzidae). *Genus*, 4, 59-65.

Yarom, I. (1990). A review of the genus *Sapromyza* Fallen in Israel with remarks on *S. (Sapromyzosoma) quadripunctata* (Linnaeus) (Diptera: Lauxaniidae). *Entomologica Scandinavica*, 21, 289-304.

Yarom, I. (1991). A revision of the genus *Paroecus* Becker (Diptera: Lauxaniidae). *Entomologica Scandinavica*, 22, 129-137.

Yarom, I. (, 1995). Ph. D. Phylogenetic Analysis of Homoneurine flies (Diptera: Lauxaniidae) and revisions of the genera *Dioides*, *Procestrotus*, and *Prosoppherella*. University of Kansas;

Anonymous. The Lauxaniidae (Diptera) of Israel. Budapest. Abstract Volume: 271p. First International Congress of Dipterology.

Yarom, I., Freidberg, A., & Papp, L. (1986). A revision of the genus *Mycterella* Kertész (Diptera: Lauxaniidae). *Israel Journal of Entomology*, 20, 59-69.

Yawetz, A. (, 1973). M. Sc. Biological studies with *Dirhinus giffardi* Silvestri (Hymenoptera, Chalcididae). (In Hebrew). Tel Aviv University;

Yeates, D.K. (1994). The cladistic and classification of the Bombyliidae (Diptera: Asiloidea). *Bulletin of the American Museum of Natural History*, 219, 1-191.

Yogev, A. (, 1993). M.Sc. Factors determining clutch size in spur-winged plover *Vanellus spinosus*. Tel Aviv University;

Yom-Tov, Y. (1967). On the taxonomic status of the hare (Genus *Lepus*) in Israel. *Mammalia*, 31, 246-259.

Yom-Tov, Y. (1979). The disadvantages of low positions in colonial roosts: An experiment to test the effect of droppings on plumage quality. *Ibis*, 121, 331-333.

- Yom-Tov, Y. (1980). Intraspecific nest parasitism in the Dead Sea sparrow. *Ibis*, 122, 234-237.
- Yom-Tov, Y. (1980). Intraspecific nest parasitism in birds. *Biological Reviews of the Cambridge Philosophical Society*, 55, 93-108.
- Yom-Tov, Y. (1984). On the difference between the spring and autumn migrations in Eilat, southern Israel. *Ringing and Migration*, 5, 141-144.
- Yom-Tov, Y. (1984). Vertebrates of the mountainous Galilee. In A. Shmueli (Ed.), *The Land of Galilee*. (pp. 187-198). Tel Aviv: The Ministry of Defence Publishing House.
- Yom-Tov, Y. (1987). Vertebrates of Sinai Peninsula. In A. Degani (Ed.), *Sinai*. (pp. 341-374). Tel Aviv: The Ministry of Defence Publishing House.
- Yom-Tov, Y. (1988). Bird migration in Israel. In Y. Yom-Tov & E. Tchernov (Eds.), *The zoogeography of Israel*. (pp. 497-514). Dordrecht: Dr. W. Junk Publishers.
- Yom-Tov, Y. (1988). The zoogeography of the birds and mammals of Israel. In Y. Yom-Tov & E. Tchernov (Eds.), *The zoogeography of Israel*. (pp. 389-410). Dordrecht: Dr. W. Junk Publishers.
- Yom-Tov, Y. (1988). The variability of the Israeli fauna and its causes. *Annual Meeting of the Zoological Society of Israel*, (abstract)
- Yom-Tov, Y. (1991). Character displacement in the psammophile Gerbillidae of Israel. *Oikos*, 60, 173-179.
- Yom-Tov, Y. (1993). Vertebrates of the Golan Heights and Mount Hermon. In A. Degani & M. Inbar (Eds.), *The Golan and Hermon*. (pp. 157-186). Tel Aviv: Ministry of Defence Publication House.
- Yom-Tov, Y. (1993). Character displacement among the insectivorous bats of the Dead Sea area. *Journal of Zoology*, 230, 347-356.
- Yom-Tov, Y. (1996). Body mass overlap and interference competition among desert gerbils. *Oikos*, 75, 536-538.
- Yom-Tov, Y., Cohen, M., & Wollberg, Z. (1990). On the possible function of the anterior cornu in Microchiroptera. *Mammalia*, 54, 281-285.
- Anonymous. The mammal collection of the Tel Aviv University Zoological Museum. Acapulco: Proceedings of the 7th International Theriological Congress.
- Yom-Tov, Y., Makin, D., & Shalmon, B. (1992). A note on the biology of *Pipistrellus bodenheimeri* in Israel. *Zeitschrift f?r Saugetierkunde*, 57, 65-69.

- Yom-Tov, Y., Makin, D., & Shalmon, B. (1992). The insectivorous bats (Microchiroptera) of the Dead Sea area, Israel. *Israel Journal of Zoology*, 38, 125-137.
- Yom-Tov, Y., & Mendelssohn, H. (1988). Changes of the distribution and abundance of vertebrates in Israel during the 20th century. In Y. Yom-Tov & E. Tchernov (Eds.), *The zoogeography of Israel*. (pp. 515-547). Dordrecht: Dr. W. Junk Publishers.
- Yom-Tov, Y., Mendelssohn, H., & Groves, C.P. (1995). *Gazella dorcas*. *Mammalian Species*, 1995(491), 1-6.
- Yom-Tov, Y., & Shalmon, B. (1990). First record of *Taphozous perforatus* in Israel. *Mammalia*, 53, 661-662.
- Yom-Tov, Y., & Tchernov, E. Anonymous. (1988). The zoogeography of Israel. Dordrecht: Dr. W. Junk Publishers. 1 p.
- Yom-Tov, Y., & Werner, Y.L. (1995). Environmental correlates of the geographical distribution of terrestrial vertebrate species richness in Israel. *Ecological Society of Israel, Haifa*, (abstract)
- Yom-Tov, Y., Wilson, R., & Ar, A. (1986). Water loss from the jackass penguin, *Spheniscus demersus*, eggs during natural incubation. *Ibis*, 128, 1-8.
- Yom-Tov, Y., & Wool, D. (1997). Does the contents of barn owls (*Tyto alba*) pellets truly represent the proportions of prey species in the field? *The Condor*, 99, 972-976.
- Zeevi, D., & Benayahu, Y. (1996). The gorgonian *Acabaria biserialis*: A successful colonizer of artificial substrata. *Israel Journal of Zoology*, 42, 89(abstract)
- Zeevi, D., & Benayahu, Y. (1996). The gorgonian *Acabaria biserialis*: A successful colonizer of artificial substrata. *8th International Coral Reef Symposium, Panama City, Panama*, 215(abstract)
- Zibrowius, H. (1979). Campagne de la Calypso en Mediterranee nord-orientale (1955, 1956, 1960, 1964). 7. Scleractiniaires. *Annales de l'Institut oceanographique, Paris*, 55, 7-28.
- Zibrowius, H. (1980). Les Scleractiniaires de la Mediterranee et de l'Atlantique nord-oriental. *Memoires de l'Institut oceanographique, Monaco*, 11, 1-284.
- Zinger, R., & Yom-Tov, Y. (1988). The breeding biology of the house sparrow in Israel. *Ornis Scandinavica*, 19, 139-144.
- Zohar, I. (1994). The fishing strategy in early prehistoric fishermen site in the Levant. *ICAZ 7th International Congress, Konstanz*, (abstract)

Zohar, I. (1996). Fish processing at the beginning of the Holocene: An ethnographical model. *Third Meeting of the ASWA working group of ICAZ, Budapest*, (abstract)

Zohar, I. (, 1997). M. Sc. Exploitation of marine resources by the Neolithic inhabitants of Atlit-Yam, Israel: A multivariate analysis based on grey triggerfish (*Balistes carolinensis*) remains. University of Haifa;

Zohar, I., Dayan, T., & Spanier, E. (1997). Predicting grey triggerfish body size from bones. *International Journal of Osteoarcheology*, 7, 150-156.

Anonymous. Exploitation of grey triggerfish (*Balistes carolinensis*) by the prehistoric inhabitants of Atlit-Yam, Israel: A preliminary report. Tervuren: 231p. Fish exploitation in the past. Proceedings of the 7th meeting of the ICAZ Fish Remains Working Group. Annales du Musee Royal de l'Afrique Centrale, Sciences Zoologiques.

Zohar, I., Spanier, E., & Dayan, T. (1996). Exploitation of the grey triggerfish *Balistes carolinensis* at the beginning of the Holocene. *Israel Journal of Zoology*, 42, 89(abstract)